Public Comments – SE 4th Street Public Meeting – June 4, 2014 5-7 pm

Email/Name/Address	Comments
Everyman84@att.net	Option 4
Peter Theakteste	I like option 4 but the drop off on one side of the
944 SE 4 th Street	bike path and the curb on the other side bothers
	me. How about 2 10' multipurpose sidewalks and
	no designated bike path?
O. Washington	Option 1
Reeves & Washington families	Please include construction improvements for
1943 SW 73 rd Street	Sweetwater Branch; curbs, gutters, two
Gainesville, FL 32607	stormwater retention ponds, etc. Thanks.
franklinia@gmail.com	None of these designs are suitable for the
Anne Barkdoll	residential area. They are too wide & no trees.
3931 SE 41 Ave	Truck traffic south of the creek needs to be
	eliminated. Option 7 is the least offensive but, is
	completely unsuitable. All utilities need to be
	placed underground.
megnolia@aol.com	None of these options deliver a decent entrance to
Meg Niederhofer	the city center from SE Gainesville. Please come
2619 SE 30 th Place	up with an option that includes trees rather than a
	huge swath of hardscape. I'd like to see you
	preserve the Heritage Live Oaks & only have bike
	lane & sidewalk on the other side. If you have to
	destroy the tress, perhaps you could use the code-
	required mitigation funds for destroying Heritage
	trees of high quality species for tree wells. It looks
	like Option #6 10' shared use path could have tree
	wells.
BOYDSLA@gmail.com	No option chosen.
Sherri Boyd Amundson	Add or keep trees. Multi-use on one side. Bike
1830 SE 32 nd Place	paths definitely. Keep it as narrow as possible to
	not have a huge swath of cement. I bike, walk &
	drive this road – 25 years.
CC Helen Warren	As a commissioner I am here to hear public
	comment and discussion.