

Fiala, Eugenia J.

From: smlamme@ufl.edu
Sent: Monday, May 11, 2009 9:03 PM
To: depclerk
Subject: City Commission Board/Committee Application

Follow Up Flag: Follow up
Flag Status: Blue

City Commission Board/Committee Application
=====

Submitted on: (Monday, May 11, 2009 at 9:02:45 PM)

Boards Applied For: Historic Preservation Board Meeting Date: most
Boards Applied For: Meeting Date:

Personal/Contact Information

Name: Sandra M Lamme
Address: 2732 S. W. 4th Place, Apt #
 Gainesville, FL, 32607
Home Phone: (352) 514-1840
Work Phone: () Ext:
E-mail Address: smlamme@ufl.edu
Desired Name to appear on Certificates etc.: Sandra M. Lamme
Occupation: preservation consultant
Race: Caucasian
Sex: Female
Miscellaneous Information:

Experience/Training Information

Related to Board/Committee: M.A. Urban and Regional Planning, Univ. of Florida
Doctoral Student - Historic Preservation, Univ. of Florida
Have served three terms on this board and seek reappointment
Educational Background: B.A. Spanish University of Florida
Professional Organizations: National Trust for Historic Preservation
Florida Trust for Historic Preservation
References: Professor Roy Hunt 376-7618
Professor Kim Tanzer 338-2949
Ms. Mary Ann Williams 376-0085

Background Information

Contacted Mayor Hanrahan:[No data entered
]
Contacted At-Large Commissioner Poe:[No data entered
]
Contacted At-Large Commissioner Mastrodicasa:[No data entered
]
Contacted Dist. 1 Commissioner Henry:[No data entered
]
Contacted Dist. 2 Commissioner Hawkins:[No data entered
]
Contacted Dist. 3 Commissioner Donovan:[No data entered
]
Contacted Dist. 4 Commissioner Lowe:[No data entered
]

Question 1 (City Resident?): Yes
Question 2 (Commission Relative?): No

=====
Applicant's Location
=====

<http://www.mapquest.com/maps/map.adp?city=Gainesville&state=FL&address=2732 S. W. 4th Place&zip=32607&country=us&zoom=5>

=====
Technical Data
=====

This message was generated on the City of Gainesville Website.
User IP address: 75.193.105.35
Client software: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; BellSouth/1.0.0)