


Speaker Timers

Exhibit
342





- Keeps time at lectures, forums and legal proceedings.
- Maintains pace of programs.
- Builds confidence that no one's time is unfairly curtailed.
- Spares moderators the need to interrupt.
- Helps speakers end smoothly.

Limitimer®

D'SAN

Tel : 800-442-3726 Int'l: 516-625-5608
Fax: 516 625-0878 Email : info@dsan.com



the traffic light for speakers



New Model
PRO2000.
Smarter &
easier-to-use



Limitimer Model PRO2000 Features



Set Programs

Four programs can retain total time, sum-up time, time remaining, beep and blink settings. Program 4 (Session) can run in background.

Set Program Options

- Beep Audible cues are sounded on light changes
- Blink Red light begins to blink 30-seconds after it comes on
- Beep+Blink Audible cue sounds intermittently while red light blinks

Set Global Options

- Count-up or Count-down
- Stop clock on 0:00 or continue counting past Total Time
- Count Minutes : Seconds or Hours : Minutes
- Allow time changes while clock is running or lock settings keys on START.
- Select type of audible cues: Ring, Buzz, Chime.
- Sound audio cue on signal light only or on signal light and timer console

Configure Control

Connect two Limitimer consoles to one or more signal lights. Both timers allow start/stop control.


Connect Remote Signal Lights

Interconnect one or more signal lights on a single Cat 5 or XLR cable or via an RF link. (RF requires receiver Model PRO2000-RFR.)

Signal Lights

Podium Signal Light


PSL20V



3.6"(W) x 3.2"(L) x 2.2" (H). Select sounds, display time remaining clock, phase lights or both; disable top lights for timing privacy; daisy-chain multiple signal lights on a single Cat 5 or XLR cable; each can be set to receive output from one, all, or any combination of programs.

Audience Signal Lights

ASL 4ND3 and ASL2ND3



High quality 7-segment LED digits (4" or 2"); Displays Time Remaining or, when Limitimer console is turned off, the current time. Stage stand. Wall-mounting clips.

Buying Limitimer

Limitimer PRO2000 is sold as a system consisting of a timer console, PSL20V signal light, 50-foot Cat 5 cable and external power supply. Limitimer AV2000 is a low-profile version that has the same timing features but does not contain an on-board XLR jack and is not compatible with older Limitimer signal lights.

Accessories

- CS-618 - Shipping / Carrying Case for Limitimer PRO-2000 System
- CS-827 - Shipping / Carrying Case for Limitimer PRO-2000 System and Audience Signal Light
- KES 881 - Female XLR-to-RJ45 (Cat 5) adaptor
- KES 882 - Male XLR-to-RJ45 (Cat 5) adaptor
- PRO-2000-RFR- Wireless receiver for PSL20V Signal Light.

D'San Corporation sells direct world wide or through audio visual dealers. We welcome reseller inquiries.



D'San Corporation
542 Mineola Avenue, Roslyn Heights, New York 11577

Tel : 516-625-5608
Fax : 516-625-0978

info@dsan.com
www.dsan.com

Limitimer[®]

Part No.	Description	Price
Limitimer Complete Systems		
AV-2000	Slim profile case. System includes Timer, Podium Signal Light and 50' cable. Signal light connections via CAT5 cable.	\$ 817.00
PRO-2000	Same features as AV-2000. Includes XLR jack for signal light connections with popular, flat-laying XLR audio cable as well as an EBY jack for compatibility with family of existing Limitimer Audience Signal Lights. System includes Timer, Podium Signal Light and 50' cable	\$ 817.00
Signal Lights		
PSL-20V	Extra Podium Signal Light	\$ 208.00
PSL-20VF	Flush mount Podium Signal Light	\$ 194.00
ASL-4	Audience Signal Light with 4" tri color lights	\$ 488.00
ASL-4ND3	ASL-4 with 4" digital display and tri color lights	\$ 818.00
ASL-2ND3	ASL-4 Light with 2" digital display and tri color lights	\$ 420.00
Carrying & Storage Cases		
CS-518	Holds Limitimer Complete System	\$ 131.00
CS-827	Holds Limitimer Complete System & Audience Signal Light	\$ 253.00
Cables and Adaptors		
KES-851	Extension Cable for Signal Light 50 ft Cat 5 with modular connectors	\$ 25.00
KES-825	Extension Cable for Signal Light 25 ft Cat 5 with modular connectors	\$ 20.00
KES-882	Adaptor: Male XLR to Modular Cat 5 Jack	\$ 31.00
KES-883	Adaptor: Female XLR to Modular Cat 5 Jack	\$ 31.00
	Note: Adaptors allow Limitimer AV-2000 to use XLR 5 cable for signal light connections.	

Use Limitimer at your next meeting!
Call to find out how you can obtain a Limitimer System as a **free 30-day trial demo.**

Note: International users - Limitimer will operate on either 110-120 Volt or 220-240 Volt AC current. The timer will be supplied with the appropriate plug for your country.
D'San sells direct to users world-wide as well as through dealers. Please contact us for further information.

D'San Corporation
142 Mineola Avenue, Roslyn, NY 11577 Tel: 516 625-5608 Fax: 516 625-0878
Web: www.dsan.com Email: info@dsan.com