FLORIDA HIGHWAY PATROL CLASS A WRECKER INSPECTION FORM

Zone:	

	DATE OF INSPECTIO	N:		
WRECKER COMPANY: _		ADDRI	ESS: _	
Phone # Day:	Night:	Mobile:		Wrecker Owner:
Vehicle: Year/Make:	Tag #:	Unit#:		Vin#:
Wrecker: Make/Model:		Winch(es):	Make/S	Serial #:
	INSURA	NCE REQUIRE	VIENTS	3
Company:	Ins. Age	ency:		Expiration Date:
☐ Insurance Statement	of Compliance on file	C	urrent	Certificate of Insurance on file
R	EQUIRED EQUIPMENT	TO BE INSPEC	TED -	- (Each Wrecker)
Wrecker comme	ercially manufactured			Bolt cutters (min. 1/2" opening)
Min. manufactur	rer's rated capacity-truck chas	sis – 10,000 GVW	□ J	lumper cables (1 set)
☐ Winch – min. ca	pacity of 4 tons		F	Flashlight – (1 ea.)
Dual rear wheel	s · · ·		□ 3	30-minute fuses (5 ea.)
100 ft. 3/8 inch d	cable			Safety cones or triangle reflectors (3 ea.)
Cradle or tow pla	ate or tow sling with safety cha	ains	F	Fire extinguisher –CO2 or dry chemical (5 lb. min.)
Dollies			<u> </u>	l-way lug wrench (1 ea.)
Snatch block (ea	ach winch)		□ F	Red reflectors (1 set)
Extra towing cha	ain 6 to 8 ft. with hooks		□ F	Heavy duty push broom (min. 24" width) (1 ea.)
Amber emergend	cy lights (rotor beam or strobe)	□ 5	50 lbs. of sand or equivalent
Clearance and m	narker lights		☐ F	Proper lettering-professionally painted (both sides)
Floodlights on he	oist			Square shovel (1 ea.)
Two-way radio o	or mobile telephone			Axe (1 ea.)
Crowbar or pry b	ar (min. length 30 in.) (1 ea.)			All other equipment required by law
Inspected by:		Company F	Represer	ntative:
ADDITIONAL COMMENTS		•		

FLORIDA HIGHWAY PATROL ROLL-BACK OR SLIDE-BACK CARRIER WRECKER INSPECTION FORM

Zone:	

		DATE OF INSPECTION	ON:	
WRECKE	R COMPANY:		ADDR	ESS:
Phone #	Day:	Night:	Mobile:	Wrecker Owner:
Vehicle: `	Year/Make:	Tag #:	Unit#:	Vin#:
Wrecker:	Make/Model:		Winch(es):	Make/Serial #:
		INSURA	NCE REQUIRE	MENTS
Compan	y:	Ins. Age	ency:	Expiration Date:
☐ Insura	ance Statement of	Compliance on file	□с	urrent Certificate of Insurance on file
	REG	UIRED EQUIPMENT	TO BE INSPEC	CTED – (Each Wrecker)
	Wrecker commercia	ally manufactured		Bolt cutters (min. 1/2" opening)
. [s rated capacity-truck chas	sis - 10,000 GVW	Jumper cables (1 set)
	With a min. 16 Winch – min. capac			Flashlight - (1 ea.)
. [Dual rear wheels			30-minute fuses (5 ea.)
	50 ft. 3/8 inch cable			Safety cones or triangle reflectors (3 ea.)
	Min. of two safety tie	e down chains (10 ft. ea.)		Fire extinguisher –CO2 or dry chemical (5 lb. min.)
	Snatch block	•		4-way lug wrench (1 ea.)
	Extra towing chain 6	6 to 8 ft. with hooks		Red reflectors (1 set)
. [Two-way radio or mo	obile telephone		Heavy duty push broom (min. 24" width) (1 ea.)
	Amber emergency lig	ghts (rotor beam or strobe)		50 lbs. of sand or equivalent
	Clearance and mark	er lights		Proper lettering-professionally painted (both sides)
	Two (2) spot (flood)	lights mounted on rear		Square shovel (1 ea.)
	Axe (1 ea.)			All other equipment required by law
	Crowbar or pry bar (min. length 30 in.) (1 ea.)		
Inspected b	oy:		Company F	Representative:
ADDITION	NAL COMMENTS:			
	<u> </u>			
	<u> </u>	···		
				<u> </u>

FLORIDA HIGHWAY PATROL CLASS B WRECKER INSPECTION FORM

Zone:	

,		DATE OF INSPECTION	ON:			
WRECKER COMPANY:			ADDF	ADDRESS:		
Phone # Da	ay:	Night:	Mobile:	Wrecker Owner:		
				Vin#:		
				s): Make/Serial #:		
		INSURA	NCE REQUIRE	EMENTS		
Company:		Ins. Age	ency:	Expiration Date:		
☐ Insurar	nce Stateme	ent of Compliance on file	C	Current Certificate of Insurance on file		
.:		REQUIRED EQUIPMENT	TO BE INSPE	ECTED – (Each Wrecker)		
	Wrecker com	nmercially manufactured		Bolt cutters (min. ½" opening)		
	Min. manufac	cturer's rated capacity-truck chas	sis – 20,000 GVW	V Jumper cables (1 set)		
	Twin Winches	s – min. combined capacity of 10	tons	Flashlight – (1 ea.)		
	Dual rear who	eels		30-minute fuses (5 ea.)		
	100 ft. 1/2 inc	ch cable		Safety cones or triangle reflectors (3 ea.)		
. \square	Cradle or tow	plate or tow sling with safety cha	ains	Fire extinguisher –CO2 or dry chemical (5 lb. mi		
	One set of se	cotch blocks or hydraulic rear ext	endable blocks	4-way lug wrench (1 ea.)		
	Snatch block	(each winch)		Red reflectors (1 set)		
	Extra towing	chain 6 to 8 ft. with hooks		Heavy duty push broom (min. 24" width) (1 ea.)		
	Amber emerge	ency lights (rotor beam or strobe)		50 lbs. of sand or equivalent		
	Clearance and	d marker lights		Proper lettering-professionally painted (both side		
	Floodlights or	n hoist		Square shovel (1 ea.)		
	Two-way radi	o or mobile telephone		Axe (1 ea.)		
. 🗆	Crowbar or pr	y bar (min. length 30 in.) (1 ea.)		All other equipment required by law		
Inspected by	; <u></u>		Company F	Representative:		
ADDITIONA	AL COMMEN	TS:				
		,				

FLORIDA HIGHWAY PATROL CLASS C WRECKER INSPECTION FORM

Zone:	
ZUITE.	

		1	ATE OF INSPECTION	ON:		
WRECK	KER CON	MPANY:		ADDRI	ESS:	
Phone	# Day: _	· .	Night:	Mobile:		Wrecker Owner:
Vehicle	e: Year/M	ake:	Tag #:	Unit#:		Vin#:
Wrecke	er: Make/	Model:		Winch(es):	Make	e/Serial #:
			INSURA	NCE REQUIRE	/IEN	TS
Compa	any:		Ins. Age	ency:		Expiration Date:
Inst	urance S	Statement of Co	mpliance on file	☐ Ct	ırrer	nt Certificate of Insurance on file
		REQUI	RED EQUIPMENT	TO BE INSPEC	TED	– (Each Wrecker)
	☐ Wree	cker commercially	manufactured			Bolt cutters (min. ½" opening)
	Min.	manufacturer's ra	ted capacity-truck chas	sis – 30,000 GVW		Jumper cables (1 set)
			s – 50,000 lbs. GVW ombined capacity of 25	tons		Flashlight – (1 ea.)
•	☐ Dual	rear wheels				30-minute fuses (5 ea.)
	200 1	ft. 5/8 inch cable				Safety cones or triangle reflectors (3 ea.)
	Crad	le or tow plate or t	ow sling with safety cha	ains		Fire extinguisher –CO2 or dry chemical (5 lb. min,)
	One	set of scotch bloc	ks or hydraulic rear ext	endable blocks		4-way lug wrench (1 ea.)
	☐ Snat	ch block (each wir	ch)			Red reflectors (1 set)
	☐ Extra	towing chain 6 to	8 ft. with hooks			Heavy duty push broom (min. 24" width) (1 ea.)
	Ambe	er emergency lights	(rotor beam or strobe)			50 lbs. of sand or equivalent
	Clear	ance and marker	ghts			Proper lettering-professionally painted (both sides)
	Floor	dlights on hoist				Square shovel (1 ea.)
	☐ Two-	way radio or mobi	le telephone			Axe (1 ea.)
	Crowl	oar or pry bar (min	. length 30 in.) (1 ea.)			All other equipment required by law
	Airb	rakes				
Inspecte	d by:	-		Company R	epres	sentative:
ADDITIO	ONAL CC	DMMENTS:				
			·			
					-	