



1 described above at which hearing the parties in interest and all others had an opportunity to be  
2 and were, in fact, heard.

3 **NOW, THEREFORE, BE IT ORDAINED BY THE CITY COMMISSION OF THE**  
4 **CITY OF GAINESVILLE, FLORIDA:**

5 **Section 1.** The Zoning Map Atlas of the City of Gainesville is amended by rezoning the  
6 following described property from the zoning category of “MU-2: 12-30 units/acre mixed use  
7 medium intensity” to “BUS: General business district”:

8 See Legal Description attached hereto as Exhibit "A", and made a part hereof  
9 as if set forth in full.

10 **Section 2.** The City Manager is authorized and directed to make the necessary changes in  
11 the Zoning Map to comply with this Ordinance.

12 **Section 3.** If any section, sentence, clause or phrase of this ordinance is held to be invalid  
13 or unconstitutional by any court of competent jurisdiction, then said holding shall in no way affect  
14 the validity of the remaining portions of this ordinance.

15 **Section 4.** All ordinances, or parts of ordinances, in conflict herewith are to the extent of  
16 such conflict hereby repealed.



INSTRUMENT # 2006001  
4 PGS

**EXHIBIT A**  
**To Warranty Deed**

**LEGAL DESCRIPTION**

A PARCEL OF LAND IN SECTION 28, TOWNSHIP 9 SOUTH, RANGE 20 EAST, ALACHUA COUNTY, FLORIDA, BEING DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SECTION 29; THENCE BEAR NORTH 00 DEG. 13 MIN. 30 SEC. WEST ALONG THE EAST LINE OF SAID SECTION 29, A DISTANCE OF 33.00 FEET TO THE NORTH RIGHT OF WAY LINE OF NORTHEAST 23RD AVENUE; THENCE BEAR SOUTH 89 DEG. 46 MIN. 00 SEC. WEST ALONG SAID NORTH RIGHT OF WAY LINE, A DISTANCE OF 339.25 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 25.00 FEET; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 89 DEG. 43 MIN. 00 SEC., A DISTANCE OF 39.15 FEET TO THE POINT OF TANGENCY; THENCE RUN NORTH 00 DEG. 31 MIN. 00 SEC. WEST, A DISTANCE OF 589.00 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 120.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 45 DEG. 48 MIN. 36 SEC., A DISTANCE OF 95.94 FEET TO THE POINT OF TANGENCY; THENCE BEAR NORTH 45 DEG. 17 MIN. 38 SEC. EAST, A DISTANCE OF 219.92 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 120.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 44 DEG. 49 MIN. 54 SEC., A DISTANCE OF 93.69 FEET TO THE POINT OF TANGENCY; THENCE BEAR SOUTH 89 DEG. 52 MIN. 30 SEC. EAST, A DISTANCE OF 254.69 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT HAVING A RADIUS OF 120.00 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 25 DEG. 06 MIN. 30 SEC., A DISTANCE OF 52.59 FEET; THENCE BEAR SOUTH 64 DEG. 46 MIN. 00 SEC. EAST, A DISTANCE OF 135.79 FEET TO THE POINT OF BEGINNING.

THENCE SOUTH 25 DEG. 14 MIN. 00 SEC. WEST ALONG A LINE WHICH IS 240.00 FEET WEST OF AND PARALLEL WITH THE WESTERLY RIGHT OF WAY LINE OF STATE ROAD 329, A DISTANCE OF 170.00 FEET; THENCE BEAR SOUTH 64 DEG. 46 MIN. 00 SEC. EAST, A DISTANCE OF 240.00 FEET TO SAID WESTERLY RIGHT OF WAY LINE OF STATE ROAD 329; THENCE BEAR NORTH 25 DEG. 14 MIN. 00 SEC. EAST ALONG SAID WESTERLY RIGHT OF WAY LINE, A DISTANCE OF 145.00 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT HAVING A RADIUS OF 25.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 90 DEG. 00 MIN. 00 SEC., A DISTANCE OF 39.27 FEET TO THE POINT OF TANGENCY; THENCE BEAR NORTH 84 DEG. 45 MIN. 00 SEC. WEST, A DISTANCE OF 215.00 FEET TO THE POINT OF BEGINNING.

RECEIVED  
JAN 16 2007  
PLANNING  
DIVISION