



Bell Performance, Inc. tel 407-831-5021
1340 Bennett Drive fax 407-331-1125
Longwood, FL 32750
www.bellperformance.com
www.WeFixFuel.com

5-23-17

City of Gainesville RTS
200 East University Avenue, Room 339
Gainesville, FL. 32601

RE: Invitation to Bid
Bid #: RTSX-170038-DS
Diesel Fuel Treatments
Purchasing Representative: Daphyne Sesco

Hello Daphyne:

Thank you very much for the opportunity to submit the attached bid package. Please note that the product we're proposing is our **Dee-Zol (1:4000 Concentrate)** formulation.

This is a super-concentrate that will provide the City of Gainesville RTS with all the benefits described at the most effective cost to treat per gallon of diesel fuel. All requested documents are included in this submission. Please don't hesitate to call with questions or clarifications.

Thanks again for the opportunity to earn your business, it is greatly appreciated.

Dan Bordui

Director; National Partnerships
Direct: 407.831.5021
Cell: 407.417.0415
dbordui@bellperformance.net

BID FORM

TO: City of Gainesville, Florida
200 East University Avenue
Gainesville, Florida 32601

PROJECT: Diesel Fuel Treatments

BID#: RTSX-170038-DS

BID DUE DATE: May 24, 2017 at 3:00 p.m. local time

CITY’S REPRESENTATIVE (to be contacted for additional information on this proposal):

Name: Daphyne Sescoda, Senior Buyer Telephone Number: 352-334-5021
Fax Number: 352-334-3163
Email address: sescoda@cityofgainesville.org

Bidder Legal Name: Bell Performance, Inc.

Bidder Alias/DBA: _____

Bidder’s Address: 1340 Bennett Dr., Longwood, FL 32750

BIDDER’S REPRESENTATIVE (to be contacted for additional information on this proposal):

Name: Dan Bordui Telephone Number: 800-659-2355

Date: 5/23/17 Fax Number: 407-331-1125

Email address: dbordui@bellperformance.net

BIDDER’S DECLARATION AND UNDERSTANDING

The undersigned, hereinafter called the Bidder, declares that the only person or parties interested in this Bid are those named herein, that this Bid is, in all respects, fair and without fraud, that it is made without collusion with any official of the City, and that the Bid is made without any connection or collusion with any person submitting another Bid on this contract.

The Bidder further declares that no City Commissioner, other City officer, or City employee directly or indirectly owns more than five percent of the total assets or capital stock of the bidding entity, nor will directly or indirectly benefit by more than five percent from the profits or emoluments of this contract. (For purposes of this paragraph, indirect ownership or benefit does not include ownership or benefit by a spouse or minor child.)

The Bidder further declares that it has carefully examined the Specifications and that this Bid is made according to the provisions and under the terms of the Specifications, which Specifications are hereby made a part of this Bid.

Bidder further declares that any deviation from the specifications are explained on separate sheets labeled Clarifications and Exceptions attached to this Bid Form and that each deviation is itemized by number and specifically refers to the applicable specification paragraph and page.

ADDENDA

The Bidder hereby acknowledges receipt of Addenda No.'s _____1_____, _____, _____, to these Specifications.

TAXES

The Bidder agrees that any applicable Federal, State and Local sales and use taxes, which are to be paid by City of Gainesville, are included in the stated bid prices. Since often the City of Gainesville is exempt from taxes for equipment, materials and services, it is the responsibility of the Contractor to determine whether sales taxes are applicable. The Contractor is liable for any applicable taxes which are not included in the stated bid prices.

BID PRICES

The undersigned hereby proposes and agrees, if this bid is accepted, to perform the work in accordance with the specifications for the following bid prices:

Prices stated below shall reflect price per unit delivered and shall be firm for the entire term of the contract.

<u>Item</u>	<u>Price Amount</u>
Diesel Fuel Treatment cost per gallon of diesel fuel	\$0.018
Cost of initial fuel analysis	\$0.00
Cost of quarterly fuel analysis, thereafter	\$0.00
Cost of diesel treatment per 55 gallon drum	\$3,965.00

Term for delivery ARO: 24 - 48 hours

Bidder certifies compliance with requirement, and can provide documentation, that product offered has been in distribution for a minimum of five (5) years: X Yes D.B (initial)

Bidder certifies compliance with requirement, and can provide documentation of, that bidder has current licenses/permits required for their business: X Yes D.B (initial)

Bidder certifies compliance with requirement, and can provide documentation, that bidder is a factory authorized full service distributor or dealer: X Yes D.B (initial)

Bidder certifies compliance with requirement, and can provide documentation, to provide list of three customer references currently using product being offered: X Yes D.B (initial)

Bidders are requested to supply the requested documentation with their bid response. However, if the documentation is not provided, the buyer will contact the bidder after the bid opening to provide the documentation.

Note: THE PRICES SET FORTH ABOVE SHALL BE CONSIDERED FIRM BIDS NOT SUBJECT TO PRICE ADJUSTMENT UNLESS BIDDER'S PROVISIONS FOR PRICE ESCALATION ARE STATED ON A SEPARATE SHEET ATTACHED TO THE BID.

LOCAL PREFERENCE (check one)

Local preference is requested _____ yes X no

A copy of your Business tax receipt and Zoning Compliance Permit should be submitted with your bid if a local preference is requested

QUALIFIED LOCAL SMALL BUSINESS STATUS (check one)

Is your business qualified as a Local Small Business in accordance with the City of Gainesville Small Business Procurement Program? (Refer to Definitions) YES NO


SIGNATURE ACKNOWLEDGES THAT: (check one)

- Bid is in full compliance with the Specifications.
- Bid is in full compliance with specifications except as specifically stated and attached hereto.

Signature also acknowledges that Bidder has read the current City of Gainesville Debarment/Suspension/Termination Procedures and agrees that the provisions thereof shall apply to this bid.

(CORPORATE SEAL)


ATTEST:


Signature

By: DEBORAH MOON

Title: INTERNATIONAL DIRECTOR

BIDDER:


Signature

By: Dan Bordui

Title: Director of National Partnerships

ADDENDUM NO. 1



Date: May 10, 2017

Bid Date: May 24, 2017
3:00 P.M. (Local Time)

Bid Name: Diesel Fuel Treatments

Bid No.: RTSX-170038-DS

NOTE: This Addendum has been issued to the holders of record of the specifications.

The original Specifications remain in full force and effect except as revised by the following changes which shall take precedence over anything to the contrary:

Question submittal deadline has ended. No additional questions will be answered.

1. Questions received/City's response:

Question1: Section III - Special Provisions, 9, Are there any set asides or special considerations given for WOSB (Women Owned Small Business)?

Answer1: The only consideration given is a 5% price preference to a local small business (meaning within the City of Gainesville corporate limits).

Question2: Section III - Special Provisions, 7, it states that no sub-contractors are allowed however, included in the Bid document is a Tabulation of Subcontractors and Material Suppliers. Are subcontractors permitted?

Answer2: The form is one of many in the boilerplate document that may not be applicable. No, subcontractors are not permitted.

Question3: Section IV 2.1: Bid States: The City of Gainesville desires to purchase fuel treatment (s) to control the "accumulation of water and the rate of fuel decomposition, and control bacteria and fungi growth in its diesel storage tanks." These needs require very specific and different chemical formulations; Can we submit more than one fuel treatment for consideration and if so can you please amend the "Bid Prices" sheet to allow for multiple product pricing?

Specifically regarding the "control of bacteria and fungi growth" is the City of Gainesville seeking to purchase a "Biocide"? (biocides are the ONLY type of fuel treatment that actually kill and eliminate active bacteria & fungi growth in fuel and prevent against future growth). If so, should this "Biocide" carry proper EPA (Environmental Protection Agency) and FDACS (Florida Department of Agriculture & Consumer Services) registration/certification as required by Federal & State law?

Answer3: We are seeking one product that will meet our needs. Please do not submit multiple products for consideration. Submit only one product that fulfills the requirements.

No, we do not want a "biocide" product.

ACKNOWLEDGMENT: Each Proposer shall acknowledge receipt of this Addendum No. 1 by his or her signature below, **and shall attach a copy of this Addendum to its proposal.**

CERTIFICATION BY PROPOSER

The undersigned acknowledges receipt of this Addendum No. 1 and the Proposal submitted is in accordance with information, instructions, and stipulations set forth herein.

PROPOSER: Bell Performance, Inc.

BY:


Dan Bordui, Director of National Partnerships

DATE:

May 23, 2017



DEE-ZOL

ALL-PURPOSE DIESEL FUEL TREATMENT

DEE-ZOL multi-purpose fuel treatment is ideal for all grades and brands of diesel fuel—especially ultra-low sulfur diesel fuels.

DEE-ZOL is formulated to address all common diesel fuel problems with a cetane improver, dispersant and stabilizer, combustion enhancer, moisture eliminator, multiple detergents and lubricant.

DIESEL FUEL PROBLEMS

Due to increased worldwide demand and removal of fuel sulfur, diesel fuel quality and lubricity have declined dramatically over the last thirty years. This has led to common problems such as filter clogging, injector malfunctions, hesitation and poor acceleration, erratic combustion, intolerable emissions, sludge buildup and poor fuel economy.

WHAT DEE-ZOL DOES FOR YOU

- Increases mileage and horsepower
- Cleans injectors, fuel systems and combustion chambers
- Extends fuel filter life
- Stabilizes fuel for longer storage life
- Raises diesel fuel cetane rating
- Reduces pollutants and extends DPF service intervals
- Improves fuel lubricity and lubricates parts
- Controls and removes water in diesel fuel

WHO SHOULD USE DEE-ZOL?


Anyone needing to solve the most common problems with diesel fuels today should use DEE-ZOL.

IDEAL USES OF THIS PRODUCT WILL INCLUDE:

- Diesel fleets, trucks, buses, automobiles
- Diesel generators
- Diesel marine engines
- Any other type of diesel engine

BETTER PERFORMANCE

DEE-ZOL's combustion improvers produce the most uniform fuel burn on the market today. As fuel combustion is improved, more power is delivered to the piston as it is driven down on the power stroke. This means less downshifting and better performance with improved fuel mileage.



Before

After

CLEANS INJECTORS AND COMBUSTION CHAMBERS

Clean fuel injectors are the key to the best engine performance. Deposits on fuel injectors impede fuel delivery and reduce combustion efficiency while increasing unburned fuel emissions. DEE-ZOL removes injector and combustion chamber deposits for the best engine efficiency.

IMPROVES CETANE

DEE-ZOL increases fuel cetane rating to provide more power, better acceleration and easier cold weather starting for diesel engines.

INCREASES LUBRICATION

DEE-ZOL replaces lost lubrication in ULSD to protect injectors and fuel pumps. It also contains a seal conditioner to protect the O-rings and all rubber and plastic parts of the fuel system.

STABILIZES FUEL

The antioxidants and metal deactivators in DEE-ZOL slow the oxidation reactions that are the primary cause of diesel sludge formation and fuel stratification. Treated fuel retains its combustion quality and lasts longer in storage.

ELIMINATES MOISTURE

The alcohol-free moisture eliminator in DEE-ZOL works to solve moisture issues and reduce potential for microbe problems in fuel.

TREAT RATES AND APPLICATION (1:1280 AND 1:4000)

DEE-ZOL is available in both 1:1280 (1 oz. to 10 gallons) and 1:4000 (for bulk fuel treatment) formulations.

Double-dosage is recommended for initial treatment to initiate best removal of existing engine deposits.

For optimal blending, add to existing fuel prior to the addition of new fuel. Direct injection with fuel circulation may also be used.

SIZE AVAILABILITY

DEE-ZOL is available in 16 oz., 32 oz., 1 gallon, 5 gallon and 55 gallon product sizes. 275 gallon IBC and bulk ISO



containers also available. Contact the Bell Performance office or speak to your Account Manager for more details on bulk availability and pricing.

 **BELL**
PERFORMANCE
WE FIX FUEL



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Research Triangle Park, North Carolina 27711

August 24, 1978

Bell Laboratory, Inc.
Attn: Mr. William H. Keller
General Manager
2421 Kilgore Street
Orlando, Florida 32803

Gentlemen:

Pursuant to the Additive Manufacturer Notifications that you recently submitted to this office, the following additives are hereby registered in accordance with the regulations for Registration of Fuels and Fuel Additives promulgated November 7, 1975:

Bell Lab Dee-Zol Concentrate
Bell Lab MXO-Mix-I-Go Concentrate

You have previously been advised concerning your responsibilities with respect to registered additives.

Sincerely yours;

A handwritten signature in dark ink, appearing to read "T. R. Hauser", written over a horizontal line.

Thomas R. Hauser
Director, Environmental
Monitoring and Support Laboratory
(MD-79)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

FEB 18 1988

Bell Additives, Inc.
Attn: Mr. William H. Keller
President
1340 Bennett Drive
Longwood, Florida 32750

OFFICE OF
AIR AND RADIATION

RECEIVED FEB 22 1988

Dear Mr. Keller:

Pursuant to the Fuel Additive Manufacturer Notifications that your company recently submitted to the Office of Fuel and Fuel Additive Registration and received by that office on 08 February 1988, the following fuel additives are hereby registered with the United States Environmental Protection Agency in accordance with the regulations for the Registration of Fuels and Fuel Additives, promulgated in the Federal Register on November 07, 1975 (vol. 40, no. 216):

Bell Additives Carburetor Cleaner #76	Mxo-Mix-I-Go (Bell Additives)
Dee-Zol (Bell Additives)	Mxo-Mix-I-Go Concentrate (Bell Additives)
Dee-Zol Concentrate (Bell Additives)	83-D Concentrate (Bell Additives)
Dee-Zol Plus (Bell Additives)	83-G Concentrate (Bell Additives)

Your company is responsible for notifying the Office of Fuel and Fuel Additive Registration, in writing, of any changes in the information provided to that office on the Fuel Additive Manufacturer Notifications for the above listed fuel additives within 30 days of such changes, as indicated in part (b) of the Assurance at the end of the Fuel Additive Manufacturer Notification forms. See 40 CFR 79.5(b) for further information (enclosed).

This fuel additive manufacturer assures that it will not represent, directly or indirectly, in any notice, circular, letter or other written communication or any written, oral, pictorial notice or other announcement in any publication, or by radio or television, that registration of these fuel additives constitutes approval or certification or endorsement by any agency of the United States.

If you have any questions, please call the Office of Fuel and Fuel Additive Registration at (202)475-8001. Thank you for your cooperation.

Sincerely yours,

Richard G. Kozlowski
Director,
Field Operations & Support Division
EN 397 F

Enclosure



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 28 1998

Bell Additives, Inc. wka Bell Laboratory, Inc.
Mr. Charles G. Williams
President
1340 Bennett Drive
Longwood, FL 32759

OFFICE OF
AIR AND RADIATION

Dear Mr. Williams:

Please be advised that our records have been revised to indicate the change of company name for Bell Laboratory, Inc. to Bell Additives, Inc. We have the following registered products:

1319-0001	Bell Additives Carburetor Cleaner No. 76
1319-0003	Dee-Zol Concentrate (Bell Additives)
1319-0004	Dee-Zol Plus (Bell Additives)
1319-0006	Mxo-Mix-I-Go Concentrate (Bell Additives)
1319-0007	83-D Concentrate (Bell Additives)
1319-0008	83-G Concentrate (Bell Additives)
1319-0009	Big Daddy's Carbon & Moisture Eliminator (Bell Additives)
1319-0010	Big Daddy's Injector Cleaner (Bell Additives)
1319-0011	Big Daddy's Power Booster (Bell Chemical)
1319-0012	Big Daddy's Valve Protector w/Lead Substitute (Bell Additives)

Please call (202) 564-9754 if you have any questions.

Sincerely,


James W. Caldwell

Environmental Engineer
Fuels and Energy Division

BELL PERFORMANCE INC

#170132D

1340 BENNETT DRIVE

LONGWOOD FL 32750

(407) 831-5021 FAX # (407) 767-8685

INVOICE

PAGE 1 OF 1

INVOICE DATE 11/20/2009
INVOICE NO. 10474
ORDER NUMBER B/L # 10493
CUSTOMER NUMBER GAI600
SOLD TO:
 ATTN: ACCOUNTS PAYABLE
 GAINESVILLE REGIONAL TRANSIT
 P.O. BOX 490, STATION 5A
 GAINESVILLE, FL 32602-0490
SHIPPED TO:
 GAINESVILLE REGIONAL TRANS.
 RTS
 100 SE TENTH AVENUE
 GAINESVILLE, FL 32601

CUSTOMER PO	SHIP VIA	TERMS	SHIP DATE	DUE DATE	SALESPERSON
RTSB-0102074	BUSINESS	NET 30 DAYS	11/20/2009	12/20/2009	013

ITEM NUMBER/DESCRIPTION	ORDERED	SHIPPED	PRICE	PACKAGING	EXTENSION
DZL 55 GAL DR DEE-ZOL 55 GALLON DRUM	2	2	1,350.0000	1 E DRUM	2,700.00



Subtotal 2,700.00

TOTAL 2,700.00



Safety Data Sheet

Issue Date: 01-Oct-2010

Revision Date: 19-Aug-2014

Version 1

1. IDENTIFICATION

Product Identifier

Product Name DEE-ZOL 1:4000

Other means of identification

SDS # BELL-001

UN/ID No UN1268

Recommended use of the chemical and restrictions on use

Recommended Use Fuel additive.

Details of the supplier of the safety data sheet

Manufacturer Address

Bell Performance Inc
1340 Bennett Drive
Longwood, FL 32750

Emergency Telephone Number

Company Phone Number 407-831-5021
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Amber liquid

Physical State Liquid

Odor Slight characteristic odor

Classification

Acute toxicity - Oral	Category 4
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Aspiration toxicity	Category 1
Flammable Liquids	Category 3

Hazards Not Otherwise Classified (HNOC)

Causes mild skin irritation

Signal Word

Danger

Hazard Statements

Harmful if swallowed
May cause genetic defects
May cause cancer
May be fatal if swallowed and enters airways
Flammable liquid and vapor

**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 Do not induce vomiting
 Rinse mouth
 IN CASE OF FIRE: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Mineral Spirits	8052-41-3	Proprietary
Naphthalene	91-20-3	Proprietary
Naphtha (petroleum), heavy aromatic	64742-94-5	Proprietary
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Proprietary
Xylene	1330-20-7	Proprietary
Aromatic solvent	64742-95-6	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. If irritation persists, seek medical attention.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Ingestion	Do not induce vomiting. Rinse mouth. Immediately call a poison center or doctor/physician.

Most important symptoms and effects

Symptoms	May cause severe eye irritation with reddening and watering. May cause skin irritation. May include redness, drying and cracking of skin. May cause respiratory irritation. May cause shortness of breath, nausea, dizziness, and headache. May cause central nervous system effects. Ingestion can cause irritation, nausea, or stomach distress. May cause diarrhea. For Chronic Exposure. May cause Central Nervous System (CNS) depression.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media Water may be ineffective, but can be used to protect firefighter and cool containers.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor. Vapors are heavier than air and may accumulate in low areas or areas inadequately ventilated. Vapors may also travel along the ground to be ignited at location distant from handling site; flashback of flame to handling site may occur. Never use welding or cutting torch on or near drum (even empty), because product (even just residue) can ignite explosively.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO₂).

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Remove all sources of ignition. Observe all personal protection equipment recommendations described in Sections 5 & 8.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Take up with sand or other non-combustible absorbent material and place into containers for later disposal. Use clean non-sparking tools to collect absorbed material.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Ground/bond container and receiving equipment. Take precautionary measures against static discharges.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store away from ignition sources and incompatible materials. Store locked up.
Incompatible Materials	Strong oxidizing agents. Strong acids. Strong bases. Amines.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mineral Spirits 8052-41-3	TWA: 100 ppm	TWA: 500 ppm TWA: 2900 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m ³	IDLH: 20000 mg/m ³ Ceiling: 1800 mg/m ³ 15 min TWA: 350 mg/m ³
Naphthalene 91-20-3	STEL: 15 ppm TWA: 10 ppm S*	TWA: 10 ppm TWA: 50 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 50 mg/m ³ (vacated) STEL: 15 ppm (vacated) STEL: 75 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³
Xylene 1330-20-7	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 435 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 655 mg/m ³	-
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.
-----------------------------	--

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Chemical safety goggles/faceshield.
Skin and Body Protection	Suitable protective clothing. Impervious gloves such as nitrile are recommended for operations which may result in prolonged or repeated skin contact.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Take off all contaminated clothing and wash it before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical State	Liquid	Odor	Slight characteristic odor
Appearance	Amber liquid	Odor Threshold	Not determined
Color	Amber		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	Not determined		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	158-208 °C / 318-408 °F		
Flash Point	48 °C / 120 °F	Pensky-Martens Closed Cup (PMCC)	
Evaporation Rate	70	(Ether = 1)	
Flammability (Solid, Gas)	Liquid-not applicable		
Upper Flammability Limits	6		
Lower Flammability Limit	1.0		
Vapor Pressure	2 mmHg		
Vapor Density	4.9	(Air=1)	
Specific Gravity	0.7837	(1=Water)	
Water Solubility	0.1		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	32.5 Secs. (SUS @ 37.8 °C (100 °F)		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization	Hazardous polymerization does not occur.
---------------------------------	--

Conditions to Avoid

Keep out of reach of children. Keep away from sources of ignition such as heat, sparks or open flames.

Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases. Amines.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Eye Contact	Avoid contact with eyes.
Skin Contact	Causes mild skin irritation.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Naphthalene 91-20-3	= 490 mg/kg (Rat)	> 20 g/kg (Rabbit)	> 340 mg/m ³ (Rat) 1 h
Naphtha (petroleum), heavy aromatic 64742-94-5	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 590 mg/m ³ (Rat) 4 h
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 4.7 mg/L (Rat) 4 h
Xylene 1330-20-7	= 4300 mg/kg (Rat)	> 1700 mg/kg (Rabbit)	= 5000 ppm (Rat) 4 h = 47635 mg/L (Rat) 4 h
Aromatic solvent 64742-95-6	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h = 3400 ppm (Rat) 4 h
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Naphthalene 91-20-3		Group 2B	Reasonably Anticipated	X
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	A2	Group 1		X
Xylene 1330-20-7		Group 3		

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Aspiration hazard

May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Naphthalene 91-20-3		5.74 - 6.44: 96 h Pimephales promelas mg/L LC50 flow-through 1.6: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.91 - 2.82: 96 h Oncorhynchus mykiss mg/L LC50 static 1.99: 96 h Pimephales promelas mg/L LC50 static 31.0265: 96 h Lepomis macrochirus mg/L LC50 static		2.16: 48 h Daphnia magna mg/L LC50 1.96: 48 h Daphnia magna mg/L EC50 Flow through 1.09 - 3.4: 48 h Daphnia magna mg/L EC50 Static
Naphtha (petroleum), heavy aromatic 64742-94-5	2.5: 72 h Skeletonema costatum mg/L EC50	19: 96 h Pimephales promelas mg/L LC50 static 2.34: 96 h Oncorhynchus mykiss mg/L LC50 1740: 96 h Lepomis macrochirus mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through 41: 96 h Pimephales promelas mg/L LC50		0.95: 48 h Daphnia magna mg/L EC50
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50

Xylene 1330-20-7		13.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.661 - 4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 7.711 - 9.591: 96 h Lepomis macrochirus mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50 30.26 - 40.75: 96 h Poecilia reticulata mg/L LC50 static	EC50 = 0.0084 mg/L 24 h	3.82: 48 h water flea mg/L EC50 0.6: 48 h Gammarus lacustris mg/L LC50
Aromatic solvent 64742-95-6		9.22: 96 h Oncorhynchus mykiss mg/L LC50		6.14: 48 h Daphnia magna mg/L EC50
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Naphthalene 91-20-3	3.3
Naphtha (petroleum), heavy aromatic 64742-94-5	6.1
Xylene 1330-20-7	3.15

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Naphthalene 91-20-3	U165	Included in waste streams: F024, F025, F034, F039, K001, K035, K060, K087, K145		U165
Xylene 1330-20-7		Included in waste stream: F039		U239

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene 91-20-3			Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Naphthalene 91-20-3	Toxic
Xylene 1330-20-7	Toxic Ignitable

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.

DOT

In containers of 119 gallons capacity or less this product is not regulated by DOT

UN/ID No UN1268
 Proper Shipping Name Petroleum products, n.o.s. (Aliphatic Hydrocarbons)
 Hazard Class 3
 Packing Group III

IATA

UN/ID No UN1268
 Proper Shipping Name Petroleum products, n.o.s. (Aliphatic Hydrocarbons)
 Hazard Class 3
 Packing Group III

IMDG

UN/ID No UN1268
 Proper Shipping Name Petroleum products, n.o.s. (Aliphatic Hydrocarbons)
 Hazard Class 3
 Packing Group III
 Marine Pollutant Manufacturer lists this product as "Not a marine pollutant"

15. REGULATORY INFORMATION

International Inventories

TSCA

Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Naphthalene 91-20-3	100 lb 1 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ RQ 1 lb final RQ
Xylene 1330-20-7	100 lb		RQ 0.454 kg final RQ RQ 100 lb final RQ RQ 45.4 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	91-20-3	Proprietary	0.1
Xylene - 1330-20-7	1330-20-7	Proprietary	1.0
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	Proprietary	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3 (Proprietary)	100 lb	X	X	X
Xylene 1330-20-7 (Proprietary)	100 lb			X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Mineral Spirits 8052-41-3	X	X	X
Naphthalene 91-20-3	X	X	X
Xylene 1330-20-7	X	X	X
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS****Health Hazards****Flammability****Physical Hazards****Personal Protection**

1

Not determined

2

Not determined

0

Not determined

Not determined

Not determined

Issue Date:

01-Oct-2010

Revision Date:

19-Aug-2014

Revision Note:

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



#170132D

Bell Performance, Inc. tel 407-831-5021
1340 Bennett Drive fax 407-331-1125
Longwood, FL 32750
www.bellperformance.com
www.WeFixFuel.com

Bell Performance Product Warranty Statement

Bell Performance on-road fuel treatment formulations, including Dee-Zol and Dee-Zol 1:4000, are EPA-registered and approved for use in on-road fuels, per the Federal requirements for fuel additives detailed in 40 CFR 79.23.

They are warranted to be safe for use in engines and equipment, and will not cause damage when used as directed.

Bell Performance
May 2017



City of Longwood
175 W. Warren Avenue, Longwood, FL 32750

2016 - 2017

9/09/16

LOCAL BUSINESS TAX

LOCATION: 1340 BENNETT DR


For the Occupation:

MANUFACT./FAB./ASSEMBLY/11

BELL PERFORMANCE
1340 BENNETT DR
LONGWOOD FL 32750

WILLIAMS, OLA R

YEAR: 10/16-09/17



RECEIPT MUST BE CONSPICUOUSLY DISPLAYED AT BUSINESS LOCATION.

Receipt # 17-00012329

STATE #	
CITY TAX	\$ 125.00
ADMINISTRATIVE FEE	\$ 10.00
TRANSFER FEE	\$.00
PENALTY	% \$.00
COUNTY TAX	\$ 25.00
TOTAL \$	160.00

DIRECTOR OF FINANCE

State of Florida

Minority, Women & Florida Veteran Business Certification


BELL PERFORMANCE, INC

Is certified under the provisions of
287 and 295.187, Florida Statutes, for a period from:

02/24/2016 to 02/24/2018



Chad Poppell, Secretary
Florida Department of Management Services



Office of Supplier Diversity • 4050 Esplanade Way, Suite 380 • Tallahassee, FL 32399 • 850-487-0915 • www.osd.dms.state.fl.us





Bell Performance, Inc.
1340 Bennett Drive
Longwood, FL 32750

#170132D
tel 407-831-5021
fax 407-331-1125
www.bellperformance.net

References for DEE-ZOL

City of Ft. Lauderdale
Attn: Cathy Green
100 N. Andrews Avenue
Ft. Lauderdale, FL 33301
Telephone: (954) 828-5810
Email – cgreen@fortlauderdale.gov

City of Dunedin
Attn: Jim Farma
P.O. box 1348
Dunedin, FL 34697-1348
Telephone: (727) 298-3228
Email – jfarma@dunedinfl.net

City of Orlando
Attn: Jim Fitzpatrick
1010 S. Westmoreland Dr.
Orlando, FL 32805
Telephone: (407) 246-2336
Email: james.fitzpatrick@cityoforlando.net


DRUG FREE WORKPLACE FORM

The undersigned vendor in accordance with Florida Statute 287.087 hereby certifies that

Bell Performance, Inc. does:
(Name of Business)

- 1. Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibition.
- 2. Inform employees about the dangers of drug abuse in the workplace, the business’s policy of maintaining a drug-free workplace, any available drug counseling, rehabilitation, and employee assistance programs, and the penalties that may be imposed upon employees for drug abuse violations.
- 3. Give each employee engaged in providing the commodities or contractual services that are under bid a copy of the statement specified in subsection (1).
- 4. In the statement specified in subsection (1), notify the employees that, as a condition of working on the commodities or contractual services that are under bid, the employee will abide by the terms of the statement and will notify the employer of any conviction of, or plea of guilty of nolo contendere to, any violation of Chapter 893, Florida Statutes, or of any controlled substance law of the United State or any state, for a violation occurring in the workplace no later than five (5) days after such conviction.
- 5. Impose a sanction on, or require the satisfactory participation in a drug abuse assistance or rehabilitation program if such is available in the employee’s community, by any employee who is so convicted.
- 6. Make a good faith effort to continue to maintain a drug-free workplace through implementation of this section.

As the person authorized to sign the statement, I certify that this firm complies fully with the above requirements.


 Bidder's Signature

5-23-17
 Date