

Department of Doing Planning Division PO Box 490, Station 11 Gainesville, FL 32602-0490

> 306 N.E. 6th Avenue P: (352) 334-5022 P: (352) 334-5023 F: (352) 334-2648

TO: Historic Preservation Board Item Number: 4

FROM: Department of Doing, Planning Staff DATE: September 5,

2017


SUBJECT: Petition HP-17-35. Ron Thomas and Denise Guerin, owners. Certificate of

Appropriateness to re-roof a single-family dwelling with a metal roof. Located at 824 NE 4th Avenue. This building is contributing to the Northeast Residential

Historic District.

Recommendation

Staff recommends approval of the application with the condition that the roof be 5-V Crimp and that the finish be Galvalume or a light to medium gray paint finish.



Conditions of Approval

Staff's recommendation of approval for the petition is based on the following conditions:

1. The roof shall be 5-V Crimp and that the finish be Galvalume or a light to medium gray paint finish.

Project Description

The property is located at 824 NE 4th Avenue. The contributing structure was built in 1934, according to the Alachua County Property Appraisers Office. The property is zoned RMF-5. The building is a contributing structure to the Northeast Residential Historic District.

The applicant is proposing to roof-over the existing asbestos shingle roof with a Galvalume 5-V Crimp metal roof system. The back porch area is not included in the new roof-over as it has a 5-V Crimp metal roof that was approved by the Historic Preservation Board in 2013 as part of a Certificate of Appropriateness for a laundry room and a rear porch addition.

Roofs are a highly visible component of historic buildings and are an integral part of a building's overall design and architectural style. The Historic Preservation Board discussed and adopted a policy on April 2, 2013 concerning styles of metal roofing which would be allowed within the historic districts. The Historic Preservation Board approves metal roofing on a case-by-case basis depending on the style and use of the building.

Basis for Approval - Secretary of the Interior's Standards for Rehabilitation

Consideration of a Certificate of Appropriateness application is pursuant to Section 30-112 of the Land Development Code and the Secretary of Interior's Standards for Rehabilitation which serves as the basis for the City of Gainesville's Historic Preservation Rehabilitation and Design Guidelines. The Historic Preservation Board shall adhere to the preservation principles of maintaining historic fabric and compatibility with surrounding properties.

The *Historic Preservation Rehabilitation and Design Guidelines*, based on the Secretary of Interior Standards for Rehabilitation, which has become the authoritative guidelines for rehabilitation, list the following:

Applicable Secretary Standards

- 2. The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.
- 4. Most properties change over time; those changes that have acquired historic significance in their own right shall be retained and preserved.

- 5. Distinctive features, finishes and construction techniques or examples of craftsmanship that characterize a historic property shall be preserved.
- 6. Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical or pictorial evidence.
- 9. New additions, exterior alterations or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale and architectural features to protect the historic integrity of the property and its environment.

The roof shape of the building, structure or object shall be visually compatible with the buildings to which it is visually related. It is important to identify, retain and preserve roofs and their functional and decorative features that are important in defining the overall historic character of the building. This includes the roof's shape as hipped, gambrel or mansard; decorative features such as cupolas, cresting and chimneys; and roofing materials such as slate, clay and tile.

Roofs are highly visibly components of historic buildings in Gainesville's Historic Districts. They are an integral part of a building's overall design and often help define its architectural style. Examples include mansard and belvederes, which are primary features of the Second Empire and the Airplane Bungalow styles, respectively. Materials such as clay tile and ornamental metals, which cover roofs in Gainesville are also significant and should be preserved in the course of rehabilitating a building.

Roof forms comprise an important part of streetscapes in the historic district and create a unified rhythm with neighboring buildings. The most numerous residential roof types are gable, hip, or a combination. Other common examples are pyramidal, gambrel, and clipped gable (jerkinhead). Flat roofs with parapets predominate in commercial buildings in the Pleasant Street District.

In planning roof repairs, it is important to identify significant features and materials and treat them with sensitivity under Standards 2 and 5. Under Standard 6, significant features and materials should be repaired rather than replaced. If replacement of a deteriorated feature is necessary, the new materials should closely match the original.

Roofs perform an essential function in keeping a building weather tight. As a result, they are particularly subject to change. In the local district the most common original roofing materials were embossed or crimped sheet metal and sawn wood shingles. Virtually all-original wood shingle coverings have been removed and often replaced with ornamental sheet metal. Such historic changes to roofs have gained significance in their own right and should be respected under Standard 4.

Where existing roofing material is non-original and not significant, there is greater flexibility.

The existing roof may be retained, or replaced in a manner known to be accurate based on documentation or physical evidence, or treated in a contemporary style in compliance with Standards 6 and 9. In reviewing replacement of non-historic roof surfacing, it is important to keep in mind, Standard 9. Even if the existing surfacing is inappropriate, the replacement material must be compatible with the overall design of the building.

Rooftop additions are another common change to historic buildings. They are generally not suitable for smaller buildings of three stories or less or for buildings with very distinctive rooflines. They can, however, meet Standard 9 if certain conditions are met. The addition should be designed to be distinguished from the historic portion of the building; be set back from the wall plane; and be placed so it is inconspicuous when viewed from the street.

Recommended

- 1. Alterations to the configuration or shape of a historic roof should be confined to portions of the building not visible from the right-of-way.
- 2. Repointing of chimney mortar joints shall match the existing composition, joint size, and profile.
- 3. Retain and preserve the roof's shape, historic roofing materials and features.
- 4. Preserve the original roof form in the course of rehabilitation.
- 5. Provide adequate roof drainage and insure that the roofing material provides a weather tight covering for the structure.
- 6. Replace deteriorated roof surfacing with matching materials or new materials, such as composition shingles or tabbed asphalt shingles, in dark shades that match the original in composition, size, shape, color, and texture.
- 7. Retain or replace where necessary dormer windows, cupolas, cornices, brackets, chimneys, cresting, weather vanes, and other distinctive architectural or stylistic features that give a roof its essential character.
- 8. Design rooftop additions, when required for a new use that are set back from a wall plane and are as inconspicuous as possible when viewed from the street.

Not Recommended

- 1. Removal of existing chimneys is discouraged. Removal of historic or architectural roofing features should be avoided, if possible. If removal is unavoidable, replacement material should match the existing fabric in composition, design, color, texture and other visual qualities.
- 2. Mortar with high Portland cement content shall not be used.
- 3. Masonry surfaces shall not be sandblasted.
- 4. Avoid applying paint or other coatings to roofing materials, which historically have not been painted.

Petition HP-17-35 September 5, 2017

Respectfully submitted,

Andrew Persons

Interim Principal Planner

Prepared by:

Jason Simmons

Planner

List of Exhibits

Exhibit 1 Application

Exhibit 2 Photos

Exhibit 3 Product Information

GAINE VILLE

CERTIFICATE O APPROPRIATENESS APPLICATION

Planning & Development Services 306 N.E. 6th Avenue

FLORIDA

REQUIREMENTS

CONTACT THE HISTORIC PRESERVATION OFFICE FOR A PRE-APPLICATION CONFERENCE 334.5022

REVIEW THE CHECKLIST FOR A COMPLETE SUBMITTAL (If all requirements are not submitted it could delay your approval.)

PLEASE PROVIDE ONE (1) DISK OR USB FLASH DRIVE CONTAINING ALL OF THE FOLLOWING:

1 ORIGINAL SET OF PLANS TO SCALE SHOWING ALL DIMENSIONS AND SETBACKS.

LIST IN DETAIL YOUR PROPOSED REPAIR AND/OR RENOVATION

A SITE PLAN OR CERTIFIED SURVEY

PHOTOGRAPHS OF EXISTING CONDITIONS

ANY ADDITIONAL BACKUP MATERIALS AS NECESSARY

AFTER THE PRE-CONFERENCE, TURN IN YOUR COMPLETED COA APPLICATION TO THE PLANNING OFFICE (RM 210, THOMAS CENTER-B), PAY APPROPRIATE FEES, AND PICK UP PUBLIC NOTICE SIGN TO BE POSTED 10 DAYS IN ADVANCE OF THE MEETING.

MAKE SURE YOUR APPLICATION HAS ALL THE REQUIREMENTS.

FAILURE TO COMPLETE THE APPLICATION AND SUBMIT THE NECESSARY DOCUMENTATION WILL RESULT IN DEFERRAL OF YOUR PETITION TO THE NEXT MONTHLY



	ainesville, Florida 32601 34.5022 Fax 352.334.3259
	gainesville.org/planningdepartment
PROJECT TYPE: Addition Alt Repair Fence Re-roof Other PROJECT LOCATION: Historic District: NE Site Address: 824 NE 44 Tax Parcel # 11891-07	
OWNER Ron Thomas & Denise G	
Owner(s) Name	Applicant Name
Corporation or Company 824 NE 4th Ave	Corporation or Company
Street Address Gaines ville FL 3	Street Address
©ity State Zip # 352 - 284 - 799	City State Zip
Home Telephone Number	Home Telephone Number
Cell Phone Number	Cell Phone Number
Fax Number	Fax Number
E-Mail Address denise guenn 2@gm	E-Mail Address
TO BE COMPLETED BY CI (PRIOR TO SUBMITTAL)	
HP # 17 - 35 Contributing Y N_	Staff Approval—No Fee (HP Planner initial)
Zoning RMF-5	Single-Family requiring Board approval (See Fee Schedule) Multi-Family requiring Board approval (See Fee Schedule)
Pre-Conference Y N	□ Ad Valorem Tax Exemption (See Fee Schedule)
Enterprise Zone Y N_	□ After-The-Fact Certificate of Appropriateness (See Fee Schedule)
	□ Account No. 001-660-6680-3405
Request for Modification of Setbacks	□ Account No. 001-660-6680-1124 (Enterprise Zone)
Y_N_0	□ Account No. 001-660-6680-1125 (Enterprise—Credit)
Rendward By Jason Simmon	•

Date Received_

DID YOU REMEMBER?

CHECK YOUR ZONING AND SETBACKS FOR COMPLIANCE

REVIEW THE HISTORIC
PRESERVATION
REHABILITATION AND
DESIGN GUIDELINES

REVIEW THE SECRETARY OF INTERIOR'S STANDARDS FOR REHABILITATION

CHECK TO SEE IF YOU
WOULD BE ELIGIBLE FOR A
TAX EXEMPTION FOR
REHABILITATION OF A
HISTORIC PROPERTY

THE HPB MEETINGS ARE HELD MONTHLY AT CITY HALL, 200 EAST

UNIVERSITY AVE, GAINESVILLE, FL 32601, CITY HALL AUDITORIUM AT 5:30PM. THE SCHEDULE OF MEETINGS IS AVAILABLE ON THE

PLANNING DEPARTMENT WEBSITE.

THE HISTORIC PRESERVATION OFFICE STAFF CAN PROVIDE ASSISTANCE AND GUIDANCE ON THE HP BOARD'S REVIEW PROCESS, AND ARE AVAILABLE TO MEET WITH PROPERTY OWNERS OR AGENTS. IF YOU NEED ASSISTANCE, PLEASE CONTACT THE HISTORIC PRESERVATION PLANNER AT (352) 334-5023.

PERSONS WITH DISABILITIES AND CONTACT

Information

334-5022.

PERSONS WITH DISABILITIES WHO REQUIRE ASSISTANCE TO PARTICIPATE IN THE MEETING ARE REQUESTED TO NOTIFY THE EQUAL OPPORTUNITY DEPARTMENT AT 334-5051 (TDD 334-2069) AT LEAST 48 HOURS PRIOR TO THE MEETING DATE.
FOR ADDITIONAL INFORMATION, PLEASE CALL

OVERVIEW

The Historic Preservation Board (HPB) is an advisory board to the City of Gainesville's Commission composed of citizens who voluntarily, without compensation commit their time and expertise to the stewardship of historic resources in our community.

The HPB approval is a procedure which occurs for alterations, construction, restorations, or other significant changes to the appearance of an structure in Gainesville's Historic Districts which have an impact on the significant historical, architectural, or cultural materials of the structure and/or the district. The City's historic review guidelines are available online at www.cityofgainesville.org/planningdepartment and within the Land Development Code, Section 30-112.

After submission of an application, the Historic Preservation Planner prepares a written recommendation for the board meeting which addresses whether the proposed changes are compatible with the criteria of the Secretary of Interior's Standards for Rehabilitation and the City of Gainesville's HISTORIC PRESERVATION REHABILITATION AND DESIGN GUIDELINES. Once staff has prepared and completed the staff report, an Agenda of the proposed meeting and the staff report will be posted online approximately 5 to 7 days prior to the HPB meeting and can be found at www.cityofgainesville.org/planningdepartment — Citizen Advisory Boards — Historic Preservation Board.

Public notice signage is required to be posted at the property by the applicant no later than 10 days prior to the scheduled Historic Preservation Board meeting. The notarized *Public Notice Signage Affidavit* must be submitted once the sign is posted.

The applicant and/or owner of the property should be present at the Historic Preservation Board meeting and be prepared to address inquiries from the board members and/or the general public. The HPB meeting is a quasi-judicial public hearing with procedural requirements. The review body may approve, approve with conditions, or deny projects. It is not necessary for owners to be present at the HPB meeting if your COA has been staff approved.

In addition to a Certificate of Appropriateness (COA), a building permit may be required for construction from the Building Department. This is a separate process with submittal requirements. Building permits will not be issued without proof of a COA and the Historic Preservation Planner signing the building permit. After the application approval, the COA is valid for one year.

Please post the CERTIFICATE OF APPROPRIATENESS at or near the front of the building.

CERTIFICATION

BY SIGNING BELOW, I CERTIFY THAT THE INFORMATION CONTAINED IN THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AT THE TIME OF THE APPLICATION. I ACKNOWLEDGE THAT I UNDERSTAND AND HAVE COMPLIED WITH ALL OF THE SUBMITTAL

REQUIREMENTS AND PROCEDURES AND THAT THIS APPLICATION IS A COMPLETE SUBMITTAL. I FURTHER UNDERSTAND THAT AN INCOMPLETE APPLICATION SUBMITTAL MAY CAUSE MY APPLICATION TO BE DEFERRED TO THE NEXT POSED DEADLINE DATE.

- 1. I/We hereby attest to the fact that the above supplied parcel number(s) and legal description(s) is (are) the true and proper identification of the area of this petition.
- 2. I/We authorize staff from the Planning and Development Services Department to enter onto the property in question during regular city business hours in order to take photos which will be placed in the permanent file.
- 3. I/We understand that Certificates of Appropriateness are only valid for one year from issuance.
- 4. It is understood that the approval of this application by the Historic Preservation Board or staff in no way constitutes approval of a Building Permit for construction from the City of Gainesville's Building Department.
- 5. The COA review time period will not commence until your application is deemed complete by staff and may take up to 10 days to process.
- 6. Historic Preservation Board meetings are conducted in a quasi-judicial hearing and as such ex-parte communications are prohibited (Communication about your project with a Historic

SIGNATURES
Owner Owner Owner Applicant or Agent

Preservation Board member).

Date 7-24-17

Date

2

PROJECT DESCRIPTION
1. DESCRIBE THE EXISTING CONDITIONS AND MATERIALS Describe the existing structure(s) on the subject property in term
of the construction materials and site conditions as well as the surrounding context.
Ashestas Shinale roof
15005103 STITUTE 1001
2. DESCRIBE THE PROPOSED PROJECT AND MATERIALS Describe the proposed project in terms of size, affected architectural elements, materials, and relationship to the existing structure(s). Attach further description sheets, if needed.
D - C 1/21- C
Re-100+ WITH METAL / OVER-1001
Forch roof not included (added 3 y age)
e modal
Z'METAL)
DEMOLITIONS AND RELOCATIONS (If Applicable)
Especially important for demolitions, please identify any unique qualities of historic and/or architectural significance, the prevalence of these features within the region, county, or neighborhood, and feasibility of reproducing such a building, structure, or object. For demolitions, discuss measures taken to save the building/structure/object from collapse. Also, address whether it is capable of earning a reasonable economic return on its value. For relocations, address the context of the proposed future site and proposed measures to prote the physical integrity of the building.) Additional criteria for relocations and demolitions: Please describe the future planned use of the subject property once vacated and its effect on the historic context.
MODIFICATION OF EXISTING ZONING REQUIREMENTS (If Applicable)
Any change shall be based on competent demonstration by the petitioner of Section 30-112(d)(4)b.
Please describe the zoning modification and attach completed, required forms.

A pre-application conference with the Historic Preservation Planner is required before the submission of a Certificate of Appropriateness (COA) application. A concept review with the City of Gainesville's Historic Preservation Board is optional.

For a single-family structure, accessory structures and all other structures which require Historic Preservation Board review, there is an application fee. Fees vary by the type of building and change annually. Please consult with planning staff or online at www.cityofgainesville.org/planningdepartment to determine the amount of the application fees for your project. There is no fee for a staff approved Certificate of Appropriateness. Please consult the FAQ's Living and Developing in a Historic District and the Historic Preservation Rehabilitation and Design Guidelines for restoration & rehabilitation that is staff approvable. The COA review time period will not commence until your application is deemed complete by staff.

The application is due by 11:00 a.m. on the application deadline date as noted on the attached annual meeting and cut-off schedule.

THIS CHECKLIST IS A GUIDE TO BE USED FOR PROPER COA SUBMITTAL. SOME ITEMS MAY NOT APPLY TO YOUR PERMIT APPLICATION.

Please provide all documents on one (1) disk or USB Flash Drive. One full sized printed set of drawings may also be requested on a case-by-case basis. Materials will not be returned to applicant.

A completed application may include the following:

SUBMITTAL RI	EQUIREMENT CHECKLIST	Applicant	HP Planner
Survey and Site Plan	A drawing giving dimensions of property; location of building(s) showing distances from property lines (building set-back lines (dimensioned), names of streets front and sides, and north/south orientation. A current site plan or survey may be submitted for this requirement, if it provides the requested information.		
Drawings to Scale Elevations Floor Plan Square Footage Dimensions & Height Materials & Finishes	One complete set of plans (with all (4) exterior elevations) and specifications for the project. All drawings must be clear, concise and drawn to scale. All rooms shall be dimensioned and labeled for use. Height measurement and square footage of different areas shall be on plans. Indicate features on the exterior (i.e.: chimney), the roof pitch, placement of windows and doors and label all materials and textures. A scaled line elevation drawing & footprint drawing is required for all new construction.		0
Photographs	Photographs of existing building(s) (all facades or elevations of structure) and adjacent buildings. Photographs should clearly illustrate the appearance and conditions of the existing building(s) affected by the proposed project, close-up views of any specific elements under consideration i.e., windows or doors if proposed to be modified or removed, as well as photographic views of its relationship with neighboring buildings. Photos shall be submitted in jpeg or PDF format. (City staff may take photographs of your property prior to the board meeting as part of their review procedure. The photos will be used for presentation to the Historic Preservation Board.)		
Specific Items	Specific items may be requested, such as landscape plans, wall sections, roof plans, perspective drawings, a model, a virtual illustration and/or verification of economic hardship.		
Modification of Existing Zoning	Attach separate form requesting a zoning modification based on competent demonstration by the petitioner of Section 30-112(d)(4)b.		
Demolition Report	In the case of demolition provide substantiating report(s) based on competent demonstration by the petitioner of Section 30-112(d)(6)c.		
Notarized Consent Letter	Notarized letter of consent from the property owner, if the applicant is not the owner of the property or is in the process of purchasing the property.		

CERTIFICATE OF APPROPRIATENESS

(TO BE COMPLETED BY CITY STAFF) IF STAFF APPROVAL ALLOWS THE ISSUANCE OF THE CERTIFICATE OF APPROPRIATENESS, THE BASIS FOR THE DECISION WAS: ☐ This meets the Secretary of Interior's Standards for Rehabilitation and the City of Gainesville's Historic Preservation Rehabilitation and Design Guidelines. HISTORIC PRESERVATION PLANNER _____ THE HISTORIC PRESERVATION BOARD CONSIDERED THE APPLICATION OF HP____AT THE ______MEETING. THERE WERE _____MEMBERS PRESENT. THE APPLICATION WAS APPROVED SUBJECT TO THE FOLLOWING CONDITIONS: THE BASIS FOR THIS DECISION WAS: ☐ This meets the Secretary of Interior's Standards for Rehabilitation and the City of Gainesville's Historic Preservation Rehabilitation and Design Guidelines. CHAIRPERSON_ _____ DATE_ It is understood that the approval of this application by the Historic Preservation Board or staff in no way constitutes approval of a Building Permit for construction from the City of Gainesville's Building Department. After the application approval, the COA is valid for one year.

Please post the CERTIFICATE OF APPROPRIATENESS at or near the front of the building.



Property Search Results

The data displayed is the most current data available to the Property Appraiser.

Search Date: 7 27 2017 at 5:51:22 PM

Printer Friendly Page

Parcel: 11891-000-000

GUERIN & THOMAS W/H

Taxpayer: Mailing:

824 NE 4TH AVE

GAINESVILLE, FL 32601

Location:

824 NE 4TH AV GAINESVILLE

Sec-Twn-Rng:

04-10-20

Property Use:

00100 - Single Family Tax Jurisdiction: Gainesville 3600

Area:

Duck Pond Area

Subdivision:

Doig & Robertson Blks 1&2 Rges 1&2

Legal: DOIG/ROBERTSON ADD DB N-486 LONGS S/D PB A-123 E 13 1/3 FT OF LOT 9 & 10 BK 2 RG 1 OR 4155/2042


	Property	Land	Land	Building	Misc	Total	<u>Deferred</u>	County	School	County	School	County	School	<u>Total</u>
Year	Use	Value	Just Value	Value	Value	Just Value	Value	Assessed	Assessed	Exempt	<u>Exempt</u>	Taxable	Taxable	Taxes
2016	Single Family	52000	52000	90500	1400	143900	40310	103590	103590	50000	25000	53590	78590	1451.4
2015	Single Family	52000	52000	87100	1500	140600	37730	102870	102870	50000	25000	52870	77870	1470.66
2014	Single Family	52000	52000	85000	1500	138500	36440	102060	102060	50000	25000	52060	77060	1465.22
2013	Single Family	52000	52000	77000	1000	130000	59880	100060	100060	50000	25000	50060	75060	1421.66
2012	Single Family	52000	52000	73000	1000	126000	0	126000	126000	50000	25000	76000	101000	2032.35
2011	Single Family	52000	52000	77700	1000	130700	0	130700	130700	50000	25000	80700	105700	2182.07
2010	Single Family	52000	52000	85400	1000	138400	4480	133920	133920	50000	25000	83920	108920	2248,57
2009	Single Family	52000	52000	86300	1000	139300	8900	130400	130400	50000	25000	80400	105400	2182.3
2008	Single Family	52000	52000	86300	1000	139300	9030	130270	0	50000	0	80270	0	2013.88
2007	Single Family	52000	52000	85600	1000	138600	12120	126480	0	25000	0	101480	0	2287.31

Land

Use	Zoning Type	Zoning Desc	Unit Type	<u>Units</u>
SFR	RMF5		Unit	
			2016 Certified Land Just Value: 52000	2016 Certified Land Assessed Value: 52000

Building

Actual Year Built	1934
Effective Year Built	1982
Building Quality	Average
Building Style	01
Building Use	0100 - Single Family
Bedrooms	2
<u>Baths</u>	1.0
<u>Stories</u>	1.0
Exterior Wall 1	Asbestos
Exterior Wall 2	N/A
Interior Wall I	Plaster
Interior Wall 2	N/A
Floor Cover 1	Hardwood
Floor Cover 2	N/A
Roof Cover	Asbestos Shing
Roof Structure	Gable/Hip
<u>AC</u>	Central
Heating Type	Forced Air
Heating System	Electric
Total Square Feet	1623
Heated Square Feet	1257
Area Type	Square Footage



Miscellaneous

Description	Unit Type	Units	
0958 - FP 1	UNITS		
0800 - Drive/Walk	SF	100	
0800 - Drive/Walk	SF	300	
	2016 Certified Miscellaneous Value: 140		

Sale
Official Public Records information is provided by the Alachua County Clerk's Office. Clicking on these links will direct you to their web site displaying the document details for this specific transaction.

Date	Price	Vac/Imp	Qualified	OR Book	OR Page	Instrument	OR Link (Clerk)
12/07/2012	176000 1	ľ.	Q	4155	2042	WD	Official Public Record
11/10/2005	194000 1	1	Q	3258	1417	WD	Official Public Record
05/09/2005	100	1	U	3121	954	СТ	Official Public Record
06/24/1994	55000 1	I	Q	1969	2643	WD	Official Public Record
12/01/1987	100	1	U	1684	393	DD	Official Public Record
09/01/1987	100 1	I	U	1675	260	SD	Official Public Record
08/01/1987	58500 1	l	U	1673	424	СТ	Official Public Record
08/01/1986	100		U	1633	737	QD	Official Public Record
02/01/1986	46600 1	I	Q	1618	520	WD	Official Public Record

Permit

County Permit information is supplied by the Alachua County Office of Codes Enforcement. The Alachua County Office of Codes Enforcement and the Property Appraiser's Office assume no liability whatsoever associated with the use or misuse of this public information data and will not be held liable as to the validity, correctness, accuracy, completeness, and / or reliability of this data.

least to least to		
13-06117 BA 11/07/2013 05/21/2014 02/12.	02/12/2014 PORG	RCH EXTENSION

Link to TaxCollector Record

The information that is supplied by the Alachua County Property Appraiser's office is public information data and must be accepted and used with the understanding that the data was collected primarily for the use and purpose of creating a Property Tax Roll per Florida Statute. The Alachua County Property Appraiser's Office will not be held liable as to the validity, correctness, accuracy, completeness, and / or reliability of this data. The Alachua County Property Appraiser's Office furthermore assumes no liability whatsoever associated with the use or misuse of this public information data.

GAINE VILLI every path starts with passion

PLANNING AND DEVELOPMENT SERVICES DEPARTMENT
PLANNING DIVISION
PO Box 490, Station 12
Geinesville, FL 32627-0490
P: (352) 334-5023
F: (352) 334-3259

PUBLIC NOTICE SIGNAGE AFFIDAVIT
Petition Name HP - 17 - 35
Applicant (Owner or Agent) Dense Guerin Ron homa
Tax parcel(s) 11891-000-600
Being duly sworn, I depose and say the following:
 That I am the owner or authorized agent representing the application of the owner and the record title holder(s) of the property described by the tax parcel(s) listed above;
 That this property constitutes the property for which the above noted petition is being made to the City Of Gainesville;
3. That this affidavit has been executed to serve as posting of the "Notice of Proposed Land Use Action" sign(s) which describes the nature of the development request, the name of the project, the anticipated hearing date, and the telephone number(s) where additional information can be obtained. In addition, the applicant has securely posted the sign(s) on the property along each street frontage, at intervals of not more than four hundred (400) feet, and set back no more than ten (10) feet from the street and visible from the street. If the property does not abut a public right-of-way, signs have been placed at the nearest public right-of-way with an indication of the location of the subject property.
 That the applicant has posted the sign(s) at least fifteen (15) days prior to the scheduled public hearing date; or for Historic Preservation Certificate of Appropriateness applications, at least ten (10) days prior to the scheduled public hearing date.
That the applicant shall maintain the signs(s) as provided above until the conclusion of the development review and approval process and that the signs shall be removed within ten (10) days after the final action has been taken on the development application.
6. That I (we), the undersigned authority hereby certify that the foregoing statements are true and correct. 7. Denise Guerin Applicant (signature) Applicant (print name)
STATE OF FLORIDA, COUNTY OF ALACHUA Before me the undersigned, an officer duly commissioned by the laws of the State of Florida, on this day of
FOR OFFICE USE ONLY Petition Number Planner





CITY OF GAINESVILLE

NOTE =

OF PROPOSED

LAND USE ACTION

A PUBLIC HEARING IS SCHEDULED TO CONSIDER A REQUEST FOR:

Petition HP-17-35: Ron Thomas & Denise Guerin Oyoners. Certification of

Appropriatness to re-roof a single family dwelling with a Metal roof

Located at 824 NE4th Avenue. This building is a contributing structure

to the Northeast Residential Historic District.

Meeting: Sectember 5, 2017, 5:30 AM WHERE: City Hall Audy forum WHEN: _

FOR MORE INFORMATION CONTACT THE PLANNING DEPARTMENT AT 334-5023 Additional details will be posted on our website prior to the meeting. Please visit us at www.cityofgainesville.org/planningdepartment



MAC JOHNSON ROOFING, INC. ROOFING CONTRACTOR CCC1325497

PO Box 367 Newberry, FL 32669

(352) 472-1365 FAX (352) 472-1369

(866)376-4943

7/20/2017

To: Denise Goverin

Project: Goverin Residence

Address: 524 NE 4th Ave, Gainesville, Fl

Mac Johnson Roofing, Inc. proposes to supply labor and materials for the above listed project as follows:

Standing Seam Option

- Obtain Re-roofing permits.
- Supply a approved Asbestos Debris Container and lining.
- Tear off existing asbestos roof down to original roof deck.
- Clean and prepare Deck for installation.
- Supply and install synthetic underlayment.
- Supply and install new Painted 26ga Eave Drip around perimeter.
- Supply and install new 16" Advantage-Lok 2 Standing Seam Roof system.3
- Supply and install New Pipe Flashings.
- New Continuous Ridge Cap, Rake Metal, and Valley Metal
- Dispose of all asbestos debris in a approved landfill.
- Manufacturers standard 25 Year warranty, 5 year workmanship warranty

Price for above......Galvalume:\$20,150.00

5V Metal Option

- Obtain Roof-over permits.
- Clean and prepare Deck for installation.
- Supply and install 1"x4" Wood purlins 2' On Center Over existing asbestos Roof system.
- Supply and install new 26ga Eave Drip around perimeter.
- Supply and install new 5V Metal Roof System
- Will Be fastened to code and Installation applications recommendation.
- Supply and install New Pipe Flashings.
- New Continuous Ridge Cap, Rake Metal, and Valley Metal
- Dispose of all debris in a approved landfill.
- Manufacturers standard 25 Year warranty, 5 year workmanship warranty

50% Due at the Time of Contract Signing, 50% to be due within 5 days of completion.

NOTE: PRICING GOOD FOR THIRTY DAYS THEREAFTER, MAY BE SUBJECT TO MANUFACTURES PRICE INCREASES.

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving additional cost will be executed only upon written orders and become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents, delays beyond our control. This proposal subject to acceptance within 60 days and is void thereafter at the option of the undersigned.


Any rotten decking or lumber replacement will be done as an add to contract amount unless otherwise noted in proposal. Plywood to be replaced at \$60.00 a sheet installed and wood work to be performed at \$50.00 a man hour plus materials and taxes.

A carrying charge of 1.5% per month will be added to any unpaid balance after 30 days. The customer will be responsible for all reasonable costs of collection, including attorney's fees.

Mac Johnson Roofing, Inc. appreciates the opportunity to submit this proposal. We look forward to working with you toward the successful completion of your project.

Daniel Byrd

Accepted by:




.

NAME: DENISE GUERIN

ADDRESS: 824 NE 4th AVE GAINES VILLE, FL 32601

NEW ROOF PROPOSED: #1"X4" PURLING 16" O.C. #26GAUGE GALVALUME 5V METAL ROOF.



SCALE: 1/8" PER 1"




Google Earth

feet 10 meters 3

EXHIBIT


2





Florida Product Approval 1 # 4595.2 R3





Product Evaluation Report TRI COUNTY METALS

Min. 26 Ga. 5V Crimp Roof Panel over 1x4 Wood Purlins over 15/32" Plywood

Florida Product Approval # 4595.2 R3

Florida Building Code 2014 Per Rule 61G20-3 Method: 1 –D

Category: Roofing
Subcategory: Metal Roofing
Compliance Method: 61G20-3.005(1)(d)
NON HVHZ

Product Manufacturer:

Tri County Metals 301 SE 16th Street Trenton, Florida 32693

Engineer Evaluator:

Terrence E. Wolfe, P.E. # 44923 Florida Evaluation ANE ID: 1920

Validator:

Locke Bowden, P.E., FL #49704 9450 Alysbury Place Montgomery, AL 36117

Contents:

Evaluation Report Pages 1-4



Florida Product Approval I # 4595.2 R3

26 Ga. 5V Crimp Roof Panel over 1x4 Wood Purlins over 15/32" Plywood

Make Your Next Roof Your Last

Compliance Statement: The product as described in this report has demonstrated compliance with the

Florida Building Code 2014, Sections 1504.3.2, 1504.7.

Product Description: 5V Crimp Roof Panel, Min. 26 Ga. Steel, 24" coverage, through fastened roof

panel over 1x4 wood purlins over one layer of asphalt shingles (optional) over

min. 15/32" APA Plywood decking. Non-Structural Application.

Panel Material/Standards: Material: Min. 26 Ga. Steel, conforming to Florida Building Code 2014 Section

1507.4.3. Paint finish optional. Yield Strength: Min. 80.0 ksi

Corrosion Resistance: Panel Material shall comply with Florida Building Code

2014, Section 1507.4.3.

Panel Dimension(s): Thickness: 0.018" min.

Width: 24" maximum coverage

Rib Height: 3/8" tall ribs

Panel Fastener: #9-15 x 1-1/2" Woodgrip with sealing washing or approved equal

Corrosion Resistance: Per Florida Building Code 2014, Section 1506.6, 1507.4.4

Substrate Description: Min. 1x4 No. 2 SYP wood purlins over maximum one layer of asphalt shingles/felt

paper (optional) over min. 15/32" thick, APA Rated plywood over supports at maximum 24" O.C. The 1x4 wood purlins shall be fastened to the plywood with (1) 8d x 2 3/8" Ring Shank Nail at 4" O.C. or to the wood rafters with (2) #9 x 3" Deck Screws at 24" O.C. Maximum. Design of 1x4 wood purlins, plywood and plywood supports are outside the scope of this evaluation. Substrate must be

designed in accordance w/ Florida Building Code 2014.

Design Uplift Pressures:

Table "A"

Maximum Total Uplift Design Pressure:	78.5 psf	101.0 psf
Fastener Pattern:	12"-12"	10″-2 ½″-10″
Fastener Spacing:	16" O.C.	16" O.C.



Florida Product Approval I # 4595.2 R3

26 Ga. 5V Crimp Roof Panel over 1x4 Wood Purlins over 15/32" Plywood

METALS

Make Your Next Roof Your Last

Code Compliance:

The product described herein has demonstrated compliance with The Florida Building Code 2014, Section 1504.3.2, 1504.7.

Evaluation Report Scope:

The product evaluation is limited to compliance with the structural wind load requirements of the Florida Building Code 2014, as relates to Rule 61G20-3.

Performance Standards:

The product described herein has demonstrated compliance with:

- UL 580-06 Test for Uplift Resistance of Roof Assemblies
- UL 1897-04 Uplift Test for Roof Covering Systems
- FM 4471-92 Foot Traffic Resistance Test

Reference Data:

- UL 580-06 / 1897-04 Uplift Test Force Engineering & Testing, Inc. (FBC Organization # TST-5328) Report No. 136-0172T-12
- FM 4471-10, Section 4.4 Foot Traffic Resistance Test Force Engineering & Testing, Inc. (FBC Organization #TST-5328) Report No. 136-0172T-12
- Certificate of Independence
 By Terrence E. Wolfe, P.E. (No. 44923) @ Force Engineering & Testing, Inc. (FBC Organization # ANE ID: 1920)

Test Standard Equivalency:

The FM 4471-10, Foot Traffic Resistance test standard is equivalent to the FM 4471-92, Foot Traffic Resistance test standard

Quality Assurance Entity:

The manufacturer has established compliance of roof panel products in accordance with the Florida Building Code and Rule 61G20-3.005 (3) for manufacturing under a quality assurance program audited by an approved quality assurance entity.

Minimum Slope Range:

Minimum Slope shall comply with Florida Building Code 2014, including Section 1507.4.2 and in accordance with Manufacturers recommendations. For slopes less than 3:12, lap sealant must be used in the panel side laps.

Installation:

Install per manufacturer's recommended details.

Underlayment:

Per Manufacturer's installation guidelines per Florida Building Code 2014.



Florida Product Approval 1 # 4595.2 R3

26 Ga. 5V Crimp Roof Panel over 1x4 Wood Purlins over 15/32" Plywood TRI COUNTY

Shear Diaphragm:

Shear diaphragm values are outside the scope of this report.

Design Procedure:

Based on the dimensions of the structure, appropriate wind loads are determined using Chapter 16 of the Florida Building Code 2014 for roof cladding wind loads. These component wind loads for roof cladding are compared to the allowable pressure listed above. The design professional shall select the appropriate erection details to reference in his drawings for proper fastener attachment to his structure and analyze the panel fasteners for pullout and pullover. Support framing must be in compliance with Florida Building Code 2014 Chapter 22 for steel, Chapter 23 for wood and Chapter 16 for structural loading.




Florida Product Approval I # 4595.2 R3




MIN. 26 GA. 5V CRIMP PANEL OVER 1X4 WOOD PURLINS

TYPE I FASTENER PATTERN AT 16" O.C.



TYPE 2 FASTENER PATTERN AT 16" O.C.







MAC JOHNSON ROOFING, INC. ROOFING CONTRACTOR ccc1325497

PO Box 367 Newberry, FL 32669 (352) 472-1365 FAX (352) 472-1369 (866)376-4943

7/25/2017

Project: Denise Guerin Residence

Address: 824 NE 4th Ave

Gainesville, FL 32601

Material List

- 1. 1,417 Linear feet of 5V Galvalume 26 Gauge metal Panels
- 2. 23 Pieces of 26 Gauge Galvalume Eave Drip
- 3. 17 Pieces of 26 Gauge Galvalume Ridge Cap
- 4. 7 Pieces of 26 Gauge Galvalume Gable Rake
- 5. 3 Pieces of 26 Gauge Galvalume Sidewall Flashing
- 6. 1 Piece of 26 Gauge Galvalume Endwall Flashing
- 7. 6 Universal metal pipe flashings
- 8. 130 Feet of outside foam Closures
- 9. 235 1"x4" Wood Purlins and Fasteners
- 10. 3,500 Galvalume Lifetime Screws
 - All Material Will be Supplied to Mac Johnson Roofing From Tri-County Metals.