# LEGISLATIVE # 120211

41

42

### ORDINANCE NO. 120211

AN ORDINANCE OF THE CITY OF GAINESVILLE, FLORIDA, AMENDING CHAPTER 27, DIVISION 3, SEWERAGE, OF THE GAINESVILLE CODE OF ORDINANCES; BY AMENDING SECTION 27-180, "PRETREATMENT GENERALLY," PROGRAM -RELATING TO OBJECTIVES IMPLEMENTATION; AMENDING SECTION 27-180.1 "SAME - PROHIBITED SUBSTANCES" RELATING TO STANDARDS AND REQUIREMENTS; AMENDING SECTION 27-180.3, "SAME - PERMITTING" RELATING TO REQUIREMENTS FOR INDUSTRIAL WASTES; AMENDING SECTION 27-180.4 "SAME - MONITORING, REPORTING AND NOTIFICATION," RELATING TO SEMI-ANNUAL COMPLIANCE REPORTS: AMENDING SECTION 27-180.5 "SAME - PRETREATMENT FACILITIES AND MONITORING EQUIPMENT" RELATING TO OPERATING PROCEDURES FOR HANDLING HARMFUL WASTE; AMENDING SECTION "SAME - ACCIDENTAL DISCHARGE/SLUG PREVENTION" RELATING TO PROCEDURES FOR SLUG DISCHARGE; AMENDING SECTION 27-180.7 **ENFORCEMENT**" RELATING TO COMPLIANCE AND INSPECTIONS; AMENDING SECTION 27-180.8 "SAME - REGULATION OF WASTEWATER RECEIVED FROM OTHER JURISDICTIONS" RELATING TO INTER-JURISDICTIONAL AGREEMENTS; PROVIDING A REPEALING CLAUSE; PROVIDING DIRECTIONS TO THE CODIFIER; PROVIDING A SEVERABILITY CLAUSE; AND, PROVIDING AN IMMEDIATE EFFECTIVE DATE IN ACCORDANCE WITH THE SCHEDULE PROVIDED HEREIN.

WHEREAS, at least ten (10) days notice has been given of the public hearings once by publication in a newspaper of general circulation notifying the public of this proposed ordinance and of the public hearings in the City Commission meeting room, first floor, City Hall, City of Gainesville; and

**WHEREAS,** the public hearings were held pursuant to the published notices described above at which hearings the parties in interest and all others had an opportunity to be and were, in fact, heard.

# NOW, THEREFORE, BE IT ORDAINED BY THE CITY COMMISSION OF THE CITY OF GAINESVILLE, FLORIDA:

**Section 1.** Section 27-180, "Pretreatment program—Generally," subsections (a)(1), a(3), a(4) and subsection (c) of the Gainesville Code of Ordinances, is hereby amended to read as follows:

### Sec. 27-180. Pretreatment program--Generally.

- (a) The objectives of this section are to:
  - (1) Prevent the introduction of pollutants into the city wastewater treatment system that will cause interference with its operation or pass through inadequately treated into receiving waters <u>or biosolids.</u>

35

36

- (3) Ensure compliance of the city with applicable federal and state laws <u>including section</u>
  402 of the Clean Water Act (specifically 40 CFR Part 403), and Chapter 62-625 and Chapter
  62-640 of the Florida Administrative Code.
- (4) To promote reuse and recycling of <u>reclaimed water</u>, <u>biosolids</u>, <u>and</u> industrial wastewater and <u>sludge</u> from the wastewater system.
- (c) Except as otherwise provided herein, the general manager for utilities shall administer, implement, and enforce the provisions of this section. Any powers granted to or duties imposed upon the general manager for utilities may be delegated by the general manager for utilities to a duly authorized city employee.

**Section 2.** Section 27-180.1, "Same --Prohibited substances," subsections (b)(9), (f) and subsection (h) of the Gainesville Code of Ordinances, is hereby amended to read as follows:

### Sec. 27-180.1. Same--Prohibited substances.

- (b) It shall be unlawful for any person willfully or with culpable negligence to discharge or cause to be discharged into the wastewater system of the city any substance which:
  - (9) Contains waste exceeding the local discharge limit of any pollutant for which a limit has been established by the general manager for utilities or his/her designee using standard procedures, calculations and methods acceptable to the Florida Department of Environmental Protection (FDEP) to protect against pass through, interference, protection of wastewater system employees, and adverse effects on wastewater residuals biosolids disposal. Such limits shall be included as permit conditions and attached to each industrial wastewater discharge permit issued. The established local discharge limits, incorporated by reference herein, are subject to change and may be modified as needed based on regulatory requirements and standards, wastewater system operation, performance and processes, the industrial user base, potable water quality and domestic wastewater characteristics. Modifications to the established local discharge limits must be reviewed and approved by FDEP prior to implementation. Implementation shall be effective 30 days from notice of acceptance of the modified discharge limits by FDEP. Permitted significant industrial users shall also be issued an addendum to their wastewater discharge permit containing the revised local discharge limits. A copy of the approved local discharge limits shall be kept on file in the office of the general manager for utilities or his/her designee and made available on request.
  - (f) The city may establish, by ordinance or in individual wastewater discharge permits, more stringent standards or requirements or standards for substances not contained in this section for discharges to the wastewater system consistent with the purpose of this division.

 (h) When wastewater subject to a National Categorical Pretreatment Standard is mixed with wastewater not regulated by the same Standard, the general manager for utilities or his/her designee shall impose an alternate limit in accordance with Rule 62-625.410 F.A.C.

**Section 3.** Section 27-180.3, "Same—Permitting," subsections (a)(4), (a)(7-8), (b), and subsection (i) of the Gainesville Code of Ordinances, is hereby amended to read as follows:

### Sec. 27-180.3. Same--Permitting.

- (a) Industrial wastes shall not be discharged into the wastewater system without written permission of the general manager for utilities or his/her designee. All significant industrial users who are proposing to connect or contribute to the wastewater system shall obtain an industrial wastewater discharge permit before connecting to or contributing to the wastewater system. Industrial wastewater discharge permits shall contain but are not limited to the following conditions:
  - (4) *Limits*. Effluent limits, including Best Management Practices, shall be specified based on applicable pretreatment standards.
  - (7) Slug Discharges. The permit shall contain requirements to control slug discharges if determined by the general manager for utilities or his/her designee to be necessary.
  - (8) Monitoring Waiver. The permit shall include any grant of a monitoring waiver and shall specify the process for seeking a waiver from monitoring for a pollutant either not present or not expected to be present in the industrial user's wastewater discharge in accordance with Sec. 27-180.4(r).
- (b) Significant industrial users, and any other user required to obtain a wastewater discharge permit by the general manager for utilities or his/her designee, shall be required to complete an industrial wastewater discharge application as provided by the general manager for utilities or his/her designee prior to receiving a permit.
- (i) The general manager for utilities or his/her designee may require any user connected prior to the effective date of this division to obtain an industrial wastewater discharge permit.
- **Section 4.** Section 27-180.4, "Same--Monitoring, reporting and notification," subsections (b), (c), (e), (f), (i), (l), (m), (p), (q) and subsection (r) of the Gainesville Code of Ordinances, is hereby amended to read as follows:

### Sec. 27-180.4. Same--Monitoring, reporting and notification.

(b) Categorical compliance report. Within 90 days following the date for final compliance with applicable categorical pretreatment standards under Rule 62-660, or in the case of a new source following commencement of the introduction of wastewater to the city wastewater system, any industrial user subject to the pretreatment standard shall submit a report containing the information as required in Rule 62-625.600(1)(d)--(ef). For users subject to equivalent mass or concentration discharge limits established by the general manager for utilities or his/her designee in accordance

with the procedures in Rule 62-625.410(4), this report shall contain a reasonable measure of the user's long term production rate. For all other users subject to categorical pretreatment standards expressed in terms of allowable pollutant discharge per unit of production or other measure of operation, this report shall include the user's actual production during the appropriate sampling period. This report shall also meet the requirements of Sec. 27-180.4(q).

- (c) Semiannual compliance report. Any significant industrial user discharging to the city wastewater system is required to submit by January 31st and July 31st each year a report detailing the nature and concentration of pollutants in their wastewater discharge, a record of the wastewater flow for the period, and a summary of any changes to pretreatment equipment. The general manager for utilities or his/her designee may require these reports more frequently to ensure industrial user compliance. The general manager for utilities or his/her designee may reduce the reporting frequency to a minimum of once per year, unless required more frequently in any applicable pretreatment standard or unless required more frequently by the Florida Department of Environmental Protection, provided that the industrial user meets all of the following conditions:
  - (1) The industrial user's total categorical wastewater flow does not exceed 0.01 percent of the design dry weather hydraulic capacity of the water reclamation facility to which it discharges, or 5,000 gallons per day, whichever is smaller, as measured by a continuous flow monitoring device unless the industrial user discharges in batches.
  - (2) The industrial user's total categorical wastewater flow does not exceed 0.01 percent of the design dry weather organic treatment capacity of the water reclamation facility to which it discharges.
  - (3) The industrial user's total categorical wastewater flow does not exceed 0.01 percent of the maximum allowable headworks loading for any pollutant regulated by any applicable categorical pretreatment standard for which approved local limits have been developed for the water reclamation facility to which it discharges in accordance with 62-625.400(3), F.A.C. (4) The industrial user has not been in significant noncompliance in the past two years and the industrial user does not have daily flow rates, production levels, or pollutant levels that vary so much that decreasing the reporting requirement would result in data that are not representative of conditions occurring during any reporting period pursuant to 62-625.400(6)(c), F.A.C.

If changes occur at the industrial user's facility which cause it to no longer meet the conditions of Sec. 27-180.4(c)(1)-(4), the industrial user must immediately notify the general manager for utilities or his/her designee and the industrial user must immediately begin reporting semiannually or more frequently as determined by the general manager for utilities or his/her designee.

(e) Self-monitoring. The general manager for utilities or his/her designee may require self-monitoring reports from industrial users as are deemed necessary to assess and ensure compliance by industrial users with pretreatment standards and requirements including but not limited to the

reporting requirements set forth in Rule 62-6160 and the test procedures for wastewater analyses found in 40 CFR Part 136, which are incorporated by reference as part of this section. All self-monitoring reports shall be based on data obtained through sampling and analysis performed during the period covered by the report. These data shall be representative of conditions occurring during the reporting period.

- (f) Sample collection. All wastewater samples shall be representative of the industrial user's discharge. Wastewater monitoring and flow measurement equipment shall be properly operated and maintained. The failure of an industrial user to maintain its monitoring equipment in good working order shall not be grounds for the industrial user to claim that sample results are not representative of its discharge. Samples for oil and grease, temperature, pH, cyanide, total phenols, sulfides, and volatile organic compounds shall be obtained using grab collection techniques. Using methods specified in 40 CFR Part 136, multiple grab samples collected during a 24-hour period may be composited prior to analysis as follows: for cyanide, total phenols, and sulfides the samples may be composited in the laboratory or in the field; for volatile organics and oil and grease, the samples may be composited in the laboratory. All other samples shall be collected using flow proportional composite techniques. The general manager for utilities or his/her designee may authorize the use of time proportional sampling or a minimum of four grab samples. For sampling required in support of baseline monitoring (Sec. 27-180.4(a)) and 90-day compliance reports (Sec. 27-180.4(b)), a minimum of four grab samples must be used for pH, cyanide, total phenols, oil and grease, sulfide and volatile organic compounds for industrial users for which historical sampling data do not exist; for industrial users for which historical sampling data are available, the general manager for utilities or his/her designee may authorize a lower minimum.
- (i) Prohibited discharge notification. Any industrial user discovering in the course of self-monitoring that any prohibited discharge limit has been exceeded shall notify the general manager for utilities or his/her designee within 24 hours of learning of the discharge. This notification shall be followed within 30 days of the date of discovery of the violation by resampling of the parameter, reanalysis, and submittal of a certified monitoring report. Such notification and resampling will not relieve the industrial user of liability for any penalties or corrective action required due to the prohibited discharge. Resampling by the industrial user is not required if the general manager for utilities or his/her designee performs sampling at the industrial user's facility at least once per month, or if the general manager for utilities or his/her designee performs sampling at the industrial user's facility between the time when the initial sampling was performed and the time when the industrial user or the general manager for utilities or his/her designee receives the results of this sampling, or if the general manager for utilities or his/her designee receives the results of this sampling, or if the general manager for utilities or his/her designee has performed the sampling and analysis in lieu of the industrial user.
- (I) Signatory and certification requirements. Documents submitted by any industrial user for the purposes of compliance with an industrial wastewater discharge permit or any requirement of this

<u>section</u> shall be signed by a duly authorized representative and contain the <u>appropriate</u> certification statement cited in Rule 62-625.410(2)(b)2. determined as follows:

- (1) Any industrial user submitting permit applications, baseline monitoring reports, reports on compliance with any categorical pretreatment standard deadlines, periodic compliance or monitoring reports, and any industrial user submitting an initial request to forego sampling of a pollutant on the basis of Sec. 27-180.4(r) shall submit the certification statement found in Rule 62-625.410(2)(b)2, F.A.C.
- (2) Any industrial user determined by the general manager for utilities or his/her designee to be a non-significant categorical industrial user shall submit the certification statement found in Rule 62-625.600(17), F.A.C.
- (3) Any industrial user that has a monitoring waiver approved by the general manager for utilities or his/her designee in accordance with Sec. 27-180.4(r) shall submit each report with the certification statement found in Rule 62-625.600(4)(c)5, F.A.C.
- (m) Recordkeeping. All industrial users shall keep, for a minimum of three years, any documents that are required by or developed to comply with this section or with an industrial wastewater discharge permit including but not limited to monitoring data, notices of violation, documentation associated with best management practices, and compliance reports. The record retention period shall be extended for the duration of any litigation concerning the industrial user or the city, or where the industrial user has been specifically notified of a longer retention time by the general manager for utilities or his/her designee. Monitoring records shall include the following information: date and time of sampling, sampling location, sampling method, name of the person collecting the sample, analysis date, analyst name, analytical method, and results of analysis.
- (p) Slug Discharge. All significant industrial users shall notify the general manager for utilities or his/her designee immediately of any changes at its facility affecting the potential for a slug discharge.

  (q) Best Management Practice Documentation. In cases where an industrial user is required to meet compliance with a Best Management Practice (BMP) or pollution prevention alternative, the industrial user must submit documentation as required by the general manager for utilities or his/her designee to determine the compliance status of the industrial user.
- (r) Monitoring Waiver of a Categorical Pretreatment Standard. The general manager for utilities or his/her designee may authorize an industrial user subject to a categorical pretreatment standard to forego sampling of a pollutant regulated by a categorical pretreatment standard if the industrial user has demonstrated through sampling and other technical factors that the pollutant is not present or not expected to be present in the wastewater discharge, or present only at background concentrations from intake water and without any increase in the pollutant due to the activities of the industrial user. This authorization is subject to the following conditions:
  - (1) The waiver may be authorized if a pollutant is determined to be present solely due to the sanitary wastewater discharged from the industrial user's premises provided that the sanitary

wastewater of the industrial user is not regulated by any applicable categorical standard and otherwise includes no process wastewater.

- (2) The waiver is valid only for the duration of the wastewater discharge permit. The industrial user must submit a new request for a waiver before the waiver can be granted for each subsequent wastewater discharge permit.
- (3) The industrial user shall demonstrate that a pollutant is not present by submitting data to the general manager for utilities or his/her designee from at least one sample of the industrial user's process wastewater prior to any pretreatment and which is representative of all wastewater from all processes.
- (4) Non-detectable sample results may be used as a demonstration that a pollutant is not present only if the EPA approved method from 40 CFR Part 136 with the lowest minimum detection limit for that pollutant was used in the analysis.
- (5) Any grant of a monitoring waiver by the general manager for utilities or his/her designee shall be included as a condition in the industrial user's wastewater discharge permit. The reasons supporting the waiver and any information submitted by the industrial user in its request for the waiver shall be maintained by the general manager for utilities or his/her designee for 3 years after expiration of the waiver.
- (6) In the event that a waived pollutant is found to be present or is expected to be present due to changes that occur in the industrial user's operations, the industrial user shall immediately notify the general manager for utilities or his/her designee and shall comply with the minimum monitoring requirements found in Sec. 27-180.4(c) or more frequent monitoring as required by the general manager for utilities or his/her designee.
- (7) No waiver shall be granted by the general manager for utilities or his/her designee unless the industrial user's applicable categorical pretreatment standards allow such waivers.

**Section 5.** Section 27-180.5, "Same--Pretreatment facilities and monitoring equipment," subsection (a) and subsection (c) of the Gainesville Code of Ordinances, is hereby amended to read as follows:

# Sec. 27-180.5. Same--Pretreatment facilities and monitoring equipment.

(a) Pretreatment facilities and/or monitoring equipment shall be required for any waste that may be harmful to equipment or the wastewater collection system, cause pass through or interference in the wastewater system, or cause nuisance, odor, or stoppage problems in the wastewater system. <u>Users shall provide wastewater treatment as necessary to comply with this division and shall achieve compliance with all categorical pretreatment standards, local limits, and the prohibitions set out in Section 27-180.1 within the time limitations specified by EPA, the Florida Department of Environmental Protection, or the general manager for utilities or his/her designee, whichever is more stringent.</u>

- (c) The owner shall be responsible for the construction, operation and maintenance of any pretreatment devices-facilities or monitoring equipment required by the general manager for utilities or his/her designee. Detailed plans describing such facilities and operating procedures shall be submitted to the general manager for utilities or his/her designee for review, and shall be acceptable to the general manager for utilities or his/her designee before such facilities are constructed. The review of such plans and operating procedures shall in no way relieve the user from the responsibility of modifying the facilities as necessary to produce a discharge acceptable to the general manager for utilities or his/her designee under the provisions of this section.
- **Section 6.** Section 27-180.6, "Same--Accidental discharge/slug prevention," subsections (b)(2-3) of the Gainesville Code of Ordinances, is hereby amended to read as follows:

## Sec. 27-180.6. Same--Accidental discharge/slug prevention.

- (b) The general manager for utilities or his/her designee shall evaluate at least every two years whether each significant industrial user needs an accidental discharge/slug control plan and may require any user to develop, submit for approval, and implement such a plan. This plan shall include but is not limited to the following items:
  - (2) Description of stored chemicals and containment areas.
  - (3) Procedures for immediately notifying the general manager for utilities or his/her designee of any accidental or slug discharge that would constitute a violation of any part of this division with procedures for follow-up written notification within five days as required by the reporting and notification section of this division.
- **Section 7.** Sections 27-180.7, "Same—Enforcement," subsections (a), (e)(1-3), (e)(6), (e)(8), (f), (o), and subsection (p) of the Gainesville Code of Ordinances, is hereby amended to read as follows:

### Sec. 27-180.7. Same--Enforcement.

(a) Inspection. The general manager for utilities or his/her designee may enter the premises of any industrial user to determine whether the user is complying with all requirements of this section and any industrial wastewater discharge permit. Industrial users shall allow the general manager for utilities or his/her designee ready access to all parts of the premises for the purposes of inspection, sampling, records examination, and copying and the performance of any additional duties. Any temporary or permanent obstruction to safe and easy access to the facility to be inspected and/or sampled shall be promptly removed by the user at the written or verbal request of the general manager for utilities or his/her designee and shall not be replaced. The costs of clearing such access shall be borne by the user. Unreasonable delays in allowing the general manager for utilities or his/her designee access to the user's premises shall be a violation of this division. The general

manager for utilities or his/her designee may remove records for the purposes of copying if copying facilities are not available on the premises.

- (e) Publication of users in significant noncompliance. The general manager for utilities or his/her designee shall publish annually, in the largest daily newspaper published in the city a newspaper of general circulation that provides meaningful public notice within the jurisdictions served by the city, a list of the users which, during the previous 12 months, were in significant noncompliance with applicable pretreatment standards and requirements. An industrial user is in significant noncompliance if its violation meets one or more of the following criteria:
  - (1) Chronic violations of wastewater discharge limits, defined as those in which 66 percent or more of all the wastewater measurements taken during a six-month period exceed (by any magnitude) the daily maximum limit or the average limit a numeric pretreatment standard or requirement, including instantaneous limits, for the same pollutant parameter;
  - (2) Technical review criteria (TRC) violations, defined as those in which 33 percent or more of all the measurements for any pollutant parameter taken during a six-month period equal or exceed the product of the daily maximum limit or the average limit numeric pretreatment standard or requirement, including instantaneous limits, multiplied by the applicable TRC (TRC = 1.4 for conventional pollutants such as, BOD, TSS, Total Oil and Grease; TRC = 1.2 for all other pollutants except %LEL and pH). For %LEL, any reading in excess of the industrial wastewater discharge permit or limit set forth in this division shall be significant noncompliance.
  - (3) Any violation of a pretreatment effluent limitstandard or requirement (daily maximum limit, or longer-term average limit, instantaneous limit, or narrative standard) that the general manager for utilities or his/her designee determines has caused, alone or in combination with other discharges, interference or pass through (including endangering the health of city employees or the general public).
  - (6) Failure to provide, within 30 45 days after the due date, required reports such as baseline monitoring reports, 90-day compliance reports, reports on compliance with categorical pretreatment standard deadlines, periodic self-monitoring reports, and reports on compliance with compliance schedules;
  - (8) Any other violation or group of violations, including a violation of Best Management Practices, which the general manager for utilities or his/her designee determines will adversely affect the operation or implementation of the pretreatment program, except when the state department of environmental protection is acting as the control authority.
- (f) Compliance schedules. The general manager for utilities or his/her designee may issue a compliance schedule to any industrial user that has violated, or continues to violate, any provision of this section or an industrial wastewater discharge permit, directing that the user come into compliance within a specified time. Such schedules shall contain increments of progress in the form of dates for the commencement and completion of major events leading to schedule completion and compliance

with documentation being required upon completion of each major event. No increment of progress shall exceed nine months and the time interval between progress reports to the general manager of utilities or his/her designee shall not exceed nine months. The user shall submit a progress report to the general manager of utilities or his/her designee no later than fourteen days following each date in the schedule including the final date of compliance. Progress reports shall include whether or not the user complied with the increment of progress, the reason for any delay, and if appropriate the steps being taken by the user to return to the established compliance schedule. Compliance schedules may also contain other requirements to address the noncompliance including additional self-monitoring and management practices. If the user does not come into compliance within the time provided, sewer service may be discontinued unless adequate treatment facilities are installed and properly operated. Compliance schedules shall not relieve the user of liability for any violation nor preclude the general manager for utilities or his/her designee from taking further action against the user.

- (o) Consent Order. The general manager for utilities or his/her designee may enter into a consent order, assurance of compliance, or other similar document establishing an agreement with any user responsible for noncompliance. Such document shall include specific action to be taken by the user to correct the noncompliance within a time period specified by the document. Such document shall have the same force and effect as the requirements of Sec. 27-180.7(f) and shall be judicially enforceable.
- (p) Cease and Desist Order. When the general manager for utilities or his/her designee finds that a user has violated, or continues to violate, any part of this division, an individual wastewater discharge permit, or order issued hereunder, or any other pretreatment standard or requirement, or that the user's past violations are likely to recur, the general manager for utilities or his/her designee may issue an order to the user directing it to cease and desist all such violations and directing the user to immediately comply with all requirements and to take such appropriate remedial or preventive action as may be necessary to properly address a continuing or threatened violation, including halting operations and/or terminating the discharge. Issuance of a cease and desist order shall not bar, or be a prerequisite for, taking any other action against the user. Such order shall have the same force and effect as the requirements of Sec. 27-180.7(f) and shall be judicially enforceable.

**Section 8.** Section 27-180.8, "Same--Regulation of Wastewater Received from Other Jurisdictions," subsections (a) and (b) of the Gainesville Code of Ordinances, is hereby amended to read as follows:

# 27-180.8. Same--Regulation of Wastewater Received from Other Jurisdictions

(a) Inter-jurisdictional Agreement. If another municipality or user located within another municipality, contributes wastewater which is transmitted by pipe directly into the City of Gainesville wastewater collection system, the general manager for utilities or his/her designee shall enter into an interjurisdictional agreement with the contributing municipality.

- (b) Contents of Inter-jurisdictional Agreement. The inter-jurisdictional agreement shall contain the following:
  - (1) A requirement that the contributing municipality adopt a sewer use ordinance which is at least as stringent as this division including wastewater discharge limits and monitoring and reporting requirements.
  - (2) A requirement that the contributing municipality revise its ordinance and wastewater discharge limits as necessary to reflect changes made to the city ordinance or wastewater discharge limits.
  - (3) A requirement that the contributing municipality provide access to all information that the contributing municipality obtains as part of its pretreatment activities including a list of users which is updated at least annually.
  - (4) A provision specifying which pretreatment program activities, including wastewater discharge permit issuance, and inspection, sampling, and enforcement, will be conducted by the contributing municipality, which of these activities will be conducted by the general manager for utilities or his/her designee, and which of these activities will be conducted jointly by the contributing municipality and the general manager for utilities or his/her designee.
  - (5) A provision specifying limits on the nature, quality, and volume of the contributing municipality's wastewater at the point where it discharges to the city wastewater collection system.
  - (6) A provision specifying requirements for monitoring the contributing municipality's wastewater discharge.
  - (7) A provision ensuring that the general manager for utilities or his/her designee has access to the facility of any user located within the contributing municipality's jurisdictional boundaries for the purpose of inspection, sampling, and any other duties deemed necessary by the general manager for utilities or his/her designee.
  - (8) A provision specifying remedies available for breach of the terms of the inter-jurisdictional agreement. Such provision shall also ensure the right of the general manager for utilities or his/her designee to enforce the terms of the contributing municipality's ordinance or to impose and enforce any applicable pretreatment standards and requirements directly against users within the contributing municipality's jurisdictional boundaries in the event the contributing municipality is unable or unwilling to take such action.

**Section 9.** It is the intention of the City Commission that the provisions of Sections 1-8 of this Ordinance shall become and be made a part of the Code of Ordinances of the City of Gainesville, Florida, and that the Sections and Paragraphs of this Ordinance may be renumbered or re-lettered in order to accomplish such intentions.

1	Section 10. All ordinances, or parts of ordinances, in conflict herewith are to the extent of
2	such conflict hereby repealed.
3	Section 11. If any word, phrase, clause, paragraph, section or provision of this ordinance or the
4	application hereof to any person or circumstance is held invalid or unconstitutional, such finding shall not
5	affect the other provisions or applications of the ordinance which can be given effect without the invalid or
6	unconstitutional provisions or application, and to this end the provisions of this ordinance are declared
7	severable.
8 9	Section 12. This ordinance shall take effect immediately upon its adoption; provided however,
10	the rates and charges as provided for herein shall be applicable to all monthly bills which are for the first
11	time rendered and postmarked after 12:01 A.M., October 1, 2012.
12	
13	PASSED and ADOPTED this day September, 2012.
14 15 16 17 18 19 21 22 23 24 25 26	CRAIG LOWE MAYOR
22	ATTEST:
24 25 26 27 28 29 30 31 32 33 45 56 57	KURT LANNON CLERK OF THE COMMISSION  Approved as to form and legality  MARION J. RADSON CITY ATTORNEY
5 6 7	This ordinance passed on first reading this day of, 2012.
88	This ordinance passed on second reading this day of, 2012.