$GRU \ Distribution \ Reliability \ Report$

Report Date Range: from 08/01/2016 to 08/31/2016 **Excludes Extreme Weather and Generation/Transmission Disturbances**

CUSTOMER DATA

RELIABILITY INDICIES

Monthly Average Customers Served(C)	93000	Average Service Availability Index (ASAI)	99.6398%
Total Hours of Customer Demand	69,192,000	System Average Interruption Duration Index (SAIDI)	160.80 Mins
Total Number of Outages	92	Customer Average Interruption Duration Index (CAIDI)	1,313.61 Mins
Total Number of Customers Affected (CI)	11,384	System average Interruption Frequency Index (SAIFI)	0.12
Total Customer Minutes Interrupted (CMI)	14,954,092	Momentary average Interruption Event (MAIFIe)	0.06
Total Customer "Out Minutes"	48,851	Average Length of a Service Interruption (L-Bar)	531 Mins
Tot Cust Momentary Interruption Events (CME)	5,972		

Guide for Power Distribution Reliability Indices

Outage Duration Times	Circuit Breaker	Recloser Operations		
Average Hours 8.8	RCL Sequences	4	RCL Sequences	3
Maximum Hours 633.7	Trips	12	Trips	3
Minimum Hours 0.1	Lockouts	5	Lockouts	3

Cause of Outages							
Cause	Overhead	Underground	Undetermined	Total			
1. Weather	7	1	4	12			
2. Vegetation	43	1	1	45			
3. Animals	6	0	0	6			
4. Foreign Interference	0	0	0	0			
5. Human Cause	2	1	0	3			
6. Undetermined	5	3	0	8			
7. Equipment Failure	4	12	1	17			
8. All Remaining Outages	1	0	0	1			
Total	68	18	6	92			
0 Pl 10 4	2	1.4		17			
9. Planned Outage	3	14	0	17			
10. Partial Outage	NA	NA	NA	NA			