

JAMES H. "MAC" McCARTY, JR., JD

JULIE M. NAIM, JD.

**ELIZABETH KEFTER. JD** EMAIL: MAC@LAWGATORS.COM EMAIL: JULIE@LAWGATORS.COM EMAIL: BETH@LAWGATORS.COM

> PETER C. FOCKS, JD EMAIL: PETER@LAWGATORS.COM

DAVID SOWERBY, JD OF COUNSEL

2630-A NW 41<sup>st</sup> STREET, GAINESVILLE, FL 32606 TELEPHONE: 352-240-1226 · FACSIMILE: 352-240-1228 · WWW,LAWGATORS.COM

December 01, 2016

City of Gainesville Planning and Development Services Department P.O. Box 490 Station 33 Gainesville, FL 32627

Re: Title Opinion for Tax Parcel ID No. 06164-000-000

To whom it may concern:

We previously provided to you an opinion letter regarding the status of title for Tax Parcel ID No. 06164-000-000 (the "Property") on behalf of Gainesville Cohousing, LLC. The Property was transferred to Gainesville Cohousing, LLC on February 12, 2014. Our previous letter concerning the Property was based on the legal description of the Property contained in the deed conveying the Property to Gainesville Cohousing, LLC.

We now enclose a copy of the draft plat which contains the surveyor's legal description of the Property and base our opinion of the title on the surveyor's legal description set forth in the draft plat. We also enclose a portion of the draft plat containing an enlargement of the legal description.

Since February 12, 2014, no transfers have taken place and Gainesville Cohousing, LLC holds fee simple title to the Property as of the date of this letter. As of the date of this letter, there are no encumbrances on the Property, save the restrictions imposed by the current plat, as recorded in Plat Book A, Page 55 of the Public Records of Alachua County, Florida.

Please feel free to contact me with any questions or concerns you may have.

Sincerely,

Enclosure

## LEGAL DESCRIPTION:

A PARCEL OF LAND BEING A PORTION OF THE EAST HALF OF LOT 51 OF SECTION 27, TOWNSHIP 9 SOUTH, RANGE 19 EAST, ALACHUA COUNTY, FLORIDA, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK "A", PAGE 55, OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE NORTHWEST CORNER OF SAID LOT 51; THENCE RUN S. 89°44'10" E., ALONG THE NORTH LINE OF SAID LOT 51, A DISTANCE OF 664.93 FEET TO THE NORTHEAST CORNER OF SAID LOT 51; THENCE DEPARTING SAID NORTH LINE, RUN S. 00°19'52" W., ALONG THE EAST LINE OF SAID LOT 51, A DISTANCE OF 43.25 FEET TO THE POINT OF BEGINNING; THENCE RUN S. 00°19'52" W., ALONG SAID EAST LINE, A DISTANCE OF 618.63 FEET TO THE SOUTHEAST CORNER OF SAID LOT 51; THENCE DEPARTING SAID EAST LINE, RUN N. 89°58'47" W., ALONG THE SOUTH LINE OF SAID LOT 51, A DISTANCE OF 331.44 FEET; THENCE DEPARTING SAID SOUTH LINE, RUN N. 00°14'33" E., A DISTANCE OF 642.31 TO A POINT ON THE SOUTH RIGHT-OF-WAY LINE OF N.W. 27TH AVENUE (RIGHT-OF-WAY WIDTH VARIES); THENCE RUN S. " E., ALONG SAID SOUTH RIGHT—OF—WAY LINE, A 83'33'01' DISTANCE OF 97.25 FEET A THE POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTH, HAVING A CENTRAL ANGLE OF 6"11"08", A RADIUS OF 730.00 FEET, AND A CHORD BEARING AND DISTANCE OF S. 86'38'35" E., 78.77 FEET, RESPECTIVELY; THENCE RUN EASTERLY, ALONG THE ARC OF SAID CURVE AND ALONG SAID SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF 78.81 FEET TO THE POINT OF TANGENCY OF SAID CURVE: THENCE RUN S. 89°44'10" E., ALONG SAID SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF 112.20 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTH. HAVING A CENTRAL ANGLE OF 19°06'56", A RADIUS OF 137.00 FEET, AND A CHORD BEARING AND DISTANCE OF S. 80°11'39" E., 45.50 FEET, RESPECTIVELY; THENCE RUN EASTERLY, ALONG THE ARC OF SAID CURVE AND ALONG SAID SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF 45.71 FEET TO THE POINT OF BEGINNING; CONTAINING 4.798 ACRES, MORE OR LESS.

# LEGAL DESCRIPTION:

A PARCEL OF LAND BEING A PORTION OF THE EAST HALF OF LOT 51 OF SECTION 27, TOWNSHIP 9 SOUTH, RANGE 19 EAST, ALACHUA COUNTY, FLORIDA, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK "A", PAGE 55, OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

OF ALACHIA COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE NORTHWEST CORNER OF SAID LOT 51; THENCE RIN S. 804410°; E. ALONG THE NORTH LINE OF SAID LOT 51, A DISTANCE OF 864.35 FEET TO THE NORTHEAST CORNER OF SAID LOT 51, ALONG THE ADSTRUCE OF SAID SAID NORTH LINE, RUN S. 001952° W, ALONG THE EAST LINE OF SAID LOT 51, A DISTANCE OF 43.25 FEET TO THE POINT OF BEGINNING; THENCE RUN S. 001952° W, ALONG SAID EAST LINE, A DISTANCE OF 518.63 FEET TO THE SOUTHLAST CONNER OF SAID LOT 51; THENCE DEPARTING SAID EAST LINE, RUN N. 895847° W, ALONG THE SOUTH LINE OF SAID LOT 51; THENCE DEPARTING SAID EAST LINE, RUN N. 895847° W, ALONG THE SOUTH LINE OF SAID LOT 51; A DISTANCE OF 513,44 FEET, THENCE DEPARTING SAID EAST LINE, RUN N. 895847° W, ALONG THE SOUTH LINE OF SAID LOT 51; A OISTANCE OF 531,44 FEET, THENCE DEPARTING SAID EAST LINE, RUN SAID LOT 51; THENCE DEPARTING SAID EAST LINE, RUN SAID SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF 97,25 FEET A THE POINT OF CURVATURE OF A CURVE CONCAVE TO THE SOUTH, HAWING A CENTRAL ANGLE OF A CURVE CONCAVE TO THE SOUTH, HAWING A CENTRAL ANGLE OF OIL 11087, A ROUNS OF SAID OF FEET, AND A CHORD BEARING AND DISTANCE OF S. 86138435° E., 78,77 FEET, RESPECTIVELY; THENCE RUN SENTING SAID SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF THE SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF THE SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF THE SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF TO THE SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF THE FEET OF THE POINT OF CURWATURE OF A CURVE CONCAVE TO THE NORTH, HAWING A CENTRAL MIGHT OF THE SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF THE FEET OF THE POINT OF CURWATURE OF A CURVE CONCAVE TO THE NORTH, HAWING A CENTRAL MIGHT OF 19705367 FEET, THE POINT OF BEGINNING, CONTANTING 4,798 ACRES, MORE OF LESS, SOUTH RIGHT-OF-WAY LINE, A DISTANCE OF A SIT THE POINT OF GENERAL MAGINE OF A SIT TH

#### LEGEND:

- LEGENUS.

  # FOUND 4" x 4" CONCRETE MONUMENT NO. DECENTRACION

  # SET 4" x 4" CONCRETE MONUMENT P.R.M. LE, 8894

  # FOUND NAL & DESK PLS 5448

  X \* SET NAL & DISK LE, 8894

  ELEV. = BULDNO SETBACK LINE

  ELEV. = ELEVATION

  PB. P-PLAT BOOK

  PC. PPAGE

  PHAGE

  PLET = PRINGE URITITIS FASTANDAT

- PULE PUBLIC UTILITIES EASEMENT
  IN/W INSIG OF-WAY

  S.F. SQUARE FEET
  TYP TYPICAL

### CURVE TABLE:

CURVE	RADIUS	TANGENT	LENGTH	DELTA	CHORD	CHORD BEAR!
CHI	730.00'	J9.44°	78.81"	6"11"08"	78.77	\$ 86"38"35"
C-2	137.00	23.07	45.71	19'05'56"	45,50"	\$ 80"11'39"
C-3	730.00	0.47	0.94	UO4'26"	0.84'	5 83'35'14"
C-4	730.00	8.04	18.08	1'25'09"	18.081	5 84'20'01"
C-5	730.00	29.91"	59.79	4'41'33"	59.77	5 87'23'22"
C-6	137.00	9,99'	19.94"	8'20'26"	19,93	£ 85'34'54"
C-7	137.00	12.92	25.76	10"46"30"	25.73	\$ 76°01'26"

## NOTICE:

THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVINED LANDS DESCRIBED HEREIN AND WILL OFFICIAL DEPICTION OF THE SUBDIVINED LANDS DESCRIBED HEREIN AND WILL OTHER GRAPHIC OFFI DOTHEL FORM OF THE PLAT THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY.

#### SURVEYOR'S NOTES:

- ALL BEARINGS SHOWN HEREON ARE REFERRED TO AN ASSUMED VALUE OF S. 89'44'10" E. FOR THE NORTH LINE OF LOT 51 OF SECTION 27, TOWNSHIP 9 SOUTH, RANGE 19 EAST.
- MAXIMUM ERROR OF CLOSURE DOES NOT EXCEED 1':10,000' ALL PERMANENT CONTROL POINTS, LOT CORNERS, AND PERIMETER MONUMENTS SHALL BE SET AS PER 177.001(7), 177.091(8), AND 177.091(9), FLORIDA STATUTES.
- BUILDING SETBACKS AS FOLLOWS: (UNLESS OTHERWISE SHOWN): FRONT 5'; SIDE 4'; SIDE (STREET) 4'; REAR 4'
- FRONT 5; SIDE 4; SIDE (STREET) 4; REAR 4\*

  5) IN THE OPHION OF THIS SURVEYOR, ACCORDING TO THE NATIONAL
  FLOOD INSURANCE PROGRAM, FLOOD INSURANCE RATE MAP
  FLOOD INSURANCE PROGRAM, FLOOD INSURANCE RATE MAP
  FLOOD ZONE "X" WHICH IS AN AREA DETERMINED TO BE OUTSIDE
  THE 0.2% ANNUAL CHANCE FLOODPLAIN, AS SCALED FROM SAID
  MAP, INFORMATION FROM THE FEDERAL EMERGENCY MANAGEMENT
  ACENCY (FRAM) FLOOD INSURANCE RATE MAPS, SHOWN ON THIS
  MAP, WAS CURRENT AS OF THE REFERENCED DATE. MAP
  REVISIONS AND AMENIMENTS RAFE PERIODICALLY MADE BY LETTER
  AND MAY NOT BE REFLECTED ON THE MOST CURRENT MAP.
- ALL PIATIED UTILITY EASEMENTS SHALL PROVIDE THAT SUCH EASEMENTS SHALL ALSO BE EASEMENTS FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES; PROVIDED, HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES SHALL INTERFERE WITH THE FACILITIES AND SERVICES OF AN ELECTRIC, ELEPPHONE, GRS, OR OTHER PUBLIC UTILITY IN THE EVENT UTILITY, IT SHALL BE SOLLEY FERFONSBILE FOR THE DAMAGES.
- THE COMMON AREAS SHOWN HEREON, WHICH INCLUDE ALL PRIVATE RIGHTS-OF-WAY, PUBLIC UTILITY EASEMENTS, AND DRAINAGE EASEMENTS. NIGHTS-UF-MAY, PUBLIC VIEW TASSEMENTS, AND UPGINAGE CASSIMENTS, WILL BE COMPEYED TO THE GALENSVILLE COMPUSING HOMEOWHER'S ASSOCIATION FOR DWKERSHIP AND MAINTENANCE BY A SEPARATE DOCUMENT. DISSOLUTION OF THE GAINESVILLE COHOUSING HOMEOWNER'S ASSOCIATION MUST BE APPROVED BY THE CITY OF GAINESVILLE.

# GAINESVILLE COHOUSING W◀¥¥►E A CLUSTER SUBDIVISION LYING IN SECTION 27, TOWNSHIP 9 SOUTH, RANGE 19 EAST, CITY OF GAINESVILLE, ALACHUA COUNTY, FLORIDA LOT 47 SUBDIMISION OF SECTION 27, TOWNSHIP 9 SOUTH, RANGE 19 EAST PLAT BOOK "A.". PAGE 55 N.W. 27th AVENUE R/W LINE OF N.W. 27TH AVENUE AREA TOT/HORESS & CORESS EXSEN P.O.B. BS.L. (TYP)-L LINE OF LOT 51 OF SECTION 27-9-19 (P.B. A. PG, 55) N.W. 47th \_\_B.S.L (MP) WEST HALF OF LOT 51 OF A CTYON 27, TOWNSHIP 9 SOUTH PLAT BOOK "A", PAGE 35 N 88745'27'N 75.01" \_N #945'27'W 75.011 N EE'40'05'W 99.34" N 8540,000 N WTEL RS' NATURAL BUTTER EASEMENT N.W. 25th PLACE

-S' FUE

The state of the s

CARLISLE-EVANS SUBDIVISION
OFFICIAL RECORDS BOOK 89. PAGE 10.1

asi (ne)-


LOT | CARLISLE-EVANS SUBDIVISION OFFICIAL RECORDS BOOK 89, PAGE 101

OF SECTION 27-9-19 (P.S. 74, PG. 55)

# PLAT BOOK \_\_\_, PAGE

THIS IS NOT A BOUNDARY SURVEY

SHEET 1 OF 1



#### OWNERS CERTIFICATION & DEDICATION:

## STATE OF FLORIDA, COUNTY OF ALACHUA:

WITHESS BY MY HAND AND OFFICIAL SEAL THIS \_\_\_\_

NOTARY PUBLIC STATE OF FLORIDA MY COMMISSION EXPIRES:

CERTIFICATION OF APPROVAL FOR CITY OF GAINESVILLE, FLORIDA: WE, THE UNDERSIGNED, DO HEREBY CERTIFY THAT THIS PLAT CONFORMS TO THE REQUIREMENTS OF THE CITY OF GAINESVILLE, COUNTY OF ALACHUA, STATE OF FLORIDA ORDINANCES AND REGULATIONS AS FOLLOWS:

DRECTOR OF PUBLIC WORKS

CITY SUMMEYOR ENGINEERING REQUIREMENTS

ACCEPTED BY THE DEVELOPMENT REVIEW BOARD.

DIRECTOR OF COMMUNITY DEVELOPMENT FORM AND LEGALITY OF DEDICATION

CITY ATTORNEY

UTILITY REQUREMENTS:

GENERAL MANAGER OF GAINESVILLE REGIONAL UTILITIES

AS CONFORMS TO THE LAWS OF THE STATE OF FLORIDA AND ADAPTABLITY TO CITY PLANS:

CLERK

CLERK OF CITY COMMISSION

RECEIVED AND FILED FOR RECORD THIS \_\_\_\_\_ \_\_\_ DAY OF \_\_\_\_

CERTIFICATE OF LAND SURVEYOR:

I DO HEREBY CERTIFY THAT THIS PLAT ENTITLED "GAINESVILLE COHOUSING", IS A TRUE AND CORRECT REPRESE OF A SURVEY MADE UNDER MY RESPONSIBLE DIRECTION AND SUPERVISION, AND THAT SAID PLAT AND SURVEY COMPILES WITH ALL THE REPUBLIFISHTIS AS SET FORTH IN CHAPTER 172, PART I. P. GRIDA STATISTES

DEPUTY CLERK

JAMES E BRINKMAN, PROFESSIONAL SURVEYOR AND MAPPER FLORIDA REGISTRATION NO. 5582



BRINKMAN SURVEYING & MAPPING, INC.

FLORIDA LICENSED BUSINESS NO. 6894 4807 N.W. 61h STREET SUITE C, GAINESVILLE, FL 32609 PHONE: (352) 374-7707 FAX: (352) 374-8757