



LEGEND

A.P. = ASPHALT PAVEMENT & = AND B = BASELINE (C) = CALCULATED C1 = CURVE DATA C.B. = CHORD BEARING C.D. = CHORD DISTANCE CLF = CHAIN LINK FENCE C.M. = CONCRETE MONUMENT COR. = CORNER C.R. = COUNTY ROAD Δ = DELTA E.O.P. = EDGE OF PAVEMENT ESMT. = EASEMENT EXIST. = EXISTING (F) = FIELD DATA FKA = FORMERLY KNOWN AS FND. = FOUND GOV. = GOVERNMENT INC. = INCORPORATED ID. = IDENTIFICATION I.R.&C. = IRON ROD & CAP L.B. = LICENSED (SURVEY) BUSINESS L = ARC DISTANCE OE = OVERHEAD UTILITIES = FENCE	LT. N.A.D. N.T.S. NO. O.R.B. P.E. (P) P.B. P.C. PG. P.I. P.C. P.G. P.I. P.C. P.S.M. P.O.C. P.S.M. P.T. R/W RT. SEC. S.R. STA. T.C.E. T	 POINT OF INTERSECTION "PARKER-KALON" BRAND PROPERTY LINE POINT OF BEGINNING POINT OF COMMENCEMENT PROFESSIONAL SURVEYOR AND MAPPER POINT OF TANGENCY RANGE/RADIUS RIGHT OF WAY
---	---	--

PREPARED FOR: THE CITY OF GAINESVILLE, FLORIDA SKETCH AND DESCRIPTION - NOT A SURVEY southeast 4th street, gainesville Alachua county, florii

			SOUTH	EAST 4T	H STREE	T, GAINES	VILLE	ALACHUA C	COUNTY, FLORIDA
				BY	DATE	PREPARED BY:	DRMP, INC 8001 BELFORT PARKWAY, SUITE 200 JACKSONVILLE, FL 32256		No.: 08-0897.001
-			DRAWN	K.SCHMISEK	10-21-15	-	1-904-641-0123 LB#2648	SCALE: N/A	
REVISION	BY	DATE	CHECKED	J.ANDERBERG	10-21-15	ALACHUA	COUNTY PARCEL No.: 16	038-000-000	SHEET 2 OF 6





PARCEL NO. 16038-000-000 BOBBY J. POWELL SR. ALACHUA COUNTY, FLORIDA

BEING LOCATED IN SECTION 9, TOWNSHIP 10 SOUTH, RANGE 20 EAST, ALACHUA COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWESTERLY CORNER OF LOT 18 OF VEITCH'S ADDITION TO SOUTH GAINESVILLE AS RECORDED IN PLAT BOOK "A", PAGE 90 OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA; THENCE NORTH 64°22'32" EAST ALONG THE SOUTHERLY LINE OF SAID LOT 18 AND THE SOUTHERLY LINE OF LOT 2 OF SAID PLAT AND EXTENSION THEREOF, A DISTANCE OF 223.18 FEET TO THE SURVEY BASELINE OF SE 4th STREET AS PER SPECIFIC PURPOSE SURVEY FOR CITY OF GAINESVILLE PUBLIC WORKS DEPARTMENT, GAINESVILLE, FLORIDA PREPARED BY DRMP, INC., DATED MAY, 2010; THENCE NORTH 25°16'17" WEST, ALONG SAID SURVEY BASELINE, A DISTANCE OF 552.28 FEET; THENCE NORTH 68°21'25" EAST, A DISTANCE OF 23.48 FEET TO THE **POINT OF BEGINNING;** THEN NORTH 68°21'25" EAST, A DISTANCE OF 8.41 FEET; THENCE SOUTH 25°28'52" EAST, A DISTANCE OF 28.09 FEET; THENCE SOUTH 24°59'29" EAST, A DISTANCE OF 50.53 FEET; THENCE SOUTH 68°21'25" WEST, A DISTANCE OF 9.33 FEET; THENCE NORTH 24°29'53" WEST, A DISTANCE OF 78.57 FEET TO THE **POINT OF BEGINNING.**

CONTAINING 702 SQUARE FEET, MORE OR LESS.

			PREPARED FOR: THE CITY OF GAINESVILLE, FLORIDA SKETCH AND DESCRIPTION - NOT A SURVEY								
			SOUTH	EAST 4TH	- STREE	ALACHUA C	OUNTY, FLORIDA				
			BY DATE PREPARED BY: DRMP, INC 8001 BELFORT PARKWAY, SUITE 200 JACKSONVILLE, FL 32256					DRMP PROJECT No.: 08-0897,001 SCALE: N/A			
	-		DRAWN	K.SCHMISEK	10-21-15		1-904-641-0123 LB#2648				
REVISION	BY	DATE	CHECKED	J.ANDERBERG	10-21-15	ALACHUA	COUNTY PARCEL No.: 16	038-000-000	SHEET 5 OF 6		

TOGETHER WITH THE FOLLOWING TEMPORARY CONSTRUCTION EASEMENT:

BEING LOCATED IN SECTION 9, TOWNSHIP 10 SOUTH, RANGE 20 EAST, ALACHUA COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWESTERLY CORNER OF LOT 18 OF VEITCH'S ADDITION TO SOUTH GAINESVILLE AS RECORDED IN PLAT BOOK "A", PAGE 90 OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA; THENCE NORTH 64°22'32" EAST ALONG THE SOUTHERLY LINE OF SAID LOT 18 AND THE SOUTHERLY LINE OF LOT 2 OF SAID PLAT AND EXTENSION THEREOF, A DISTANCE OF 223.18 FEET TO THE SURVEY BASELINE OF SE 4th STREET AS PER SPECIFIC PURPOSE SURVEY FOR CITY OF GAINESVILLE PUBLIC WORKS DEPARTMENT, GAINESVILLE, FLORIDA PREPARED BY DRMP, INC., DATED MAY, 2010; THENCE NORTH 25°16'17" WEST, ALONG SAID SURVEY BASELINE, A DISTANCE OF 552.28 FEET; THENCE NORTH 68°21'25" EAST, A DISTANCE OF 31.89; THENCE SOUTH 25°28'52" EAST, A DISTANCE OF 28.09 FEET; THENCE SOUTH 24°59'29" EAST, A DISTANCE OF 27.54 FEET TO THE **POINT OF BEGINNING;** THENCE NORTH 65°00'33" EAST, A DISTANCE OF 10.00 FEET; THENCE SOUTH 24°59'27" EAST, A DISTANCE OF 22.00 FEET; THENCE SOUTH 65°00'33" WEST, A DISTANCE OF 10.00 FEET; THENCE NORTH 24°59'27" WEST, A DISTANCE OF 22.00 FEET TO THE **POINT OF BEGINNING**.

CONTAINING 220 SQUARE FEET, MORE OR LESS.

SURVEYOR'S CERTIFICATION:

I HEREBY CERTIFY TO THE CITY OF GAINESVILLE, FLORIDA THAT THIS SKETCH AND DESCRIPTION, CONSISTING OF SHEETS 1 THROUGH 6, TO THE BEST OF MY KNOWLEDGE AND BELIEF, MEETS THE STANDARDS OF PRACTICE AS SET FORTH BY THE BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS, PURSUANT TO CHAPTER 472.027 FLORIDA STATUTES.

JOHN A. ANDERBERG, P.S.M. DATE FLORIDA PROFESSIONAL LAND SURVEYOR AND MAPPER No. 5881

THIS SKETCH AND DESCRIPTION AND COPIES THEREOF ARE NOT VALID WITHOUT THE SURVEYOR'S SIGNATURE AND ORIGINAL RAISED SEAL.

			PREPARED FOR: THE CITY OF GAINESVILLE, FLORIDA SKETCH AND DESCRIPTION - NOT A SURVEY									
			SOUTH	EAST 4TI	H STREE	ALACHUA COUNTY, FLORIDA						
			-	BY	DATE	PREPARED BY:	DRMP, INC. 8001 BELFORT PARKWAY, SUITE 200 JACKSONVILLE, FL 32256	DRMP PROJECT N	lo.: 08-0897.001			
			DRAWN	K.SCHMISEK	10-21-15		1-904-641-0123 LB#2648	SCALE: N/A	10			
REVISION	BY	DATE	CHECKED	J.ANDERBERG	10-21-15	ALACHUA	COUNTY PARCEL No.: 16	038-000-000	SHEET 6 OF 6			