## Gainesville.

## Citizen centered People empowered



Issue Date: April 18, 2018

Mandatory Pre-Proposal Conference:
May 2, 2018 @ 11:00 a.m.
at City Commission Auditorium
Gainesville City Hall
200 E. University Ave.
Gainesville, Florida

Bid Due Date: May 16, 2018 @ 3:00 p.m. local time

**REQUEST FOR PROPOSAL** 

RFP NO. CRAX-180072-GD

# HOME BUILDER CONTRACTORS FOR HEARTWOOD RESIDENTIAL DEVELOPMENT

Procurement Representative:

<u>Gayle Dykeman, Senior Buyer</u>

Procurement Division

Phone: (352) 334-5021 Fax: (352) 334-3163

Email: <a href="mailto:dykemangb@cityofgainesville.org">dykemangb@cityofgainesville.org</a>

City of Gainesville 200 East University Avenue, Room 339 – Gainesville, Florida 32601

### **TABLE OF CONTENTS**

SECT	ION I – REQUEST FOR PROPOSAL OVERVIEW & PROPOSAL	1	
<b>PROC</b>	EDURES	1	
INTRO	ODUCTION/BACKGROUND	1	
	TIME TABLE		
MANI	DATORY PRE-PROPOSAL CONFERENCE	2	
	ACT PERSON		
<b>ADDI</b>	TIONAL INFORMATION/ADDENDA		
A.	LATE PROPOSALS, LATE MODIFICATIONS AND LATE WITHDRAWALS		
В.	RFP POSTPONEMENT/CANCELLATION/WAIVER OF IRREGULARITIES		
C.	COSTS INCURRED BY PROPOSERS		
D.	ORAL PRESENTATION		
E.	EXCEPTION TO THE RFP		
F.	TRADE SECRET AND/OR CONFIDENTIAL AND/OR PROPRIETARY INFORMATIO		
G.	QUALIFICATIONS OF PROPOSERS		
Н.	NEGOTIATIONS		
I.	RIGHTS OF APPEAL		
J.	RULES; REGULATIONS; LICENSING REQUIREMENT		
K.	REVIEW OF PROPOSALS	5	
L.	LOCAL SMALL AND SERVICE-DISABLED VETERAN BUSINESS PARTICIPATION.		
Μ.	LOCAL PREFERENCE		
N.	RECORDS/AUDIT	6	
О.	INVESTIGATION OF ALLEGED WRONGDOINGS, LITIGATION/SETTLEMENTS/		ENALTIES
SECT	ION II – SCOPE OF SERVICES		
A.	INTENT		
В.	MINIMUM REQUIREMENTS	7	
SECT	ION III – PROPOSAL FORMAT		
A.	FORMAT AND CONTENTS OF PROPOSAL		
В.	QUALIFICATIONS/STATEMENT OF QUALIFICATIONS		
SECT	ΓΙΟΝ IV – EVALUATION CRITERIA AND PROCEDURES	9	
A.	EVALUATION CRITERIA		
В.	SELECTION PROCESS		
SECT	ΓΙΟΝ V – GENERAL PROVISIONS	. 11	
A.	CONTRACT AWARD	11	
В.	GENERAL TERMS AND CONDITIONS		
SECT	FION VI – TECHNICAL SPECIFICATIONS	. 14	
A.	SCOPE	14	
B.	BACKGROUND		
DRU	G-FREE WORKPLACE FORM	. 16	
DEB	ARRED AND SUSPENDED BIDDERS:	. 17	
BRE	ACH OF CONTRACT	. 17	
ART	ICLE X. LOCAL PREFERENCE POLICY*	. 21	
<b>CER</b>	TIFICATION OF COMPLIANCE WITH LIVING WAGE	. 23	
LIVI	NG WAGE DECISION TREE	. 24	
LIVI	NG WAGE COMPLIANCE	. 25	
PRO	POSAL RESPONSE FORM – SIGNATURE PAGE	. 26	
PRO	CUREMENT DIVISION SURVEY	. 28	

## CITY OF GAINESVILLE REQUEST FOR PROPOSALS FOR HOME BUILDER CONTRACTORS FOR HEARTWOOD RESIDENTIAL DEVELOPMENT

## SECTION I – REQUEST FOR PROPOSAL OVERVIEW & PROPOSAL PROCEDURES

RFP#: CRAX-180072-GD Due Date: May 16, 2018

#### INTRODUCTION/BACKGROUND

The Gainesville Community Redevelopment Agency (hereafter "CRA") on behalf of the City of Gainesville (hereafter "City") is requesting proposals from qualified builders to market, construct and sell single family homes in the new Heartwood Subdivision (Heartwood).

#### RFP TIME TABLE

The anticipated schedule for the RFP is as follows, subject to change:

RFP for Distribution	April 18, 2018
MF 101 DISCIDUCION	April 16, 2016
Mandatory Pre-Proposal Discussion	May 2, 2018; 11:00am
Deadline for receipt of questions	May 9, 2018; 3:00pm local time
Deadline for receipt of proposals	May 16, 2018; 3:00pm local time
Evaluation/Selection process	Week of May 21, 2018
Oral presentations, if conducted	Week of June 10, 2018
Projected award date	TBD
Projected contract start date	TBD

#### PROPOSAL SUBMISSION

One original and 4 copies (a total of 5) of the complete proposal must be received by May 16, 2018 at 3:00 p.m. local time at which time all proposals will be publicly opened. In addition, proposer should provide one (1) electronic copy of their proposal in PDF format on a CD or USB flash drive. Electronic document should not be password protected, encrypted, etc.

The original and all copies must be submitted in a sealed envelope or container stating on the outside the proposer's name, address, telephone number, RFP title, number and due date and delivered to:

City of Gainesville General Government Procurement 200 East University Avenue, Room 339 Gainesville, Florida 32601

Hand-carried and express mail proposals may be delivered to the above address **ONLY** between the hours of 8:00 a.m. and 5:00 p.m., local time, Monday through Friday, excluding holidays observed by the City.

Proposers are responsible for informing any commercial delivery service, if used, of all delivery requirements and for ensuring that the required address information appears on the outer wrapper or envelope used by such service.

Any proposal received after 3:00 p.m. (local time), Wednesday, May 16, 2018 will not be considered.

Both the Technical Proposal and the Price Proposal must be signed by an officer of the company who is legally authorized to enter into a contractual relationship in the name of the proposer, and proposer(s) must affix their company's corporate seal to both Proposals. In the absence of a corporate seal, the Proposals must be notarized by a Notary Public.

The submittal of a proposal by a proposer will be considered by the City as constituting an offer by the Proposer to perform the required services at the stated fees.

#### MANDATORY PRE-PROPOSAL CONFERENCE

A mandatory pre-proposal conference has been scheduled for Wednesday, May 2, 2018 at 11:00am local time at City Commission Auditorium, Gainesville City Hall, 200 E University Ave, Gainesville, FL. At that time, prospective proposers or their representatives may discuss any questions pertaining to the project. **Failure to attend this mandatory pre-proposal conference will disqualify proposers.** 

#### **CONTACT PERSON**

The contact person for this RFP is Gayle Dykeman at (352) 334-5021 or email (dykemangb@cityofgainesville.org) in Procurement. Explanation(s) desired by proposer(s) regarding the meaning or interpretation of this RFP must be requested from the contact person, in writing, as is further described below.

To ensure fair consideration and consistent and accurate dissemination of information for all proposers, the City prohibits communication to or with any department, employee, or agent evaluating or considering the proposals during the submission process, except as authorized by the contact person.

During the blackout period as defined herein, except as pursuant to an authorized appeal, no person may lobby, as defined herein, on behalf of a competing party in a particular procurement process, City officials or employees except the Procurement designated staff contact in the Procurement division. Violation of this provision shall result in disqualification of the party on whose behalf the lobbying occurred.

The blackout period means the period between the issue date which allows for immediate submittals to the City of Gainesville Procurement Division for an invitation for bid or the request for proposal, or qualifications, or information, or the invitation to negotiate, as applicable, and the time the City Officials and Employee awards the contract . Lobbying means when any person, seeks to influence the governmental decision-making, to encourage the passage, defeat or modification of any proposal, recommendation or decision by City officials and employees, except as authorized by procurement documents.

#### ADDITIONAL INFORMATION/ADDENDA

Requests for additional information or clarifications must be made in writing no later than the date specified in the RFP Timetable. The request must contain the proposer's name, address, phone number, and email address. Questions should be emailed to the Contact Person (<a href="mailto:dykemangb@cityofgainesville.org">dykemangb@cityofgainesville.org</a>).

The City will issue responses to inquiries and any other corrections or amendments it deems necessary in written addenda issued prior to the Proposal Due Date. Proposers should not rely on any representations, statements or

explanations other than those made in this RFP or in any addendum to this RFP. Where there appears to be a conflict between the RFP and any addenda issued, the last addendum issued will prevail.

It is the proposer's responsibility to be sure all addenda were received. The proposer should verify with the designated contact persons prior to submitting a proposal that all addenda have been received. Proposers are required to acknowledge the number of addenda received as part of their proposals.

#### A. LATE PROPOSALS, LATE MODIFICATIONS AND LATE WITHDRAWALS

Proposals received after the Proposal Due Date and time are late and will not be considered. Modifications received after the Proposal Due Date are also late and will not be considered. Letters of withdrawal received after the Proposal Due Date or after contract award, whichever is applicable, are late and will not be considered.

#### B. RFP POSTPONEMENT/CANCELLATION/WAIVER OF IRREGULARITIES

The City may, at its sole and absolute discretion, reject any and all, or parts of any and all, proposals; re-advertise this RFP; postpone or cancel, at any time, this RFP process; or waive any irregularities in this RFP or in the proposals received as a result of this RFP.

#### C. COSTS INCURRED BY PROPOSERS

All expenses involved with the preparation and submission of proposals to the City, or any work performed in connection therewith shall be borne by the proposer(s). No payment will be made for any responses received, nor for any other effort required of or made by the proposer(s) prior to commencement of work as defined by a contract approved by the City Commission.

#### D. ORAL PRESENTATION

The City may require proposers to give oral presentations in support of their proposals or to exhibit or otherwise demonstrate the information contained therein.

#### E. EXCEPTION TO THE RFP

Proposers may take exceptions to any of the terms of this RFP unless the RFP specifically states where exceptions may not be taken. Should a proposer take exception where none is permitted, the proposal will be rejected as non-responsive. All exceptions taken must be specific, and the Proposer must indicate clearly what alternative is being offered to allow the City a meaningful opportunity to evaluate and rank proposals.

Where exceptions are permitted, the City shall determine the acceptability of the proposed exceptions and the proposals will be evaluated based on the proposals as submitted. The City, after completing evaluations, may accept or reject the exceptions. Where exceptions are rejected, the City may request that the Proposer furnish the services or goods described herein, or negotiate an acceptable alternative.

## F. TRADE SECRET AND/OR CONFIDENTIAL AND/OR PROPRIETARY INFORMATION

All proposals (including all documentation and materials attached to proposals or provided in connection with this RFP) submitted to the City are subject to Florida's public records laws (i.e., Chapter 119, Florida Statutes), which requires disclosure of public records, unless exempt, if a public records request is made. Proposals (including all documentation and materials attached to proposals or provided in connection with this RFP (even if in a separate envelope) submitted to the City cannot be returned. The City will not consider proposals if the entire proposal is labeled a Trade Secret and/or Confidential and/or Proprietary.

If proposer believes that its proposal contains information that is a trade secret (as defined by Florida law) and/or information that is confidential and/or proprietary and therefore exempt from disclosure then such information must be submitted in a separate envelope and comply with the following requirements. In addition to submitting the information in a separate envelope, proposer must include a general description of the information designated as a trade secret and/or confidential and/or proprietary and provide reference to the Florida statute or other law which exempts such designated information from disclosure in the event of a public records request.

The City does not warrant or guarantee that information designated by proposer as a trade secret and/or confidential and/or proprietary is a trade secret and/or confidential and/or proprietary and exempt from disclosure. The City offers no opinion as to whether the reference to the Florida statute or other law by proposer is/are correct and/or accurate. The City will notify proposer if a public records request is received and proposer, at its own expense, will have forty-eight (48) hours after receipt of such notice (email notice is acceptable notice) to file the necessary court documents to obtain a protective order.

Please be aware that the designation of information as a trade secret and/or confidential and/or proprietary may be challenged in court by any person or entity. By designation of information as a trade secret and/or confidential and/or proprietary proposer agrees to defend the City, its employees, agents and elected and appointed officials ("Indemnified Parties") against all claims and actions (whether or not a lawsuit is commenced) related to its designation of information as a trade secret and/or confidential and/or proprietary and to hold harmless the Indemnified Parties for any award to a plaintiff for damages, costs and attorneys' fees, and for costs and attorneys' fees {including those of the City Attorney's office) incurred by the City by reason of any claim or action arising out of or related to proposer's designation of information as a trade secret and/or confidential and/or proprietary.

Failure to comply with the requirements above shall be deemed as a waiver by proposer to claim that all additional information in its proposal is a trade secret and/or confidential and/or proprietary regardless if such information is labeled trade secret and/or confidential and/or proprietary. Proposer acknowledges and agrees that all information in proposer's proposal (not including information in section L) will be disclosed, without any notice to proposer, if a public records request is made for such information.

Please be advised that proposer's proposal, including the information submitted in a separate envelope in accordance with the requirements set forth in this Section L, will be distributed to the Evaluation Committee members, City staff and City Consultants to allow proposer's entire proposal, including the information submitted in a separate envelope, to be evaluated and considered for award of this Contract. The entire contents of Proposer's proposal, including the information submitted in a separate envelope, may be discussed at meetings that are open to the public, subject to the requirements set forth in Chapter 286, Florida Statutes. In the event a public records request is received the City will notify Proposer and Proposer, at its own expense, will have forty-eight (48) hours after receipt of such notice (e-mail notice is acceptable notice) to file the necessary court documents to obtain a protective order.

#### G. OUALIFICATIONS OF PROPOSERS

As a part of the Proposal evaluation process, City may conduct a background investigation of proposer, including a record check by the Gainesville Police Department. Proposer's submission of a Proposal constitutes acknowledgment of the process and consent to such investigation.

No proposal shall be accepted from, nor will any contract be awarded to, any proposer who is in arrears to City upon any debt, fee, tax or contract, or who is a defaulter, as surety or otherwise, upon any obligation to City, or who is otherwise determined to be irresponsible or unreliable by City.

If Proposer is determined to be irresponsible or unreliable, City will notify Proposer of its finding, including evidence used, and allow proposer an informal hearing and the opportunity to come into compliance within three business days of notification.

#### H. NEGOTIATIONS

The City may award a contract on the basis of initial offers received, without discussions. Therefore, each initial offer should contain the proposer's best terms from a cost or price and technical standpoint.

The City reserves the right to enter into contract negotiations with the selected proposer. If the City and the selected proposer cannot negotiate a successful contract, the City may terminate said negotiations and begin negotiations with the next selected proposer. This process will continue until a contract has been executed or all proposers have been rejected. No proposer shall have any rights against the City arising from such negotiations.

#### I. RIGHTS OF APPEAL

Participants in this RFP solicitation may protest RFP specifications or award in accordance with Section 41-580 of the City of Gainesville's Financial Services Procedures Manual.

#### J. RULES; REGULATIONS; LICENSING REQUIREMENT

The proposer shall comply with all laws, ordinances and regulations applicable to the services contemplated herein, including those applicable to conflict of interest and collusion. Proposers are presumed to be familiar with all Federal, State and local laws, ordinances, codes and regulations that may in any way affect the services offered.

#### K. REVIEW OF PROPOSALS

Each proposal will be reviewed to determine if the proposal is responsive to the submission requirements outlined in the RFP. A responsive proposal is one which follows the requirements of the RFP, includes all required documentation, is submitted in the format outlined in the RFP, is of timely submission, and has the appropriate signatures as required on each document. Failure to comply with these requirements may deem your proposal non-responsive.

## L. LOCAL SMALL AND SERVICE-DISABLED VETERAN BUSINESS PARTICIPATION

It is the policy of the City of Gainesville that all local small and service-disabled veteran businesses as defined in the Local Small Business Procurement Program Policies and Procedures, have the maximum practical opportunity to participate in contracting opportunities provided by the City. In keeping with this policy, each proposer is asked to state whether it will utilize small and service-disabled veteran that are eligible for assistance to perform work on the project(s) being advertised. For firms not yet certified by the City, a small and service-disabled veteran application may be requested and submitted to the Office of Equal Opportunity. Applications can be downloaded from the Office of Equal Opportunity website at <a href="http://www.cityofgainesville.org/OfficeofEqualOpportunity.aspx">http://www.cityofgainesville.org/OfficeofEqualOpportunity.aspx</a>. To be considered as a certified small and/or service-disabled veteran, a proposer must have a current certificate at the time of the solicitation submittal due date. For more information on certified small and service-disabled veteran businesses, please visit the Office of Equal Opportunity's website.

#### M. LOCAL PREFERENCE

In bidding of, or letting contracts for procurement of, supplies, materials, equipment and services, as described in the purchasing policies, the city commission, or other purchasing authority, may give a preference to local businesses in making such purchase or awarding such contract in an amount not to exceed five percent of the local business' total bid price, and in any event the cost differential should not exceed \$25,000.00. Total bid price shall include not only the base bid price but also all alterations to that base bid price resulting from alternates which were both part of the bid and actually purchased and awarded by the City Commission or other authority. In the case of requests for proposals, letter of interest, best evaluated bids, qualifications or other solicitations and competitive

negotiation and selection in which objective factors are used to evaluate the responses. Local Businesses are assigned five (5) percent of the total points of the total evaluation points. If Local Preference is requested by the proposer, the attached Exhibit A must be submitted with the proposal.

Local business means the vendor has a valid business tax receipt, issued by the City of Gainesville at least six months prior to bid or proposal opening date, to do business in said locality that authorizes the business to provide the goods, services, or construction to be purchased, and a physical business address located within the limits of said locality, in an area zoned for the conduct of such business, from which the vendor operates or performs business on a day-to-day basis. Post office boxes are not verifiable and shall not be used for the purpose of establishing said physical address. In order to be eligible for local preference, in the Bid or RFP evaluation, the vendor must provide a copy of the business tax receipt and Zoning Compliance Permit. Exhibit -A-(Attach Codified document)

#### N. RECORDS/AUDIT

Contractor shall maintain records sufficient to document their completion of the scope of services established by this Contract. These records shall be subject at all reasonable time to review, inspect, copy and audit by persons duly authorized by the City. These records shall be kept for a minimum of three (3) years after completion of the Contract. Records which relate to any litigation, appeals or settlements of claims arising from performance under this Order shall be made available until a final disposition has been made of such litigation, appeals, or claims.

#### O. INVESTIGATION OF ALLEGED WRONGDOINGS, LITIGATION/SETTLEMENTS/FINES/PENALTIES

The City Commission specifically requests that responders to this document indicate in writing any investigations of wrongdoings, litigation and/or settlements, and fines or penalties (anywhere in the U.S) involving the Contractor and specific Contractors listed as projected to provide services to the City. You may be required to respond to questions on this subject matter.

### P. NON-DISCRIMINATION POLICY AND COMMERCIAL NON-DISCRIMINATION REQUIREMENT

As a condition of entering into this agreement, the company represents and warrants that it will comply with Title VI and Title VII of the Civil Rights Act of 1964 and all other federal, state or local laws prohibiting discrimination. The company shall not discriminate on the basis of race, color, religion, gender, national origin, marital status, sexual orientation, age, disability or gender identity, or other unlawful forms of discrimination in the solicitation, selection, hiring, commercial treatment of subcontractors, vendors, suppliers or commercial customers, nor shall the company retaliate against any person for reporting instances of such discrimination.

The City reserves the right to investigate any claims of illegal discrimination by the Contractor and in the event a finding of discrimination is made and upon written notification thereof, the Contractor shall take all necessary steps to cure and rectify such action to the reasonable satisfaction of the City. The company understands and agrees that a violation of this clause shall be considered a material breach of this agreement and may result in termination of this agreement, disqualification of the company from participating in City contracts, or other sanctions. This clause is not enforceable by or for the benefit of, and creates no obligation to, any third party."

For more information on this policy and requirement, please visit the Office of Equal Opportunity's website.

#### **SECTION II – SCOPE OF SERVICES**

#### A. INTENT

It is the intent of the CRA on behalf of the City to obtain proposals for qualified builders to market, construct and sell single family homes in the new Heartwood Subdivision (Heartwood). The CRA may contract with more than one builder.

#### B. MINIMUM REQUIREMENTS

A Builder must satisfy the following qualifications:

- 1. Builder must be a general contractor authorized to do business in the state of Florida.
- Builder must be able to obtain a Payment and Performance Bond for any work performed by Builder in Heartwood.
- 3. Builder must have been regularly engaged in the construction of residential homes for a minimum of 5 years from the opening date of this RFP.
- 4. Builder must have performed similar work comparable in size and scope.
- 5. Builder must have the resources and financial ability to build a minimum of 17 homes.

#### SECTION III – PROPOSAL FORMAT

Instructions to proposers: Proposals must contain each of the below enumerated documents, each fully completed, signed, and notarized as required. Proposals submitted which do not include the following items may be deemed non-responsive and may not be considered for contract award.

#### A. FORMAT AND CONTENTS OF PROPOSAL

#### 1. Table of Contents

The table of contents should outline in sequential order the major areas of the proposal, and all pages of the proposal, including the enclosures, must be clearly and consecutively numbered and correspond to the table of contents.

#### 2. Technical Proposals

The technical proposal is a narrative which addresses the scope of work, the proposed approach to the work, the schedule of the work, and any other information called for by the RFP which the proposer deems relevant.

#### 3. Price Proposal

The price proposal is a presentation of the proposer's total offering price including the estimated cost for providing each component of the required goods or services.

Proposers should indicate the dollar amount which will be attributed to each sub-contractor, if any.

A prescribed format for the price proposal can be found on Attachment A. This forma must be used for pricing proposals.

#### 4. Qualifications

The response to the minimum qualification requirements contained below is a list of the minimum qualification requirements prescribed for the RFP. Proposers must provide documentation which demonstrates their ability to satisfy all of the minimum qualification requirements. Proposers who do not meet the minimum qualification requirements or who fail to provide supporting documentation will not be considered for award. If a prescribed format, or required documentation for the response to minimum qualification requirements is stated below, proposers must use said format and supply said documentation.

A copy of your Business tax receipt and Zoning Compliance Permit should be submitted with the proposal if a local preference is requested.

#### B. QUALIFICATIONS/STATEMENT OF QUALIFICATIONS

Include a description of the experience, qualifications including any minimum qualifications, financial stability, 5 (five) most recent contracts of the proposer's performance on contracts of similar scope and size required. A specific format may be required of the proposers. Experience may be included as the number of years, level of technical knowledge, educational degrees and certifications required. Financial stability may be determined by requesting the proposers' most recent financial statement, certified audit, balance sheet, or evidence of bonding capacity.

#### SECTION IV – EVALUATION CRITERIA AND PROCEDURES

#### A. EVALUATION CRITERIA

#### 1.0 **SELECTION AND EVALUATION CRITERIA**

Proposals will be evaluated in accordance with the procedures described in the City's Professional Services Evaluation Handbook. The proposals will be evaluated in four stages: Technical Qualifications Evaluation, Written Proposal Evaluation and/or Presentation/Interview Evaluation, and Other Factors as deemed appropriate. The City shall consider the ability of the firm's professional personnel, willingness to meet time and budget requirements, workload, location, past performance, volume of previous work with the City, and location. The Evaluation process provides a structured means for consideration of all these areas.

#### 1.1 Technical Qualifications Evaluation

The Technical Qualifications Evaluation will assess each responding firm's ability based on experience and qualifications of key team members, the firm's capability of meeting time and budget requirements, and the firm's record with regard to this type of work, particularly in the City of Gainesville or in the State of Florida. This stage does not involve review and evaluation of a proposal addressing the project scope of work. Consideration will be given to the firm's current workload, financial stability, and the location where the majority of the technical work will be produced. The City will not be impressed with excessive amounts of boilerplate, excessive numbers of resumes, excessive length of resumes, excessive numbers of photographs, work that distant offices have performed, or work not involving personnel to be assigned to the proposed project.

#### 1.2 Written Proposal Evaluation

The Written Proposal Evaluation will assess the firm's understanding of the project and the proposed approach to be undertaken as addressed in a written proposal. The evaluation process will assess how effectively the requirements of the scope of services have been addressed. The written proposal should identify a project manager and other key members of the project/service team. It should relate the capabilities of the project/service team to the requirements of the scope of services.

#### 1.3 **Presentation/Interview Evaluation**

The Proposal Presentation/Interview Evaluation is based on an oral presentation that addresses both the technical qualifications of the firm and the approach to the project. Importance is given to the firm's understanding of the project scope of work, the placement of emphasis on various work tasks, and the response to questions. The evaluation process will assess the project manager's capability and understanding of the project and his/her ability to communicate ideas. The role of key members of the project/service team should be established based on the scope of services and the firm's approach to the project/service. The role of any subcontracted firm in the proposal should be clearly identified. Unique experience and exceptional qualifications may be considered with emphasis on understanding of the project/service, particularly "why it is to be done" as well as "what is to be done." The City of Gainesville will not be impressed with excessive boilerplate, excessive participation by "business development" personnel, and the use of "professional" presenters who will not be involved in the project or future presentations.

#### 1.4 Other factors

The Other Factors to be considered, based upon the specific project (but not limited to), are those items, such as SBPP and/ or Local Preference. Fee proposals, when requested and deemed appropriate, are also to be considered in the evaluation process, where the request for such fees is in accordance with the City's Procurement Policies and Procedures.

#### B. SELECTION PROCESS

The contractor(s) will be selected from the qualified vendors submitting responses to this Request for Proposals. The selection process will be as follows:

- 1. Evaluators consisting of staff will review the written proposals. The evaluation process provides a structured means for consideration of all proposals.
- 2. Upon review and evaluation, the City may request oral presentations from the top ranked vendors. During the oral presentations, the vendors shall further detail their qualifications, approach to the project and ability to furnish the required services. These presentations shall be made at no cost to the City. Firms selected for further presentations should provide one (1) electronic copy of materials presented in PDF format on a CD.
- 3. Prior to final ranking of firms, the apparent top ranked vendor will be required to furnish proof to the City that it complies with the specifications.
- 4. The final ranking of firms will be in accordance with the procedures described in the City's Professional Services Evaluation Handbook. If required, the final ranking of firms will be presented to the City Commission. The City Commission will be requested to approve the recommended ranking and authorize negotiation and execution of the contract beginning with the top ranked vendor.
- 5. Provided that the City Commission approves the ranking and an award, the City will negotiate a contract with the top ranked proposer for the provision of HOME BUILDER CONTRACTORS FOR HEARTWOOD RESIDENTIAL DEVELOPMENT. Should the City be unable to negotiate a satisfactory contract with the top ranked vendor, negotiations will be terminated with that proposer and negotiations will be initiated with the second most qualified proposer, and so on until a satisfactory contract is negotiated.

#### SECTION V – GENERAL PROVISIONS

#### A. CONTRACT AWARD

The award(s), if any, shall be made to the proposer(s) whose proposal(s) shall be deemed by the City to be in the best interest of the City. The decision of the City of whether to make the award(s) and which proposal is in the best interest of the City shall be final.

The Contract to be entered into with the successful proposer will designate the successful proposer as the City's Contractor and will include, but not be limited to, the following terms and conditions.

#### B. GENERAL TERMS AND CONDITIONS

Following are the General Terms and Conditions, supplemental to those stated elsewhere in the Request for Proposals, to which the Vendor must comply to be consistent with the requirements for this Request for Proposals. Any deviation from these or any other stated requirements should be listed as exceptions in a separate appendix of the proposal.

- 1. Public Entity Crimes. Section 287.133 (2)(a), Florida Statutes, contains the following provisions: "A person or affiliate who has been placed on the convicted vendor list following a conviction for public entity crime may not submit a bid on a contract to provide any goods or services to a public entity, may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real property to a public entity, may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with any public entity, and may not transact business with any public entity, in excess of the threshold amount provided in Section 287.017, for CATEGORY TWO for a period of 36 months from the date of being placed on the convicted vendor list."
- 2. <u>Tie Bids.</u> Whenever two or more bids which are equal with respect to price, quality and service are received, preference shall be given in the following order: (1) Bidders submitting the attached Drug-Free Workplace form with their bid/proposal certifying they have a drug free workplace in accordance with Section 287.087, Florida Statutes; (2) Bidders located within the City of Gainesville, if not subject to the Local Preference Ordinance; (3) Bidders located within Alachua County; (4) Bidders located within the State of Florida; (5) coin toss. In the case where Federal funds are being utilzed, articles 2,3 and 4 will not apply.
- 3. <u>Drugfree Workplace</u>. Preference shall be given to submitters providing a certification with their qualifications certifying they have a drug-free workplace whenever two or more bids which are equal with respect to price, quality, and service are received in accordance with Section 287.087, Florida Statutes. The attached form should be filled out and returned with the qualifications in order to qualify for this preference.
- 4. <u>Indemnification</u>. The Contractor shall agree to indemnify and save harmless the City, its officers, agents, and employees, from and against any and all liability, claims, demands, fines, fees, expenses, penalties, suits, proceedings, actions and costs of action, including attorney's fees for trial and on appeal, of any kind and nature arising or growing out of or in any way connected with the performance of the contract whether by act or omission or negligence of the Contractor, its agents, servants, employees or others, or because of or due to the mere existence of the Contract between the parties.
- 5. Insurance. Contractor shall provide proof of insurance in an amount as noted below:

Worker's Compensation Insurance providing coverage in comliance with Chapter 440, Florida Statutes.

Public Liability Insurance (other than automobile) consisting of broad form comprehensive general liability insurance including contractual coverage \$1,000,000 per occurrence (combined single limit for bodily injury and property damage).

The City shall be an additional insured on such Public Liability Insurance and the Contractor shall provide copies of endorsements naming the City as additional insured.

#### Automobile Liability Insurance

Property Damage \$500,000 per occurrence (combined single limit for bodily injury and property damage).

The Contractor shall furnish the City a certificate of insurance in a form acceptable to the City for the insurance required. Such certificate or an endorsement provided by the Contractor must state that the City will be given thirty (30) days' written notice (except the City will accept ten (10) days written notice for non-payment) prior to cancellation or material change in coverage.

- 6. <u>Sovereign Immunity</u>. Nothing in the executed contract shall be interpreted that the City waives its sovereign immunity granted under Section 768.28, Florida Statutes.
- 7. <u>Term.</u> The term of the contract will commence upon final execution and will continue for 3 years, subject to funding in subsequent fiscal years. At the end of the contract period, upon satisfactory performance, the City, may at its option, negotiate and extend the contract for 1 additional 1 year period.
- 8. <u>Termination</u>. The contract will provide termination by either party without cause upon 30 days prior written notice to the other party. In the event of termination, the Contractor will be compensated for services rendered up to and including the day of termination.
- 9. <u>Applicable Law.</u> The contract and the legal relations between the parties hereto shall be governed and construed in accordance with the laws of the State of Florida. Venue in the courts of Alachua County, Florida.
- 10. <u>Joint Bidding/Cooperative Purchasing Agreement</u>. All bidders submitting a response to this invitation to bid agree that such response also constitutes a bid to all State Agencies and Political Subdivisions of the State of Florida under the same terms and conditions, for the same prices and the same effective period as this bid, should the bidder deem it in the best interest of its business to do so. This agreement in no way restricts or interferes with any State Agency or Political Subdivision of the State of Florida to rebid any or all items.
- 11. <u>Subcontractors</u>. All successful contractors specific to construction in the amount of \$300 thousand or more to include material suppliers shall be required to provide information of subcontractors in addition to sub and sub subcontractors prior to final payment under the contract.

#### 12. Florida Public Records Act.

Florida has a very broad public records law and certain records of a contractor may be considered public records. Accordingly, by entering into an agreement with the City, contractor must:

- 1. Keep and maintain public records required by the public agency to perform the service.
- 2. Upon request from the public agency's custodian of public records, provide the public agency with a copy of the requested records or allow the records to be inspected or copied within a reasonable time at a cost that does not exceed the cost provided in this chapter or as otherwise provided by law.
- 3. Ensure that public records that are exempt or confidential and exempt from public records disclosure requirements are not disclosed except as authorized by law for the duration of the contract term and following completion of the contract if the contractor does not transfer the records to the public agency.
- 4. Upon completion of the contract, transfer, at no cost, to the public agency all public records in possession of the contractor or keep and maintain public records required by the public agency to perform the service. If the contractor transfers all public records to the public agency upon completion

of the contract, the contractor shall destroy any duplicate public records that are exempt or confidential and exempt from public records disclosure requirements. If the contractor keeps and maintains public records upon completion of the contract, the contractor shall meet all applicable requirements for retaining public records. All records stored electronically must be provided to the public agency, upon request from the public agency's custodian of public records, in a format that is compatible with the information technology systems of the public agency.

IF THE CONTRACTOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE CONTRACTOR'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS CONTRACT, CONTACT THE CUSTODIAN OF PUBLIC RECORDS \_\_\_\_\_\_\_ 352-334-\_\_\_\_\_, @cityofgainesville.org, P.O. Box 490 Mail Stataion 32, Gainesville, FL 32627.

#### SECTION VI – TECHNICAL SPECIFICATIONS

#### A. SCOPE

CRA on behalf of the City will select at least one builder but may select up to two. Each selected builder will be required to market homes in the subdivision to end loan purchasers, enter into a contract with the home buyer, buy down the lot from the City with a closing for the lot in escrow, provide any value engineering of construction plans if requested by purchaser, construct the home(s) that is under contract (including landscaping), and close on the sale of the home(s). Builders may not require home buyers to obtain construction loans.

#### B. BACKGROUND

The Heartwood Subdivision is located on a 15.1 acre site at 1717 SE 8<sup>th</sup> Avenue, Gainesville, FL {Parcel:16102-010}. The CRA recorded the subdivision plat, and deed restrictions with Architectural Standards. The plat is recorded in PB 34 PG 21, and deed restrictions with Architectural Standards can be found in Official Records Book 4750, Page 1751. The Deed Restriction and Plat are also attached this RFP. (See Appendix B and G) Also attached are four elevations, Site Concepts, and a 3D photorealistic rendering for each planned home (See Appendix A). Also Attached in Appendix C are 8 elevations for reference. Any changes or value engineering made to the homes must be consistent with the deed restrictions and Architectural Standards. Appendix B documents are representative of the types of alterations that may be acceptable.

The CRA on behalf of the City contracted to construct the subdivision's infrastructure, including utility infrastructure, wetland improvements, paved streets, curb and gutter, and pad ready sites. The CRA anticipates infrastructure construction to be completed on or before Q2 2019.

When completed, Heartwood will contain 34 single family detached homes. While Builder(s) will sell the homes at market rate, the City and/or CRA may provide incentives or other tools so that some of the homes will be affordable housing. The City and the CRA will bear the burden of the cost of price reduction for affordability, not the builder. Builder(s) will be responsible for marketing, constructing and selling homes in the Heartwood Subdivision. Home buyers will contract with the Builder to purchase the home. Home buyers will purchase homes using purchase money mortgages. Builder(s) will also be expected to provide recommendations for the buildout of common areas.

Leading up to this RFP, the CRA has engaged in marketing and outreach efforts to inform potential buyers of financial resources and steps necessary to become homeowners. A project specific website (<a href="www.heartwoodgnv.com">www.heartwoodgnv.com</a>) was developed to promote the neighborhood. These efforts have attracted almost 340 potential home buyers interested in homeownership in the Heartwood Subdivision. Once Builder(s) have been selected the CRA will hand over all information regarding potential buyers to the Builder(s).

### **SECTION VII – PRICE PROPOSAL**

Using Bid Sets for Heartwood Models 1 and 5B (Appendixes E & F) provide pricing using Attachment A "Estimate Pages" to provide pricing for these two homes.

## DRUG-FREE WORKPLACE FORM

The u	undersigned vendor in accordance with Florida Statute 287.087 hereby certifies that
	does:
	(Name of Business)
1.	Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibition.
2.	Inform employees about the dangers of drug abuse in the workplace, the business's policy of maintaining a drug-free workplace, any available drug counseling, rehabilitation, and employee assistance programs and the penalties that may be imposed upon employees for the drug abuse violations.
3.	Give each employee engaged in providing the commodities or contractual services that are under bid a copy of the statement specified in subsection (1).
4.	In the statement specified in subsection (1), notify the employees that, as a condition of working on the commodities or contractual services that are under bid, the employee will abide by the terms of the statement and will notify the employer of any conviction of, or plea of guilty or nolo contendere to, any violation of Chapter 893 or of any controlled substance law of the United States or any state, for a violation occurring in the workplace no later than five (5) days after such conviction.
5.	Impose a sanction on, or require the satisfactory participation in a drug abuse assistance or rehabilitation program if such is available in the employee's community, by any employee who is so convicted.
6.	Make a good faith effort to continue to maintain a drug-free workplace through implementation of this section.
	he person authorized to sign the statement, I certify that this firm complies fully with the above rements.
	Bidder's Signature
	Date

#### **DEBARRED AND SUSPENDED BIDDERS:**

#### **Breach of Contract**

#### 1. Scope.

This policy prescribes policies and procedures relating to:

- (a) the debarment of bidders for cause;
- (b) the suspension of bidders for cause under prescribed conditions;and.
- (c) the rejection of bids, revocation of acceptance and termination of contracts for cause.

It is directly applicable to the advertised and negotiated purchases and contracts, for equipment and services of the City.

#### 2. General.

Debarment and suspension are measures which may be invoked by the City either to exclude or to disqualify bidders and contractors from participation in City contracting or subcontracting. These measures should be used for the purpose of protecting the interests of the City and not for punishment. To assure the City the benefits to be derived from the full and free competition of interested bidders, these measures should not be instituted for any time longer than deemed necessary to protect the interests of the City, and should preclude awards only for the probable duration of the period of non-responsibility.

#### 2.1 Definitions.

- (a) "Debarment" means, in general, an exclusion from City contracting and subcontracting for a reasonable, specified period of time commensurate with the seriousness of the offense, improper conduct or inadequate performance.
- (b) "Suspension" means a disqualification from City contracting and subcontracting for a temporary period of time because a concern or individual is suspected upon adequate evidence (See Section 6) of engaging in criminal, fraudulent, improper conduct or inadequate performance.
- (c) A "debarment list" or "debarred bidders list" means a list of names of concerns or individuals against whom any or all of the measures referred to in this policy have been invoked.
- (d) "Bidders" means, wherever the term is used in this policy, an offerors bidding pursuant to an invitation for bids or a request for proposals.
- (e) "Affiliates" means business concerns which are affiliates of each other when either directly or indirectly one concern or individual controls or has the power to control another, or when a third party controls or has the power to control both.
- (f) "Business operations" means commercial or industrial activity engaged in regularly and continuously over a period of time for the purpose of receiving pecuniary benefit or otherwise accomplishing an objective. "Business operations" constitute and are equivalent to "carrying on business", "engaged in business", "doing business".
- 3. Establishment and Maintenance of a List of Concerns or Individuals Debarred or Suspended.
  - (a) The Procurement Division shall establish and maintain on the basis contained in Sections 6 and 6.1, a consolidated list of concerns and individuals to whom contracts will not be awarded and from whom bids or proposals will not be solicited.
  - (b) The list shall show as a minimum the following information:
    - (1) the names of those concerns or individuals debarred or suspended (in alphabetical order) with appropriate cross-reference where more than one name is involved in a single action;
    - (2) the basis of authority for each action;
    - (3) the extent of restrictions imposed; and,
    - (4) the termination date for each debarred or suspended listing.
  - (c) The list shall be kept current by issuance of notices of additions and deletions.
- 4. Treatment to be Accorded Firms or Individuals Debarred or Suspended

Firms or individuals listed by the Procurement Division as debarred or suspended shall be treated as follows.

- Total restrictions. A contract shall not be awarded to a concern or individual that is listed on the basis of a Section 5(a)(1), (2) or (3) felony "conviction", or to any concern, corporation, partnership, or association in which the listed concern or individual has actual control or a material interest; nor shall bids or proposals be solicited therefrom. However, when it is determined essential in the public interest by the City Commission, an exception may be made with respect to a particular procurement action where the individual or concern is effectively the sole source of supply or it is an emergency purchase.
- (b) Restrictions on subcontracting. If a concern or individual listed on the debarred and suspended bidders list is proposed as a subcontractor, the Procurement Division shall decline to approve subcontracting with that firm or individual in any instance in which consent is required of the City before the subcontract is made, unless it is determined by the City to grant approval City Commission essential to public interest and the individual or concern is effectively the sole source of supply or it is an emergency purchase.
- 5. Causes and Conditions Applicable to Determination of Debarment.

Subject to the following conditions, the Procurement Division is authorized to debar a firm or individual in the public interest for any of the following causes occurring with ten (10) years of debarment.

#### (a) Causes

- (1) "Conviction" for commission of a criminal offense as an incident to obtaining or attempting to obtain a public or private contract, or subcontract thereunder, or in the performance of such contract or subcontract.
- (2) "Convictions" of embezzlement, theft, forgery, issuance of worthless checks, bribery, falsification or destruction of records, perjury, or receiving stolen property where the conviction is based upon conduct which arose out of, or was related to, business operations of the bidder.
- (3) "Conviction" for bid-rigging activities arising out of the submission of bids or proposals.
- (4) Violation of contract provisions, as set forth below, of a character which is regarded by the City to be so serious as to justify debarment action:
  - (i) willful failure to perform in accordance with the specifications or within the time limit provided in the contract:
  - (ii) a record of failure to perform or of unsatisfactory performance in accordance with the terms of one or more contracts. Failure to perform or unsatisfactory performance caused by acts beyond the control of the firm or individual as a contractor shall not be considered to be a basis for debarment.
- (5) Debarment by any other governmental agency.

#### (b) Conditions.

- (1) Debarment for any of the causes set forth in this section shall be made only upon approval of the Procurement Division.
- (2) The existence of any of the causes set forth in (a) of this section does not necessarily require that a firm or individual be debarred except as provided in 4(a). In each instance, whether the offense or failure, or inadequacy of performance, be of criminal, fraudulent, or serious nature, the decision to debar shall only be made if supported by a preponderance of the credible evidence available. Likewise, all mitigating factors may be considered in determining the seriousness of the offense, failure, or inadequacy of performance, in deciding whether debarment is warranted. The actual or apparent authority of an involved individual, the present relationship of involved individuals with the bidder, the past performance of the individual or concern, and the relationship of the violation to the services or materials involved shall be considered.
- (3) The existence of a cause set forth in (a)(1), (2), and (3) of this section shall be established by criminal "conviction" by a court of competent jurisdiction. In the event that an appeal taken from such conviction results in reversal of the "conviction", the debarment shall be removed upon the request of the bidder (unless other causes for debarment exists). For the purposes of this policy, the following shall have the same effect as a "conviction": pleading guilty or nolo contendere, or being found guilty by a jury or court of, the offense in question, regardless of whether probation is imposed and adjudication withheld.
- (4) The existence of a cause set forth in (a)(4) and (5) of this section shall be established by a preponderance of credible evidence by the Procurement Division.
- (5) Debarment for the cause set forth in (a)(5) of this section (debarment by another agency) shall be proper if one of the causes for debarment set forth in (a)(1) through (4) of this section was the basis for debarment by the original debarring agency. Such debarment may be based entirely on the record of facts obtained by the original debarring agency, or upon a combination of such facts and additional facts.

#### 5.1 Period of Debarment.

- (a) Debarment of a firm or individual shall be for a reasonable, definitely stated period of time commensurate with the seriousness of the offense or the failure or inadequacy of performance. As a general rule, a period of debarment shall not exceed five (5) years. However, when partial or total debarment for an additional period is deemed necessary, notice of the proposed additional debarment shall be furnished to that concern or individual in accordance with Section 8.
- (b) A debarment may be removed or the period thereof may be reduced by the City Manager upon the submission of an application supported by documentary evidence, setting forth appropriate grounds for the granting of relief; such as newly discovered material evidence, reversal of a conviction, bona fide change of ownership or management, or the elimination of the causes for which the debarment was imposed. The City Manager may request additional information, shall consider all relevant facts, and shall render a decision within twenty (20) days of receipt of the application unless a longer period is warranted under the circumstances.

#### 6. Suspension of Bidders.

- (a) Suspension is a drastic action and, as such, shall not be based upon an unsupported accusation. In assessing whether evidence exists for invoking a suspension, consideration should be given to the amount of credible evidence which is available, to the existence or absence of corroboration as to important allegations, as well as to the inferences which may properly be drawn from the existence or absence of affirmative facts. This assessment should include an examination of basic documents, such as contracts, inspection reports, and correspondence. In making a determination to suspend, the Procurement Division shall consider the factors set forth in Section 5(b)(2). A suspension may be modified by the City Manager as described in Section 5.1(b).
- 6.1 Causes and Conditions Under Which the City May Suspend Contractors

- (a) The Procurement Division may, in the interest of the City, suspend a firm or individual when the firm or individual is suspected, upon credible evidence, of having committed one or more the following act(s) within three (3) years of the date of suspension:
  - (1) Commission of fraud or a criminal offense as an incident to obtaining, attempting to obtain, or in the performance of a public contract;
  - (2) Violation of statutes concerning bid-rigging activities out of the submission of bids and proposals; and,
  - (3) Commission of embezzlement, theft, forgery, issuance of worthless checks, bribery, falsification, or destruction of records, perjury, receiving stolen property. Commission of any other offense indicating a lack of business integrity or business honesty which seriously and directly affects the question of present responsibility as a City contractor.

#### 6.2 Period of Suspension.

- (a) All suspension shall be for temporary period pending the completion of an investigation and such legal proceedings as may ensue. In the event that prosecution has not been initiated within twelve (12) months form the date of the suspension, the suspension shall be terminated. Upon removal of suspension, consideration may be given to debarment in accordance with Section 5 of this policy.
- 7. Scope of Debarment or Suspension.
  - (a) A debarment or suspension may include all known affiliates of a concern or individual.
  - (b) Each decision to include a known affiliate within the scope of a proposed debarment or suspension is to be made on a case-by-case basis, after giving due regard to actual or apparent authority of the controlling concern or individual and similarity of the services provided by the affiliate to those provided by the debarred individual or concern.
  - (c) The criminal, fraudulent, or seriously improper conduct of an individual may be imputed to the business concern with which he is connected, where such impropriety was accomplished within the course of his official duty or apparent authority, or was effected by him with the knowledge and approval of that concern. When the individual was an officer of the concern, knowledge and approval may be presumed. Likewise, where a concern is involved in criminal, fraudulent, or seriously improper conduct, any individual who was involved in the commission of the impropriety may be debarred or suspended.
- 8. Notice of Debarment or Suspension.

When the Procurement Division seeks to debar or suspend a concern or individual (or any affiliate thereof) for cause, it shall furnish that party with a written notice:

- (1) stating that debarment or suspension is being considered;
- (2) setting forth the reasons for the proposed action;
- (3) indicating that such party will be afforded an opportunity for a hearing if requested within ten (10) days; and,
- (4) indicating that such party may make a written response in accordance with Section 9(a).
- 9. Response to Notice of Debarment or Suspension.
  - (a) In lieu of requesting a hearing within the prescribed ten (10) day period, the party may, within said ten (10) day period, notify the City of its intent to provide a written reply and submit written evidence to contest the debarment or suspension. Such written evidence must be submitted within twenty (20) days after receipt of the notice of proposed debarment or suspension in order for it to be considered.
  - (b) Whatever response is received to the notice of intent to debar or suspend, such will be considered in determining whether debarment or suspension action will be made. Where a reply is received to the notice of intent to debar or to suspend, and evidence to refute such action is furnished but no hearing is requested, the information furnished will be considered in determining the action to be taken.
  - (c) If a hearing is requested, it shall be conducted by the City Manager. The hearing will be held at a location convenient to the City as determined by the City Manager and on a date and at a time stated. An opportunity shall be afforded to the firm or individual to appear with witnesses and counsel, to present facts or circumstances showing cause why such firm or individual should not be debarred or suspended. The proceeding shall be of an informal nature as determined by the City Manager. After consideration of the facts, the City Manager shall notify the firm or individual of the final decision.
  - (d) If no response is made to the notice of debarment or suspension within the first ten (10) day period, the decision of the Procurement Division shall be deemed final and the party so notified.
- 10. Rejection of Bids, Breach of Contract.
  - (a) Previously solicited and/or accepted bids may be rejected or acceptance revoked prior to beginning of performance upon discovery by the City that the bidder or its affiliates have committed any act which would have been cause for debarment
  - (b) If after a contract is awarded and performance has been begun the City discovers that the bidder or its affiliates have committed any act prior to award or acceptance which would have been cause for debarment had it been discovered prior to solicitation or acceptance, the City may consider such to be a material breach of the contract and such shall constitute cause for termination of the contract.
  - (c) If after bids have been solicited and/or accepted or after a contract is awarded and performance begun, the City discovers that the bidder or its affiliates committed any act prior to award or acceptance which would have been cause

for disbarment or suspension had it been discovered prior to solicitation or acceptance, the City may require additional satisfactory assurances that such act(s) have not occurred and that the contract can and will be faithfully performed. If additional assurances are requested and are not satisfactory or if the bidder or its affiliates fail to immediately cooperate with all reasonable requests, including requests for information reasonably calculated to lead to the discovery of relevant evidence, then such may be considered a material breach of the contract and such shall constitute cause for termination of the contract.

#### ARTICLE X. LOCAL PREFERENCE POLICY\*

\*Editor's note: Section 9 of Ord. No. 001261 states: "This ordinance shall become effective October 1, 2004, and shall be reviewed by the City Commission October 1, 2005, and unless extended by action of the City Commission, shall be deemed repealed effective March 31, 2006, provided that it shall remain applicable to new contracts solicited prior to repeal."

#### Sec. 2-620. Findings of fact.

The city annually spends significant amounts on purchasing personal property, materials, and contractual services and in constructing improvements to real property or to existing structures. The dollars used in making those purchases are derived, in large part, from taxes, fees, and utility revenues derived from local businesses in the corporate city limits of Gainesville, and the city commission has determined that funds generated in the community should, to the extent possible, be placed back into the local economy. Therefore, the city commission has determined that it is in the best interest of the city to give a preference to local businesses in the corporate city limits of Gainesville in making such purchases whenever the application of such a preference is reasonable in light of the dollar-value of proposals received in relation to such expenditures.

(Ord. No. 001261, § 1, 3-29-04)

#### Sec. 2-621. Definition.

"Local business" means the vendor has a valid occupational license, issued by the City of Gainesville at least six months prior to bid or proposal opening date, to do business in said locality that authorizes the business to provide the goods, services, or construction to be purchased, and a physical business address located within the limits of said locality, in an area zoned for the conduct of such business, from which the vendor operates or performs business on a day-to-day basis. Post office boxes are not verifiable and shall not be used for the purpose of establishing said physical address. In order to be eligible for local preference, the vendor must provide a copy of the occupational license.

(Ord. No. 001261, § 2, 3-29-04)

#### Sec. 2-622. Local preference in purchasing and contracting.

In bidding of, or letting contracts for procurement of, supplies, materials, equipment and services, as described in the purchasing policies, the city commission, or other purchasing authority, may give a preference to local businesses in making such purchase or awarding such contract in an amount not to exceed five percent of the local business' total bid price, as described below, and in any event the cost differential should not exceed \$25,000.00. Total bid price shall include not only the base bid price but also all alterations to that base bid price resulting from alternates which were both part of the bid and actually purchased or awarded by the city commission or other authority. In the case of requests for proposals, letters of interest, best evaluated bids, qualifications or other solicitations and competitive negotiation and selection in which objective factors are used to evaluate the responses, local businesses are assigned five percent of the total points of the total evaluation points.

(Ord. No. 001261, § 3, 3-29-04)

#### Sec. 2-623. Exceptions to local preference policy.

The preference set forth in this Article X shall not apply to any of the following purchases or contracts:

(1) Good or services provided under a cooperative purchasing agreement;

- (2) Contracts for professional services procurement of which is subject to the Consultants' Competitive Negotiation Act (F.S. § 287.055) or subject to any competitive consultant selection policy or procedure adopted or utilized by the city commission or charter officer;
- (3) Purchases or contracts which are funded, in whole or in part, by a governmental entity and the laws, regulations, or policies governing such funding prohibit application of that preference; or
- (4) Purchases made or contracts let under emergency or noncompetitive situations, or for litigation related legal services, etc., as such are described in the city's purchasing policies;
- (5) Purchases with an estimated cost of \$50,000.00 or less;
- (6) Application of local preference to a particular purchase, contract, or category of contracts for which the city commission is the awarding authority may be waived upon written justification and recommendation of the charter officer and approval of the city commission. The preferences established herein in no way prohibit the right of the city commission or other purchasing authority to compare quality or fitness for use of supplies, materials, equipment and services proposed for purchase and compare qualifications, character, responsibility and fitness of all persons, firms, or corporations submitting bids or proposals. Further, the preferences established herein in no way prohibit the right of the city commission or other purchasing authority from giving any other preference permitted by law in addition to the preference authorized herein.

(Ord. No. 001261, § 4, 3-29-04)

#### Sec. 2-624. Application, enforcement.

The local preference shall apply to new contracts for supplies, materials, equipment and services first solicited after October 1, 2004. This article shall be implemented in a fashion consistent with otherwise applicable city purchasing policies and procedures.

(Ord. No. 001261, § 5, 3-29-04)

#### **CITY OF GAINESVILLE**


### CERTIFICATION OF COMPLIANCE WITH LIVING WAGE

The undersigned hereby agrees to comply with the terms of the Living Wage Ordinance and to pay all covered employees, as defined by City of Gainesville Ordinance 020663 as amended at 030168 (Living Wage Ordinance), during the time they are directly involved in providing covered services under the contract with the City of Gainesville for Home Builder Contractors for Heartwood Residential Development a living wage of \$12.0673 per hour to covered employees who receive Health Benefits from the undersigned employer and \$13.3173 per hour to covered employees not offered health care benefits by the undersigned employer.

Name of Service Contractor/Subcontractor:		_
Address:		
Phone Number:		_
Name of Local Contact Person		
Address:		
Phone Number:		_
\$(Amount of Contract)		
Signature:	Date:	_
Printed Name:		
Title:		

#### LIVING WAGE DECISION TREE

While not all encompassing, the following is provided as a guideline for contractors in determining whether the City of Gainesville Living Wage Ordinance applies to their firm in the performance of specified service contracts for covered services\* with the City. Contractors are advised to review the entire text of the Living Wage Ordinance in conjunction with this guideline.



\*Covered Services: food preparation and/or distribution; custodial/cleaning; refuse removal; maintenance and repair; recycling; parking services; painting/refinishing; printing and reproduction services; landscaping/grounds maintenance; agricultural/forestry services; and construction services \*\*Total value of contract.

### LIVING WAGE COMPLIANCE

See Living Wage Decision Tree (Exhibit C hereto)

Check	one:
	Living Wage Ordinance does not apply (check all that apply)  Not a covered service Contract does not exceed \$100,000 Not a for-profit individual, business entity, corporation, partnership, limited liability company, joint venture, or similar business, who or which employees 50 or more persons, but not including employees of any subsidiaries, affiliates or parent businesses.
	Located within the City of Gainesville enterprise zone.
	Living Wage Ordinance applies and the completed Certification of Compliance with Living Wage is included with this bid.

NOTE: If Contractor has stated Living Wage Ordinance does not apply and it is later determined Living Wage Ordinance does apply, Contractor will be required to comply with the provision of the City of Gainesville's living wage requirements, as applicable, without any adjustment to the bid price.

## PROPOSAL RESPONSE FORM – SIGNATURE PAGE

(submit this form with your proposal)

TO:	City of Gainesville, Florida 200 East University Avenue Gainesville, Florida 32601				
PROJECT:	Home Builder Contractors for Heartwood Residential Development				
RFP/RFQ#:	FP/RFQ#: CRAX-180072-GD				
RFP/RFQ DUI	E DATE: May 16, 2018				
Proposer's Legal	Name:				
Proposer's Alias/	DBA:				
Proposer's Addre	ss:				
	EPRESENTATIVE (to be contacted for additional information on this proposal)  Telephone Number				
Date:	Fax Number				
	Email address				
<u>ADDENDA</u>					
The Proposer her to these Specifica	reby acknowledges receipt of Addenda No.'s,, tions.				
<b>TAXES</b>					
by City of Gaines from taxes for ed	ees that any applicable Federal, State and Local sales and use taxes, which are to be paid syille, are included in the stated bid prices. Since often the City of Gainesville is exempt quipment, materials and services, it is the responsibility of the Contractor to determine es are applicable. The Contractor is liable for any applicable taxes which are not included rices.				
LOCAL PRE	FERENCE (check one)				
Local Preference	requested:				
A copy of your B local preference is	usiness tax receipt and Zoning Compliance Permit should be submitted with your bid if a s requested.				
STATUS (che Is your business	LOCAL SMALL AND/OR DISABLED VETERAN BUSINESS  ck one)  qualified as a Local Small Business in accordance with the City of Gainesville Small ment Program? (Refer to Definitions)				

Is your business qualified as a Local Service-Disabled Veteran Business in accordance with the City o Gainesville Small and Service-Disabled Veteran Business Procurement Program? (Refer to Definitions YES No	
SERVICE-DISABLED VETERANS' BUSINESS (check one)	
Is your business certified as a service-disabled veterans' business?	
LIVING WAGE COMPLIANCE See Living Wage Decision Tree (Exhibit C hereto)	
Check One:	
Living Wage Ordinance does not apply (check all that apply)  Not a covered service Contract does not exceed \$100,000 Not a for-profit individual, business entity, corporation, partnership, limited liability company, joint venture, or similar business, who or which employees 50 or more persons but not including employees of any subsidiaries, affiliates or parent businesses.  Located within the City of Gainesville enterprise zone.	
Living Wage Ordinance applies and the completed Certification of Compliance with Living Wage is included with this bid.	S
NOTE: If Contractor has stated Living Wage Ordinance does not apply and it is later determined Living Wage Ordinance does apply, Contractor will be required to comply with the provision of the City of Gainesville's living wage requirements, as applicable, without any adjustment to the bid price.	
SIGNATURE ACKNOWLEDGES THAT: (check one)	
Proposal is in full compliance with the Specifications.	
Proposal is in full compliance with specifications except as specifically stated and attached hereto.	
Signature also acknowledges that Proposer has read the current City of Gainesville Debarment/Suspension/Termination Procedures and agrees that the provisions thereof shall apply to this RFP.	
ATTEST: (CORPORATE SEAL) PROPOSER:	
Signature Signature By: By:	
Title: Title:	

## CITY OF GAINESVILLE GENERAL GOVERNMENT PROCUREMENT DIVISION SURVEY BID INFORMATION

RFP #: CRAX-180072-GD DUE DATE: May 16, 2018 @ 3:00 pm

SEALED PROPOSAL ON: Home Builder Contractors for Heartwood

Residential Development

#### IF YOU DO NOT BID

Please check the appropriate number or explain:				
	1.	Not enough bid response time.		
	2.	Specifications not clear.		
	3.	Do not submit bids to Municipalities.		
	4.	Current work load does not permit time to bid.		
	5.	Delay in payment from Governmental agencies.		
	6.	Do not handle this item.		
	7.	Other:		
Company: _				
A ddue oo.				
Address:				
Are you a mi	nority l	business? yes no		

RFP (09/22/03)

Rev. local pref. 10/1/04;7/25/05;10/05;4/06;10/06;3/07;10/11;05/12;03/16;7/19/17

This form Document No. P04-213 is a legal instrument approved by the City Attorney. Any deviations from its intended use should be authorized by the City Attorney



# **Heartwood Community Construction Specifications**

#### Model

Drafting & Engineering	Hurricane resistant designed for 140 MPH wind zone (2017 FBCR 6th edition)	
Surveying	To pin building envelope on each lot.	
Soil Testing	Geotechnical Standard Penetration Testing (2) borings per lot.	
Permitting & Inspections	Building authority permitting application and construction inspections	
Impact Fees	Builder to pay community / local municipality impact fees	
Interior Decorating / Color Selection	Pre-determined community color scheme; choice of (4) color schemes.	
Builders Risk Insurance	Insurance to cover project while under construction	
Job Site Security / Containment	Silt and/or barrier fence as needed	
Dumpster	20 Cu. Yard Construction Dumpster for waste	
Port-a-potty	Job site toilet & service	
Temp Power	Temporary power pole installation & monthly usage for job site power	
Site Prep / Clearing	Grubbing, tree removal, clearing	
Fill Dirt	Clean compacted fill dirt to 95% modified proctor	
	Provide "Sentricon Always Active" exterior perimieter termite baiting / treatment system, Bora Care borate based termiticide up to	
Termite treatment / Pest Control	3' above finish floor in bath / wet areas & Taexx "Tubes in the Wall" Pest Control System by Pest Defense.	
Foundation Slab	16" X 20" Monolithic footing w/ 3,000 P.S.I. concrete reinforced with (3) #5 continuous rebar (staggered chair); 4" 3,000 P.S.I.	
1 outlidation olab	concrete slab reinforced with 6"X6" 10/10 W.W.M. over visqueen moisture barrier	
	Plumbing pipes & labor for home as per plans; (1) shower head in master bath; (3) hose bibs, (1) ice maker box, 3/4" PVC water	
Diametria a		
Plumbing	connection up to 50' from house; 4" DWV sewer connection up to 10' from house, supply lines run overhead through attic space;	
	installation of fixtures included	
Dlumbing Fixtures	Allowance based on proposal from Quote#: dated: /_/18	
Plumbing Fixtures		
Gas Contractor	Natural Gas Piping (if gas appliances are selected)	
Sewer Connection	Connection of home to central sewer system	
Water Connection	Connection of home to cnetral water supply	
Masonry	None Included	
,	1	
Framing	In the second of	
	Interior wood framed walls (studs 16" o.c.); set roof trusses, install roof sheathing; wood backing for curtain rods & ceiling fans.	
Trusses	Pre-Engineered Roof trusses 140 MPH design load; slope as per plan	
110353		
Roofing	30 year dimensional asphalt roof shingles over synthetic roof underlayment (vapor barrier); self adhering flashing at valleys;	
Rouling	aluminum ridge vent	
	Front door allowance \$ Other exterior doors included in base price include: Fiberglass exterior personnel doors; CHI	
Exterior Doors & OHDs	,	
Exterior Doors & OFIDS	Aluminum full-view overhead garage door w/ frosted glass.	
	MI Brand, 3540 Series, white vinyl frame, single hung windows w/ insect screen over operable sash; insulated glass aluminum	
Windows		
	frame sliding glass doors	
Window Sills	Carrara white / grey marble window sills	
Fascia, Soffits & Exterior Ceilings	6" Aluminum fascia w/ aluminum drip edge; ventilated aluminum soffit, non-vented vinyl on exterior ceilings	
	200 AMP electrical service, underground electrical meter (connection not included - TBD), copper wiring throughout, smoke	
Electrical	alarms, door chime, garage door opener prewire, decora light switches, switches, outlets as per plan	
Electrical Fixtures	Allowance based on proposal from Quote#:dated://18	
Low Voltage: Security System	None Included - Builder to offer an optional security system	
Low Voltage: Structured Wiring / A.V.	None Included - Builder to offer an optional security system	
10/40 0 14 1 1 1	Trane XR 15 SEER (or better) heat pump split system w/ 10KW auxiliary heat strip, programmable digital thermostat, externally	
HVAC & Mechanical		
vented range hood, exhaust fans in all baths as per plan		
-	D. 20 January Classis May Oney Call Faces @ roof area officially actually make and a D. 42.45" across common well become	
Insulation	R-20 Icynene Classic Max Open Cell Foam @ roof area, attic "kneewall", gable ends; R-13 15" garage common wall, bonus room	
Insulation		
Insulation	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors	
	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium	
Insulation  Drywall	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors	
Drywall	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square	
	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans,	
Drywall Stucco / Siding	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans	
Drywall Stucco / Siding	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans	
Drywall	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans,	
Drywall Stucco / Siding Stone / Brick	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans	
Drywall Stucco / Siding	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans	
Drywall Stucco / Siding Stone / Brick Interior Trim	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only	
Drywall Stucco / Siding Stone / Brick Interior Trim Interior Doors	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only 2 panel carrara style; hollow core; split jamb masonite interior doors	
Drywall Stucco / Siding Stone / Brick Interior Trim	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.	
Drywall Stucco / Siding Stone / Brick Interior Trim Interior Doors	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only 2 panel carrara style; hollow core; split jamb masonite interior doors	
Drywall Stucco / Siding Stone / Brick Interior Trim Interior Doors Door Hardware	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall or ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall orange square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foams accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only 2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro	
Drywall Stucco / Siding Stone / Brick Interior Trim Interior Doors	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin	
Drywall Stucco / Siding Stone / Brick Interior Trim Interior Doors Door Hardware	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only 2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside	
Drywall Stucco / Siding Stone / Brick Interior Trim Interior Doors Door Hardware Painting	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only 2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside	
Drywall Stucco / Siding Stone / Brick Interior Trim Interior Doors Door Hardware Painting Cabinetry	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only 2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#:	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors Door Hardware  Painting  Cabinetry Countertops	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans.  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only 2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bott security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/_/18  Allowance based on proposal from Quote#: dated:/_/19	
Drywall Stucco / Siding Stone / Brick Interior Trim Interior Doors Door Hardware Painting Cabinetry	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only 2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#:	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/_/18  Allowance based on proposal from Quote#: dated:/_/20	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/_/18  Allowance based on proposal from Quote#: dated:/_/20  Allowance based on proposal from Quote#: dated:/_/20  Allowance based on proposal from Quote#: dated:/_/20	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated://18  Allowance based on proposal from Quote#: dated://19  Allowance based on proposal from Quote#: dated:/_/20  Allowance based on proposal from Quote#: dated:/_/21  Allowance based on proposal from Quote#: dated:/_/21  Allowance based on proposal from Quote#: dated:/_/21  Allowance based on proposal from Quote#: dated:/_/22	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/_/18  Allowance based on proposal from Quote#: dated:/_/20  Allowance based on proposal from Quote#: dated:/_/20  Allowance based on proposal from Quote#: dated:/_/20	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: _/_/18  Allowance based on proposal from Quote#: dated: _/_/20  Allowance based on proposal from Quote#: dated: _/_/21  Allowance based on proposal from Quote#: dated: _/_/21  Allowance based on proposal from Quote#: dated: _/_/22  Allowance based on proposal from Quote#: dated: _/_/23	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/18  Allowance based on proposal from Quote#: dated:/20  Allowance based on proposal from Quote#: dated:/21  Allowance based on proposal from Quote#: dated:/22  Allowance based on proposal from Quote#: dated:/22  Allowance based on proposal from Quote#: dated:/23  Allowance based on proposal from Quote#: dated:/23  Allowance based on proposal from Quote#: dated:/24	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: _/_/18  Allowance based on proposal from Quote#: dated: _/_/20  Allowance based on proposal from Quote#: dated: _/_/21  Allowance based on proposal from Quote#: dated: _/_/21  Allowance based on proposal from Quote#: dated: _/_/22  Allowance based on proposal from Quote#: dated: _/_/23	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: _/_/18  Allowance based on proposal from Quote#: dated: _/_/20  Allowance based on proposal from Quote#: dated: _/_/21  Allowance based on proposal from Quote#: dated: _/_/22  Allowance based on proposal from Quote#: dated: _/_/23  Allowance based on proposal from Quote#: dated: _/_/23  Allowance based on proposal from Quote#: dated: _/_/23  Allowance based on proposal from Quote#: dated: _/_/24  Provide fill dirt and final grading for driveway, sod, & landscaping	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: _/_/18  Allowance based on proposal from Quote#: dated: _/_/20  Allowance based on proposal from Quote#: dated: _/_/21  Allowance based on proposal from Quote#: dated: _/_/22  Allowance based on proposal from Quote#: dated: _/_/23  Allowance based on proposal from Quote#: dated: _/_/24  Provide fill dirt and final grading for driveway, sod, & landscaping Sq. ft. of 3,000 P.S.I. concrete reinforced with 6"X6" 10/10 w.w.m. including saw cut expansion joints	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated://18  Allowance based on proposal from Quote#: dated:/_/20  Allowance based on proposal from Quote#: dated:/_/21  Allowance based on proposal from Quote#: dated:/_/22  Allowance based on proposal from Quote#: dated:/_/23  Allowance based on proposal from Quote#: dated:/_/23  Allowance based on proposal from Quote#:	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: _/_/18  Allowance based on proposal from Quote#: dated: _/_/20  Allowance based on proposal from Quote#: dated: _/_/21  Allowance based on proposal from Quote#: dated: _/_/22  Allowance based on proposal from Quote#: dated: _/_/23  Allowance based on proposal from Quote#: dated: _/_/24  Provide fill dirt and final grading for driveway, sod, & landscaping Sq. ft. of 3,000 P.S.I. concrete reinforced with 6"X6" 10/10 w.w.m. including saw cut expansion joints	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: /_/18  Allowance based on proposal from Quote#: dated: /_/19  Allowance based on proposal from Quote#: dated: /_/20  Allowance based on proposal from Quote#: dated: /_/21  Allowance based on proposal from Quote#: dated: /_/22  Allowance based on proposal from Quote#: dated: /_/23  Allowance based on proposal from Quote#: dated: /_/24  Provide fill dirt and final grading for driveway, sod, & landscaping  Sq. ft. of 3,000 P.S.I. concrete reinforced with 6"X6" 10/10 w.w.m. including saw cut expansion joints  Vinyl coated wire shelving (as shown on plans); close-mesh shelves in pantry; continuous rod for clothes.	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/18  Allowance based on proposal from Quote#: dated:/18  Allowance based on proposal from Quote#: dated:/20  Allowance based on proposal from Quote#: dated:/21  Allowance based on proposal from Quote#: dated:/22  Allowance based on proposal from Quote#: dated:/23  Allowance based on proposal from Quote#: dated:/23  Allowance based on proposal from Quote#: dated:/23  Allowance based on proposal from Quote#: dated:/24  Provide fill dirt and final grading for driveway, sod, & landscaping dated:/24  Provide fill dirt and final grading for driveway, sod, & landscaping Sq. ft. of 3,000 P.S.I. concrete reinforced with 6"X6" 10/10 w.w.m. including saw cut expansion joints  Vinyl coated wire shelving (as shown on plans); close-mesh shelves	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: /_/18  Allowance based on proposal from Quote#: dated: /_/19  Allowance based on proposal from Quote#: dated: /_/20  Allowance based on proposal from Quote#: dated: /_/21  Allowance based on proposal from Quote#: dated: /_/22  Allowance based on proposal from Quote#: dated: /_/23  Allowance based on proposal from Quote#: dated: /_/24  Provide fill dirt and final grading for driveway, sod, & landscaping  Sq. ft. of 3,000 P.S.I. concrete reinforced with 6"X6" 10/10 w.w.m. including saw cut expansion joints  Vinyl coated wire shelving (as shown on plans); close-mesh shelves in pantry; continuous rod for clothes.	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: /_/18  Allowance based on proposal from Quote#: dated: /_/20  Allowance based on proposal from Quote#: dated: /_/20  Allowance based on proposal from Quote#: dated: /_/21  Allowance based on proposal from Quote#: dated: /_/22  Allowance based on proposal from Quote#: dated: /_/22  Allowance based on proposal from Quote#: dated: /_/24  Provide fill dirt and final grading for driveway, sod, & landscaping  Sq. ft. of 3,000 P.S.I. concrete reinforced with 6"X6" 10/10 w.w.m. including saw cut expansion joints  Vinyl coated wire shelving (as shown on plans); close-mesh shelves in pantry; continuous rod for clothes.  42" tall, length of vanity in each bath  Beveled mirrored medicine cabinet; builder will install owner-provided bath accessories such as toilet paper holder, towel bars, robe hooks, etc. (up to (4) pe	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)  Construction Cleaning	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/18  Allowance based on proposal from Quote#: dated:/20  Allowance based on proposal from Quote#: dated:/21  Allowance based on proposal from Quote#: dated:/22  Allowance based on proposal from Quote#: dated:/22  Allowance based on proposal from Quote#: dated:/23  Allowance based on proposal from Quote#: dated:/24  Provide fill dirt and final grading for driveway, sod, & landscaping  Sq. ft. of 3,000 P.S.I. concrete reinforced with 6"%" 10/10 w.w.m. including saw cut expansion joints  Vinyl coated wire shelving (as shown on plans); close-mesh shelves in pantry; continuous rod for clothes.  42" tall, length of vanity in each bath  Beveled mirrored medicine cabinet; builder will install owner-provided bath accessories such as toilet paper holde	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: /_/18  Allowance based on proposal from Quote#: dated: /_/19  Allowance based on proposal from Quote#: dated: /_/20  Allowance based on proposal from Quote#: dated: /_/21  Allowance based on proposal from Quote#: dated: /_/22  Allowance based on proposal from Quote#: dated: /_/23  Allowance based on proposal from Quote#: dated: /_/23  Allowance based on proposal from Quote#: dated: /_/23  Allowance based on proposal from Quote#: dated: /_/24  Provide fill dirt and final grading for driveway, sod, & landscaping	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)  Construction Cleaning	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/18  Allowance based on proposal from Quote#: dated:/20  Allowance based on proposal from Quote#: dated:/21  Allowance based on proposal from Quote#: dated:/22  Allowance based on proposal from Quote#: dated:/22  Allowance based on proposal from Quote#: dated:/23  Allowance based on proposal from Quote#: dated:/24  Provide fill dirt and final grading for driveway, sod, & landscaping  Sq. ft. of 3,000 P.S.I. concrete reinforced with 6"%" 10/10 w.w.m. including saw cut expansion joints  Vinyl coated wire shelving (as shown on plans); close-mesh shelves in pantry; continuous rod for clothes.  42" tall, length of vanity in each bath  Beveled mirrored medicine cabinet; builder will install owner-provided bath accessories such as toilet paper holde	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)  Construction Cleaning  Misc. Expenses / Contingency	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: /_/18  Allowance based on proposal from Quote#: dated: /_/19  Allowance based on proposal from Quote#: dated: /_/20  Allowance based on proposal from Quote#: dated: /_/21  Allowance based on proposal from Quote#: dated: /_/22  Allowance based on proposal from Quote#: dated: /_/23  Allowance based on proposal from Quote#: dated: /_/24  Provide fill dirt and final grading for driveway, sod, & landscaping	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)  Construction Cleaning	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/18  Allowance based on proposal from Quote#: dated:/19  Allowance based on proposal from Quote#: dated:/20  Allowance based on proposal from Quote#: dated:/21  Allowance based on proposal from Quote#: dated:/23  Allowance based on proposal from Quote#: dated:/24  Provide fill dirt and final grading for driveway, sod, & landscaping	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)  Construction Cleaning  Misc. Expenses / Contingency	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated: /_/18  Allowance based on proposal from Quote#: dated: /_/19  Allowance based on proposal from Quote#: dated: /_/20  Allowance based on proposal from Quote#: dated: /_/21  Allowance based on proposal from Quote#: dated: /_/22  Allowance based on proposal from Quote#: dated: /_/23  Allowance based on proposal from Quote#: dated: /_/24  Provide fill dirt and final grading for driveway, sod, & landscaping	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)  Construction Cleaning  Misc. Expenses / Contingency  Builder's Administrative Overhead	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2' gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture, hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:	
Stucco / Siding Stone / Brick Interior Trim Interior Doors Door Hardware Painting  Cabinetry Countertops Tile Work (Walls) Floor Covering Appliances Sod & Landscaping Irrigation Finish Grading / Fill Driveway / Sidewalks Shelving Mirrors  Accessories (T.P. Holder, Towel Bars) Construction Cleaning Misc. Expenses / Contingency Builder's Administrative Overhead	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum dywall on interior walls w' medium knock-down or "orange peel" texture; ceiling rated dywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: sayuare  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/ /18  Allowance based on proposal from Quote#: dated:/ /19  Allowance based on proposal from Quote#: dated:/ /20  Allowance based on proposal from Quote#: dated:/ /21  Allowance based on proposal from Quote#: dated:/ /23  Allowance based on proposal from Quote#: dated:/ /24  Provide fill dirt and final grading for driveway, sod, & landscaping  Sq. ft. of 3,000 P.S.I. concrete reinforced with 6"X6" 1	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)  Construction Cleaning  Misc. Expenses / Contingency  Builder's Administrative Overhead	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w' medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carriar style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:	
Drywall  Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)  Construction Cleaning  Misc. Expenses / Contingency  Builder's Administrative Overhead	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w' medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carriar style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:	
Stucco / Siding  Stone / Brick  Interior Trim  Interior Doors  Door Hardware  Painting  Cabinetry  Countertops  Tile Work (Walls)  Floor Covering  Appliances  Sod & Landscaping  Irrigation  Finish Grading / Fill  Driveway / Sidewalks  Shelving  Mirrors  Accessories (T.P. Holder, Towel Bars)  Construction Cleaning  Misc. Expenses / Contingency  Builder's Administrative Overhead  Warranty  These specifications were last updated 3	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w/ medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall or ceilings w/ medium knock-down or "orange peel" texture; ceiling rated drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carrara style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:/18  Allowance based on proposal from Quote#: dated:/19  Allowance based on proposal from Quote#: dated:/20  Allowance based on proposal from Quote#: dated:/21  Allowance based on proposal from Quote#: dated:/22  Allowance based on proposal from Quote#: dated:/22  Allowance based on proposal from Quote#: dated:/22  Allowance based on proposal from Quote#: dated:/24  Provide fill dirt and final grading for driveway, sod, & landscaping  Sq. ft. of 3,000 P.S.l. concrete reinforced with 6"X6" 10/10 w.w.m. including saw cut expansion joints  Vinyl coated wire shelving (as shown on plans); close-mesh shelves in pantry; continuous rod for clothes.  42" tall, length of vanity in each bath  Beveled mirrored medicine cabinet	
Stucco / Siding Stone / Brick Interior Trim Interior Doors Door Hardware Painting  Cabinetry Countertops Tile Work (Walls) Floor Covering Appliances Sod & Landscaping Irrigation Finish Grading / Fill Driveway / Sidewalks Shelving Mirrors  Accessories (T.P. Holder, Towel Bars) Construction Cleaning Misc. Expenses / Contingency Builder's Administrative Overhead  Warranty These specifications were last updated 3	walls; No-Burn Plus XD Fire Redardant Ignition Barrier; Insulation foam sealant around windows and doors  1/2" gypsum drywall on interior walls w' medium knock-down or "orange peel" texture; ceiling rated drywall on ceilings w/ medium knock-down or "orange peel" texture; hardie-backer or dens shield in bathing areas. Drywall corners: square  Textured Portland Cement Based Plaster finish over exterior walls as per plans; Fiber cement horizontal lap siding as per plans, decorative high density foam accents as per plans  Exterior cultured stone accents as per plans  Exterior cultured stone accents as per plans  5 1/4" tall colonial base board, colonial trim around doors, 22.5" x 36" attic scuttle; 5 1/4" crown molding in tray ceilings only  2 panel carriar style; hollow core; split jamb masonite interior doors  Dead-bolt security locks on all exterior doors, lever lock handle sets.  Sherwin Williams Paints; Interior: SW Master Hide on ceilings (flat finish); SW Property Solutions on walls (flat finish); SW Pro Industrial Pre-catalyzed Water Based Epoxy on trim and doors (semi-gloss); Includes (3) colors inside; Exterior: SW A100 (satin finish); (2) colors outside  Allowance based on proposal from Quote#: dated:	



## **Heartwood Community**

**Preliminary Estmate / Bid Sheet** 

Model Name: _	
---------------	--

D.	.:1	der	. N	am	_
DI	ш	aei	· IN	am	e

Contact: \_\_\_\_\_\_
Phone: \_\_\_\_\_

L			Email:
	Base Price (structu	ral non-variable cost	s): \$
	Construction	Allowances:	
Surveying			\$
Soil Testing	Geotechnical Testing	g; (Optional)	\$
Impact Fees	City of Gaines	sville	\$
Site Prep / Clearing	Grubbing / tree removal /	top soil removal	\$
Fill Dirt	() truck lo	ads	\$
Plumbing Fixtures	Based on Proposal from (	) See Attached	\$
Septic / Sewer Connection			\$
Well / Water Connection			\$
Front Door			\$
Electrical Fixtures			\$
Cabinetry	Based on Proposal from (	) See Attached	\$
Countertops	Based on Proposal from (	) See Attached	\$
Tile Work (Walls)	Based on Proposal from (	) See Attached	\$
Floor Covering	Based on Proposal from (	) See Attached	\$
Appliances	Based on Proposal from (	) See Attached	\$
Sod & Landscaping			\$
Irrigation			\$
Finish Grading / Fill			\$
Driveway / Sidewalks	()	Sq. ft.	\$
		Allowance Tot	al: \$
	Ow	ner Accepted Options To	tal: \$
	1111	'''''Total Ucrgu'Rt k	eg: \$
D 11 - S'	Б.:		
Builder Signature	Date:		