

City of Gainesville Department of Doing Planning Division

PO Box 490, Station 11 Gainesville, FL 32627-0490 306 NE 6th Avenue P: (352) 334-5022 F: (352) 334-2648

HISTORIC PRESERVATION BOARD STAFF REPORT

PUBLIC HEARING DATE:

ITEM NO:

PROJECT NAME AND NUMBER:

APPLICATION TYPE:

RECOMMENDATION:

CITY PROJECT CONTACT:

November 10, 2020 #4 under New Business
HP-20-00090, 730 NW 2nd Street
Quasi-Judicial: Reroof from shingle to metal, repairs with Part 1 ad valorem tax exemption
Staff recommends approval of the application with the condition that the finish be Galvalume or a light to medium gray paint finish.

Jason Simmons




Figure 1: Location Map

APPLICATION INFORMATION:

Agent/Applicant:

Doug Ammerman

Property Owner(s):

Doug Ammerman

SITE INFORMATION:

Address:

730 NW 2nd Street

Parcel Number(s):

14347-000-000

Existing Use(s):

Single-Family Residential

Zoning Designation(s):

RC

Historic District

Pleasant Street

Historic District Status:

Contributing

Date of construction:

c. 1891 ACPA & c. 1905-1909 AL001462

PURPOSE AND DESCRIPTION:

Doug Ammerman, owner. Certificate of Appropriateness and an Ad Valorem Tax Exemption Part 1 review to reroof an existing single-family dwelling with a metal roof and repair windows, the front porch, and termite damage. Located at 730 NW 2nd Street. This building is a contributing structure to the Pleasant Street Historic District.

STAFF REVIEW AND RECOMMENDATION:

EXISTING

The name of this property is the Metts / Perkins House. The existing single-family dwelling is a two-story Queen Anne style wood frame balloon house, with three large brick columns on the partially enclosed veranda which may have been added to update the style when bungalows were popular. The front door has applied carving and marginal flashed glass. There is a cross gable roof with asbestos composition shingles and a secondary shed roof structure for the porch. There are two brick chimneys, a continuous foundation of brick and brick piers, wood novelty siding with cornerboards, and 2/2 wood windows as well as metal awning windows. The porch on the east side has a one story veranda that wraps around a bay, with large brick columns. The north part of the veranda is enclosed. There is a balcony on the second floor above the porch. The house is a contributing structure that was built in 1891 according to the Alachua County Property Appraiser; a Florida Master Site File indicates the home was built circa 1905-1909. The first Sanborn map to show this location is the 1909 edition. The 1913 Sanborn map shows that the front porch was

enlarged and a second story bay and porch were added, in addition to a rear porch. The property is zoned RC and is approximately 0.36 acres in size. The house is approximately 3,021 square feet in total area, 2,736 square feet in heated area. The house contributes in scale and character to the Fifth Avenue neighborhood. The applicant indicates that this house was the first bed and breakfast establishment in Gainesville.

PROPOSED

The existing roof has asbestos and cannot be insured. The proposal would replace about 40 squares of asbestos roofing with 5V-Crimp metal roofing which the applicant feels is appropriate for the neighborhood. The proposed 5V-Crimp roofing product is from Gulf Coast Supply and Manufacturing, and will have a mill finish. A variety of metal roof types are evident in the Pleasant Street neighborhood including rib style roofs, standing seam roofs, and 3-V Crimp style roofs. In addition the windows on the house are to be repaired and the broken glass replaced, as well as repair of termite damage and painting. The staff recommendation is that the roof finish for the proposed metal roof be Galvalume or a medium to light gray paint finish, which is consistent with the finish/color recommendation adopted by the Historic Preservation Board on April 2, 2013.

REVIEW

Roofs are a highly visible component of historic buildings and are an integral part of a building's overall design and architectural style. The Historic Preservation Board discussed and adopted a policy on April 2, 2013 concerning styles of metal roofing which would be allowed within the historic districts. The Historic Preservation Board approves metal roofing on a case-by-case basis depending on the style and use of the building. Recommended metal roofing for most buildings in the historic district is a 5-V crimp or standing seam metal, as spacing of these roofs is more sympathetic with historic metal roofs, and exposed fasteners are not as numerous or visible.

Basis for Approval - Secretary of the Interior's Standards for Rehabilitation

Consideration of a Certificate of Appropriateness application is pursuant to Section 30-3.5 of the Land Development Code and the Secretary of Interior's Standards for Rehabilitation which serves as the basis for the City of Gainesville's Historic Preservation Rehabilitation and Design Guidelines. The Historic Preservation Board shall adhere to the preservation principles of maintaining historic fabric and compatibility with surrounding properties.

Basis for Approval - Secretary of the Interior's Standards for Rehabilitation

Section 25-61 *et seq* of the City Code of Ordinances (see Exhibit 2) authorizes ad valorem tax exemptions for historic properties. As part of its review, the Historic Preservation Board must determine whether "the proposed improvement is consistent with the *Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitating Historic Buildings* and is therefore an eligible improvement." Staff will assess the application relative to each standard.

The relevant Secretary of the Interior's Standards (Department of Interior regulations, 36 CFR 67) for this project are listed below:

1. A property shall be used for its historic purpose or be placed in a new use that requires minimal change to the defining characteristics of the building and its site and environment.

R

2. The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.

Compatible – The proposed use of the property will either be single-family, a bed and breakfast establishment, or offices, all of which will maintain the historic character of the structure. The applicant will maintain the architectural features and the spatial relationships that characterize the structure and its site and environment.

3. Each property shall be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or architectural elements from other buildings, shall not be undertaken.

&

4. Most properties change over time; those changes that have acquired historic significance in their own right shall be retained and preserved.

Compatible – The applicant will remove three non-loadbearing walls on the porch to bring it back to its original design. None of the proposed work will create a false sense of development or remove any features that have acquired historic significance in their own right.

5. Distinctive features, finishes, and construction techniques or examples of craftsmanship that characterize a property shall be preserved.

&

6. Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical, or pictorial evidence.

Compatible – The proposed work will not adversely affect distinctive features, materials, or finishes. The windows are proposed to be repaired, not replaced.

9. New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.

Compatible – The proposed alterations will not destroy historic materials that characterize the property. The proposed repair work is compatible with the materials, design and architectural features of the principal building.

RECOMMENDATION

Staff finds that the property is an eligible property because it is a contributing structure. Staff recommends approval of the reroof from shingle to the 5V-Crimp metal roof with the condition that the finish be Galvalume or a light to medium gray paint finish.

LIST OF EXHIBITS:

Exhibit 1	City Of Gainesville <i>Historic Preservation Rehabilitation and Design Guidelines:</i> Roof and Roof Structures
Exhibit 2	City of Gainesville Code of Ordinances Sec. 25-65
Exhibit 3	COA Application & Part 1 Tax Exemption Preconstruction Application with Photographs
Exhibit 4	Florida Master Site File AL001462
Exhibit 5	Pictures
Exhibit 6	Product Information

Exhibit 1 Historic Preservation Rehabilitation and Design Guidelines

THE HISTORIC PRESERVATION REHABILITATION AND DESIGN GUIDELINES, BASED ON THE SECRETARY OF INTERIOR STANDARDS FOR REHABILITATION, WHICH HAS BECOME THE AUTHORITATIVE GUIDELINES FOR REHABILITATION STATE:

Roof and Roof Structures

Applicable Secretary Standards

- 2. The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.
- 4. Most properties change over time; those changes that have acquired historic significance in their own right shall be retained and preserved.
- 5. Distinctive features, finishes and construction techniques or examples of craftsmanship that characterize a historic property shall be preserved.
- 6. Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical or pictorial evidence.
- 9. New additions, exterior alterations or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale and architectural features to protect the historic integrity of the property and its environment.

The roof shape of the building, structure or object shall be visually compatible with the buildings to which it is visually related. It is important to identify, retain and preserve roofs and their functional and decorative features that are important in defining the overall historic character of the building. This includes the roof's shape as hipped, gambrel or mansard; decorative features such as cupolas, cresting and chimneys; and roofing materials such as slate, clay and tile.

Roofs are highly visibly components of historic buildings in Gainesville's Historic Districts. They are an integral part of a building's overall design and often help define its architectural style. Examples include mansard and belvederes which are primary features of the Second Empire and the Airplane Bungalow styles, respectively. Materials such as clay tile and ornamental metals which cover roofs in Gainesville are also significant and should be preserved in the course of rehabilitating a building.

Roof forms comprise an important part of streetscapes in the historic district and create a unified rhythm with neighboring buildings. The most numerous residential roof types are gable, hip, or a combination. Other common examples are pyramidal, gambrel, and clipped

gable (jerkinhead). Flat roofs with parapets predominate in commercial buildings in the Pleasant Street District.

In planning roof repairs, it is important to identify significant features and materials and treat them with sensitivity under Standards 2 and 5. Under Standard 6, significant features and materials should be repaired rather than replaced. If replacement of a deteriorated feature is necessary, the new materials should closely match the original.

Roofs perform an essential function in keeping a building weathertight. As a result, they are particularly subject to change. In the local district the most common original roofing materials were embossed or crimped sheet metal and sawn wood shingles. Virtually all original wood shingle coverings have been removed and often replaced with ornamental sheet metal. Such historic changes to roofs have gained significance in their own right and should be respected under Standard 4.

Where existing roofing material is non-original and non-significant, there is greater flexibility. The existing roof may be retained, or replaced in a manner known to be accurate based on documentation or physical evidence, or treated in a contemporary style in compliance with Standards 6 and 9. In reviewing replacement of non-historic roof surfacing, it is important to keep in mind, Standard 9. Even if the existing surfacing is inappropriate, the replacement material must be compatible with the overall design of the building.

Recommended

- 1. Alterations to the configuration or shape of a historic roof should be confined to portions of the building not visible from the right-of-way.
- 2. Repointing of chimney mortar joints shall match the existing composition, joint size, and profile.
- 3. Retain and preserve the roof's shape, historic roofing materials and features.
- 4. Preserve the original roof form in the course of rehabilitation.
- 5. Provide adequate roof drainage and in- sure that the roofing material provides a weathertight covering for the structure.
- 6. Replace deteriorated roof surfacing with matching materials or new materials, such as composition shingles or tabbed asphalt shingles, in dark shades that match the original in composition, size, shape, color, and texture.
- 7. Retain or replace where necessary dormer windows, cupolas, cornices, brackets, chimneys, cresting, weather vanes, and other distinctive architectural or stylistic features that give a roof its essential character.
- 8. Design rooftop additions, when required for a new use that are set back from a wall plane and are as inconspicuous as possible when viewed from the street.

Not Recommended

- Removal of existing chimneys is discouraged. Removal of historic or architectural roofing features should be avoided, if possible. If removal is unavoidable, replacement material should match the existing fabric in composition, design, color, texture and other visual qualities.
- 2. Mortar with high portland cement content shall not be used.
- 3. Masonry surfaces shall not be sand- blasted.
- 4. Avoid applying paint or other coatings to roofing materials which historically have not been painted.

Staff Approval Guidelines

Additions and alterations to the roof that meet all of the following conditions can be approved by staff:

Vents and pipes for water heaters, dryers, stoves, etc., are appropriate;

Skylights which are located on portions of the roof not visible from the right-of-way and have flat surfaces and do not destroy or damage historic roofing features, shapes or materials;

Solar collectors, antennae and satellite dishes which are placed on portions of the roof not visible from the right-of way and do not destroy or damage historic roofing features, shapes or materials:

Replacing non-historic roofing material with a material of similar composition and design provided that the entire structure will be covered;

Replacing historic roofing material with a material of similar composition and design provided that the entire structure will be covered;

Chimneys that are designed in a manner appropriate to the period of the house, placed on the side elevation, located on the exterior of the building and do not destroy or damage historic roofing features, shapes or materials; and

Alterations to non-historic portions of contributing buildings provided they are compatible in scale, design and materials but distinguishable from the historic portions.

Board Approval Guidelines

Rooftop additions are not discouraged if they do not destroy significant historic or architectural fabric and if their design is compatible in size, scale, color, materials and character of the property and the neighborhood.

Rooftop additions should be inconspicuous when viewed from the street and be clearly distinguished from what is historic.

Dormers should be added to portions of the building not visible from the right-of-way. When a dormer must be constructed, the new dormer should generally match the appearance of existing dormers or, if none are present, draw inspiration from the architectural details on the building such as roof pitch, molding or window style. Contemporary dormers would generally detract from the overall historic character of the building.

Roof decks and balconies should only be added to portions of the building not visible from the right-of-way and constructed in a subordinate manner to the historic building.

Roof decks and balconies should be composed of materials that are sympathetic with the historic building.

Roof windows and skylights should be placed on portions of the building not visible from the right-of-way. Flat skylights which project minimally from the roof, are the recommended treatment.

The design of roofing features, shapes or materials which seek to replicate or duplicate a missing historic feature must be documented through historical, physical or photographic sources.

Exhibit 2 City of Gainesville Code of Ordinances Sec. 25-65

Sec. 25-65. - Procedure for obtaining tax exemption.

- (a) Application. An applicant (owner of record or authorized agent) seeking an ad valorem tax exemption for historic properties must file with the city manager or designee the two-part Historic Preservation Property Tax Exemption Application with "Part 1: Preconstruction Application" (Part 1) completed. In addition, the applicant shall submit the following:
 - (1) A completed application for a Certificate of Appropriateness for the qualifying restoration, renovation, or rehabilitation.
 - (2) An application fee of not more than five hundred dollars (\$500.00) to be determined by the city manager or designee based on the estimated cost of the work to be performed and the administrative costs to be incurred by the city in processing the application and monitoring compliance.
- (b) Review by property appraisers office. Upon receipt of the preconstruction application, the city manager or designee will transmit the application to the Alachua County Property Appraiser's office, which will review and provide an estimate of the probable increase in the appraisal of the property to the applicant and the City. The applicant can withdraw the application within forty-five (45) days of receiving the estimate and be reimbursed for the filing fee.
- (c) Review by historic preservation board.
 - (1) The City of Gainesville Historic Preservation Board (HPB) shall review Part 1 applications for exemptions. The HPB shall determine whether the property is an eligible property and whether the Part 1 proposed improvement is consistent with the Secretary of Interior's Standards for Rehabilitation and Guidelines for Rehabilitating Historic Buildings and is therefore an eligible improvement.
 - (2) For improvements intended to protect or stabilize severely deteriorated historic properties or archaeological sites, the HPB shall apply the following additional standards:
 - a. Before applying protective measures that are generally of a temporary nature and imply future historic preservation work, an analysis of the actual or anticipated threats to the property shall be made.
 - b. Protective measures shall safeguard the physical condition or environment of a property or archaeological site from further deterioration or damage caused by weather or other natural, animal or human intrusions.
 - c. If any historic material or architectural features are removed, they shall be properly recorded and, is possible, stored for future study or reuse.
 - d. Stabilization shall reestablish the structural stability of a property through the reinforcement of loadbearing members or by arresting material deterioration leading to structural failure. Stabilization shall also reestablish weather resistant conditions for a property.
 - e. Stabilization shall be accomplished in such a manner that it detracts as little as possible from the property's appearance. When reinforcement is required to reestablish structural stability, such work shall be concealed wherever possible

so as to not intrude upon or detract from the aesthetic and historical quality of the property, except where concealment would result in the alteration or destruction of historically significant material or spaces.

- (3) For applications submitted under the provisions of section 25-64, the HPB shall also determine that the property meets the standards set forth in that section.
- (4) The HPB shall notify the applicant and the city commission in writing of the results of its review and shall make recommendations for correction of any planned work deemed to be inconsistent with the requirements for an eligible improvement.
- (5) When an applicant is applying jointly for the ad valorem tax exemption and for federal historic preservation tax credits, the applicant will complete the National Park Service's (NPS) federal tax credit application and Part 1 of the historic preservation property tax exemption application and submit both to the city manager or designee. The HPB shall defer action on the applications until the NPS has rendered a determination. In the event the NPS approves the federal tax credit application, the Part 1 application shall be amended to reflect any conditions issued by the NPS. The HPB shall then approve the tax exemption application and forward it to the city commission to be handled as part of the normal approval process set forth below. A denial by the NPS shall cause the HPB to deny the ad valorem tax exemption.
- (d) Request for review of completed work application.
 - (1) Upon completion of work specified in the "Part 1" application, the applicant shall submit a "Part 2: Final Application for Review of Completed Work" (Part 2). The HPB shall conduct an inspection of the subject property to determine whether or not the completed improvements are in compliance with the work described and conditions imposed in the approved Part 1 application. Appropriate documentation may include paid contractor's bills and canceled checks, as well as an inspection request by the applicant within two (2) years following approval of the Part 1 application.
 - (2) On completion of review of the Part 2 application, the HPB shall recommend that the city commission grant or deny the exemption. The recommendation and reasons therefor, shall be provided in writing to the applicant and to the city commission. The applicant shall be given at least ten (10) days notice of the date of the public hearing of the city commission on the requested exemption. If a denial is recommended, and the applicant submits elevations and plans which indicate that the applicant intends to undertake the work necessary to comply with the recommendations of the HPB, the denial of the application may be continued by the city manager or designee for a period of time not to exceed sixty (60) days, while the applicant makes a good faith effort to comply with the recommendations. The applicant may resubmit documents indicating that the reasons for recommendation of denial of the application have been remedied and the city manager or designee will reinspect the work.
- (e) Approval by city commission. A majority vote of the city commission shall be required to approve a Part 2 application and authorize the ad valorem tax exemption. The commission, in overturning or modifying the recommendation of the historic preservation board shall utilize the same standards as used by the historic preservation board in reaching its decision. If the exemption is granted, the city commission shall adopt an ordinance that includes the following:

- (1) The name of the owner and the address of the historic property for which the exemptions granted.
- (2) The date on which the ten-year exemption will expire.
- (3) A finding that the historic property meets the requirements of this article.
- (4) A copy of the historic preservation exemption covenant, as provided in section 25-66, signed by the applicant and the mayor-commissioner or designated successor.
- (f) Notice to property appraiser. The property owner shall have the historic preservation exemption covenant recorded in the official records of Alachua County, and shall provide a certified copy of the recorded historic preservation exemption covenant to the city manager or designee. Within fifteen (15) days of receipt of the certified copy, the city manager designee shall transmit a copy of the approved "Part 2: Final Application", as well as the historic preservation exemption covenant to the Alachua County Property Appraiser with instructions that the property appraiser provide the ad valorem tax exemption to the applicant. Responsibility for paying the recording costs lie with the applicant.
- (g) Effective date of exemption. The effective date of the ad valorem tax exemption shall be January 1 of the year following the year in which the application is approved by the city commission and a historic preservation exemption covenant has been transmitted to the Alachua County Appraiser.
- (h) An applicant previously granted a historic rehabilitation tax exemption by the historic preservation board may undertake additional improvement projects during the exemption period, or following its expiration, and reapply for an additional historic rehabilitation tax exemption for such work. An additional ten-year exemption shall apply only to the additional improvement.

(Ord. No. 950480, § 1, 8-28-95)

HP 20 - 00 09 0

City of Gar

EXHIBIT

306 NE 6th Ave Gainesville, FL 32601 352.393.5022

www.cityofgainesville.org HPB@cityofgainesville.org

HISTORIC PRESERVATION BOARD (HPB) Certificate of Appropriateness (COA) Application

USE THIS FORM TO Apply for approval for projects located within historic districts. Projects may require either a Board-level review or a Staff-level review.					
Once application be reviewed for verified complemailed to	complete te, an inv	ness. Once oice will be			
Type of Review	Fee	£Z Fee			
Certificate of		IX I IX			

Review	Fee	EZ Fee
Certificate of Appropriateness (COA): Staff Review	FREE	FREE
Certificate of Appropriateness (COA): Board Review - Single Family Structure or its Accessory Structure	\$127.50	\$63,75
Certificate of Appropriateness (COA): Board Review - All Other Structures	\$638.25	\$319.13
After-the-Fact Certificate of Appropriateness (COA): If work begun prior to issuance of a COA	\$473.25 + above applicable fee	\$473.25 + above applicable fee

BASIS FOR REVIEW

All applications, whether Staff or Board review, are reviewed for consistency with the City of Gainesville Comprehensive Plan, Land Development Code, and applicable guidelines such as the Guidelines for the Historic Districts are based on the U.S. Secretary of the Interior's Standards for Rehabilitation.

PROJECT TYPE:				
New Construction Addition	Alteration	molition		
Relocation Repair Re-roof	Sign Rec	quest to lift demolition delay		
Other:	∏Amendm	ent to COA (HP)		
AFFROVAL HEL	taff Approval			
See Certificate of Appropriateness Matrix	oard Approval:	Conceptual or Final		
PROPERTY INFORMATION: Property information can be found at the Alachua County Property Appraiser's Website Historic District: Northeast (Duckpond) Southeast Pleasant Street University Heights (North) University Heights (South) Not in an HD Site Address 730 NW 2nd Street Parcel ID #(s) 14347 - 000 - 000				
OWNER OF As recorded with the Alachua County Property Appraiser	OR AGENT	will be representing the owner, an Owner's Authorization For Agent Representation form must be included		
Owner(s) Name Doug Ammerman	Applicant Name	re		
Company (if applicable) 730 NW and Street	Company (if appli			
Street Address 52601	Street Address	e		
City State Zip	City State Zip			
Telephone Number	Telephone Number	er		
730 NW 2nd Street 2 Pr	E-Mail Address	il.com		

Historic Presen	Historic Preservation Board Meetings are held the 1st Tuesday of the month at 5:30PM in the City Commission Chambers (200 E. University Ave.)											
Application	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	0ct	Nov
Deadline	02	06	03	02	09	04	04	06	03	07	05	02
(12:30PM)	2019	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020
Meeting Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	07	04	03	07	05	02	07	04	01	06	03	01
	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020

IMPORTANT NOTES

İ

PRE-APPLICATION MEETING

To guide you through the process and to ensure that your application is properly processed, you'll need to meet with the Preservation Planner prior to submitting your application. This should be done prior to your anticipated submittal date to allow time for review.

Staff approval applications are accepted on a rolling basis and are generally completed within 5 business days. Please note that projects can only begin after receiving a Certificate of Appropriateness (COA) and a building permit (if required).



CONCEPTUAL APPROVALS

Conceptual approvals are provided by the HPB as a courtesy to the applicant in an effort to allow comment from the Historic Preservation Board during the conceptual design process. The HPB will provide the applicant with feedback and guidance relating to the proposal. In all cases, the applicant must return to the HPB to seek final approval of their projects. There is no additional fee for this review above the Certificate of Appropriateness fee.



APPLICATION REQUIREMENTS

- A complete/ signed application. (If all requirements are not submitted it could delay your approval);
- ☐ Proof of Ownership (copy of deed or tax statement);
- □ A current survey of the property, for new construction and any change to existing footprint. (no older than two years);
- ☐ 1 digital set of elevations & plans (to scale);
- ☐ Photographs;
- Any additional backup materials, as necessary:
- ☐ If applying as an agent, Owner's
 Authorization for Agent
 Representation form must be
 signed/ notarized and submitted
 as part of the application;
- ☐ For window replacement, a <u>Window Survey</u> must be completed.

PROJECT DESCRIPTION

DESCRIBE THE PROPOSED PROJECT AND MATERIALS.

Describe the proposed project in terms of size, affected architectural elements, materials, and relationship to the existing structure(s).

Replace about Hosquares of Asbestos
Roofing with 50 crimp.

Asbestos roofing cannot be to insure the sure of the sure

List proposed materials:

Project Scope	Manufacturer	Product Description	Color (Name/Number)
Exterior Fabric			
Doors			
Windows	Repair	Existing	New 6/95
Roofing	5v crime	Existing Gulf Coast	Mill Finis
Fascia/Trim		Sr	.69 Te,065ri
Foundation		OR	Blog ?
Shutters			
Porch/Deck			
Fencing			
Driveways/Sidewalks			
Signage			
Other			

PLEASE SUBMIT ALL PRODUCT BROCHURES, PAINT COLOR SAMPLES, AND MATERIAL SAMPLES WITH YOUR APPLICATION.



DID YOU REMEMBER ...

- □ Review the Historic District Application Checklist to ensure you are including all required materials. If all requirements are not submitted, it may delay your approval:
- □ Review the applicable <u>Guidelines</u>;
 □ Review the <u>Secretary of the Interior's Standards</u>;
- A pre-application meeting is required before a final application for Board Review can be processed. Please call 352 393-8686 to schedule an appointment.



Please see the City of Gainesville Code of Ordinances for detailed information:

- ☐ Historic preservation/ conservation overlay – see Sec. 30-4.28.
- ☐ Historic Preservation Board see Sec. 30-3.5.
- ☐ Variances see Sec. 30-3.55.

The Code of Ordinances is available for review at

www.municode.com



Board Decisions - Persons with standing, as defined in Section 30-3.58(B) of the Land Development Code, may appeal a decision of the HPB, as outlined in Article III, Division

12 - Appeals of the land Development Code.

Administrative Decisions - Persons with standing, as defined in Section 30-3.57(B) of the Land Development Code, may appeal a decision of the HPB, as outlined in Article III, Division

12 - Appeals of the land Development Code.

DEMOLITIONS (If Applicable)

Please identify any unique qualities of historic and/or architectural significance, the prevalence of these features within the region, county, or neighborhood, and feasibility of reproducing such a building, structure, or object.

Discuss measures taken to save the building/structure/object from collapse. Also, address whether it is capable of earning a reasonable economic return on its value.

RELOCATIONS (If Applicable)

For relocations, address the context of the proposed future site and proposed measures to protect the physical integrity of the building.)

Additional criteria for relocations and demolitions: Please describe the future planned use of the subject property once vacated and its effect on the historic context.

MODIFICATION OF EXISTING ZONING REQUIREMENTS (If Applicable)

Any change shall be based on competent demonstration by the petitioner of Section 30-4.28(D) of the Land Development Code.

Modification of dimensional requirements. To facilitate new construction, redevelopment, rehabilitation, or relocation of buildings or structures in historic districts or individually listed on the local register, the city manager or designee or the appropriate board within the development review process may determine dimensional requirements such as front, side, and rear setbacks, building height, separation between buildings, floor area ratios, and maximum lot coverage for buildings and structures based on historic development patterns. Any change shall be based on competent demonstration by the petitioner of the following:

- a. The proposed development will not affect the public safety, health, or welfare of abutting property owners or the district:
- b. The proposed change is consistent with historic development, design patterns or themes in the historic district. Such patterns may include reduced front, rear, and side yard setbacks, maximum lot coverage and large floor area ratios:
- c. The proposal reflects a particular theme or design pattern that will advance the development pattern of the historic district; and
- d. The proposed complies with utility, stormwater, access requirements, and other requirements related to site design in the Land Development Code.

Where the proposed modification would encroach into a side or rear yard setback that adjoins an existing lot, notice shall be provided to the adjacent property owner. Staff or the appropriate reviewing board will document the basis for its decision. If staff makes the decision, it will provide a written determination on the complete modification request within 21 calendar days of receiving the request. If the adjacent property owner objects to the encroachment in writing within 16 calendar days of the date from which the notice was mailed, the request shall be referred to the development review board, which shall review the request using the same standards in this section used by staff. If the decision is to be made by a board, the board shall hear the objection of the adjacent property owner as part of its public hearing. The remainder of the requirements, regulations and procedures set forth in this chapter shall remain applicable.

Modification of building code requirements. Structures and buildings listed individually on the local register or deemed contributing to the character of a district listed on the local register shall be deemed historic and entitled to modified enforcement of the standard codes where appropriate.

Please describe the requested zoning modification, addressing a through d above:

The requested modification will change the following zoning or building requirement in this manner:				
(select only those that apply)	Required	Existing	Proposed	
Front, Side, Or Rear Building Setback Line				
Building Height				
Building Separation				
Floor Area Ration				
Maximum Lot Coverage				

CERTIFICATION

By signing below, I certify that the information contained in this application is true and correct to the best of my knowledge at the time of the application. I acknowledge that I understand and have complied with all of the submittal requirements and procedures and have read and understand the following:

- 1. I/We hereby attest to the fact that the above supplied property address(es), parcel number(s) and legal description(s) is (are) the true and proper identification of the area of this petition.
- 2. I/We authorize staff from the Department of Sustainable Development to enter onto the property in question during regular city business hours in order to take photos which will be placed in the permanent file.
- 3. I/We understand that the COA review time period will not commence until the application is deemed complete by staff and may take up to 10 days to process. I further understand that an incomplete application submittal may cause my application to be deferred to the next posted deadline date.
- 4. I/We understand that, for Board review cases, an agenda and staff report will be available on the City's website approximately one week before the Historic Preservation Board meeting.
- 5. I/We understand that the Historic Preservation Board meetings are conducted in a quasi-judicial hearing and as such, exparte communications are prohibited (Communication about your project with a Historic Preservation Board member).
- 6. I/We understand that the approval of this application by the Historic Preservation Board or staff in no way constitutes approval of a Building Permit for construction from the City of Gainesville Building Department.
- 7. I/We understand that all changes to the approved scope of work stated in a COA have to be approved by the HPB before work commences on those changes. There will be no charge for a revision to a COA. Making changes that have not been approved can result in a Stop Work Order being placed on the entire project and/or additional fees/penalties.
- 8. I/We understand that any decision of the HPB may be appealed to the City Commission. Petitions to appeal shall be presented within thirty (30) days after the decision of the HPB; otherwise the decision of the HPB will be final.

9. If We understand tifat Certificates of Appropriateness are only valid for one (1) year from issuance.

| D - 5 - 2 C |
| Applicant (Signature) | Date

Applicant (Print)

i	TO BE COMPLETED BY STAFF	CITY	Same Digg	eceived 20	Received By: Jason Simmons		
Please submit this application	HP 20-0009	0		☐ Staff Approval —	No Fee		
and all required supporting materials via email to	Zoning: RC			Single Family Structure or its Accessory Structure			
cogplanning@cityofgainesville.org.	Contributing?	☐ Yes	□No	The state of the s	uiring Board approval		
Once the application is received and	Pre-Conference?	™ Yes	□No	Ad Valorem Tax Exemption			
deemed complete we will contact you regarding payment. For	Application Complete	☑ Yes	□No	☐ After-The-Fact Ce	ertificate of Appropriateness		
questions regarding application submission, please call	Enterprise Zone?	☑ Yes	□No	☐ Account No. 001-660-6680-3405			
352 393-5022	Request for Modification of Setbacks?	□Yes	№No		-660-6680-1124 (Enterprise Zone) L-660-6680-1125 (Enterprise—Credit)		



HISTORIC PRESERVATION PROPERTY TAX EXEMPTION APPLICATION

PART 1 -- PRECONSTRUCTION APPLICATION

Instructions: Read the attached instructions carefully before completing this application. Your application cannot be evaluated unless it is complete and all required supporting materials are provided. In the event of any discrepancy between the application for and other supplementary material submitted with it (such as architectural plans, drawings and specifications), the application form shall take precedence. Type or print clearly in black ink. This form needs to accompany a completed Certificate of Appropriateness (COA) form. If additional space is needed, attach additional sheets.

A. GENERAL INFORMATION (To be completed by all applicants)
Property Identification Number (from tax records) 14347-000-60 (Attach legal description) Address of property: Street 730 N.W. 2nd Street City 6 (anessille County F1 Zip Code 3260) () Individually listed on the National Register of Historic Places () In a National Register Historic District () Individually listed on the Local Register of Historic Places * () In a Local Register Historic District * For applications submitted to the Division of Historical Resources, attach a copy of the local designation report for the property and the official correspondence notifying the property owner of designation. Name of Historic District PC9 Sawt Street For locally designated historic properties or landmarks, or properties located in locally designated historic districts, provide the following additional information:
Name of local historic preservation agency/office
Mailing Address
CityStateZip Code
Telephone Number ()
2. Type of request:
 (Exemption under 196.1997, F.S. (Standard exemption) () Exemption under 196.1998, F.S. (Exemption for properties occupied by non-profit organizations or governmental agencies and regularly open to the public.) If applying under 196.1998, F.S., complete Section D. SPECIAL EXEMPTION
3. Owner Information: Name of individual or organization owning the property Doug Ammer Man
Mailing Address 730 NW 2nd Street
City Gaine Sville State F1 ZipCode 32601
Daytime Telephone Number ()

If the property is in multiple ownership, attach a list of all owners with their mailing addresses.

	Property Identification Number 14 347 -000-000
	Property Address 730 NW and Street Gainesville F1 3260
	4. Owner Attestation: I hereby attest that the information I have provided is, to the best of my knowledge correct, and that I own the property described above or that I am the authority in charge of the property. Further, by submission of this application, I agree to allow access to the property by representatives of the appropriate representatives of the local government form which the exemption is being requested, to the purpose of verification of information provided in the application. I also understand that, if the requested expiation is granted, I will be required to enter into a covenant with the local government grant the exemption in which I must agree to maintain the character of the property and the qualifying improvements for the term of the exemption.
-	Doug Ammer man luly Junua 9-50-20 Name Signature Signature
	Complete the following if signing for an organization of multiple owners:
	Title Organization Name
	B. EVALUATION OF PROPERTY (To be completed only for properties in historic or archaeological districts)
	5. Description of Physical Appearance: Severty Deglected Victoria Horse. Crafts Man Style Porch Starting Fainting / window Repair Date of Construction 1891 Date(s) of Alteration(s)
	Has building been moved? () Yes (VNo If so, when?
	6. Statement of Significance: The house of a kind of the house is to by S This tory from people long living In the weigh bornood a
	7. Photographs and Maps:
Fho	Attach Photographs and Maps to Application Photos to be emailed of and delivered today of tomorrow.

Prope	ty Identification Number 14347-000-000
Prope	ty Address 730 NW 2nd Street Gain, Fl 32601
C.	PROPERTY USE (To be completed by all applicants)
1.	Use(s) before improvement: First bed + Breakfast in brille - Single Fam
2.	Proposed use(s): Single tamily - 15+B-Obtice Space
N	of Sure at this time
NOTE	SPECIAL EXEMPTION (complete only if applying for exemption under s. 196.1998, F.S., property led by non-profit organization or government agency and regularly open to the public) Applicants should check with local officials to determine whether or not the exemption program offered by municipal government and/or county allows the special exemption provided by s. 196.1998, F.S.
1.	Identify the governmental agency or non-profit organization that occupies the building or archaeological site.
2.	How often does this organization or agency use the building or archaeological site?
3.	For buildings, indicate the total usable area of the building in square feet. (For archaeological sites, indicated the total area of the upland component in acres) square feet () acres ().
4.	How much areas does the organization or agency use?%.
5.	What percentage of the usable area does the organization or agency use?%.
6.	Is the property open to the public? () Yes () No. If so, when?
7.	Are there regular hours? () Yes () No. If so, what are they?
8.	Is the property open by appointment? () Yes () No
9	Is the property open only by appointment? () Yes () No

PART 1 PRECONSTRUCTION APPLICATION REVIEW

For Local Historic Preservation Office or Division Use Only

	y Identification Number 14347-000-000
Propert	y Identification Number 11317 000 0
Propert	y Address 730 NW 2nd Street
The (V	Local Historic Preservation Office () Division, has reviewed Part 1 (Preconstruction Application) of the Preservation Property Tax Exemption Application for the above named property and hereby:
(V)	Certifies that the above referenced property <u>qualifies</u> as a historic property consistent with the provisions of s. 196.1997 (11), F.S.
()	Certifies the above referenced property does not qualify for the special exemption provided under s. 196.1997, (11) F.S.
()	Certified that the above referenced property <u>qualifies</u> for the special exemption provided under s. 196.1998, F.S., for properties occupied by non-profit organizations or government agencies and regularly open to the public.
()	Certified that the above referenced property does not qualify for the special exemption provided under s. 196.1998, F.S.
	Determined that improvements to the above referenced property are consistent with the Secretary of 's Standards for Rehabilitation and Guidelines for Rehabilitating Historic Buildings, and the criteria set forth oter 1A-38, F.A.C.
Review	Comments:
Additio	onal Review Comments attached? Yes () No ()
	Signature Jason Simmons
	Typed or printed name Tason Simmons
	Title Planner
	Date 11/7/20



EXHIBIT	
4	
	•
	4

STATE OF FLORIDA DEPARTMENT OF STATE Division of Archives, History and Records Management

FLORIDA MASTER SITE FILE

and Records Manage		ite inventory Form	FDAHRM	802 = =
DS-HSP-3AAA	Rev. 3-79	•	0.0	1009 = =
			Site No. 8 AL	1462
Site Name	-00 NIT 0	830 = = St, Gainesville, Fla	Survey Date 8007	820 = =
Address of Site: _	730 NW 2	St, Gainesville, Fla	32601	905 = =
Instruction for local	ting			040
			14347)	813 = =
Location: Brush A	Addition	24	lot no.	868 = =
County: Alachua	bdivision name	block no.	lot no.	808 = =
Owner of Site: Na	me Hunter.	Ferneese		
Address: 730 l	NW 2 St			
Gain	esville, Fla.	32601		902 = =
Type of Ownersh	in private	848 = = Recording	Date	832 = =
Recorder:	г - ринтисс			
	Ann DeRosa B	yrne, (Consultant)		i
Address:	The History	Group 300 W. Peac	htree St.	
	Suite 16 DE	Atlanta Ga 30	308	818 = =
Condition of Site:	Integrity of Sit	e: Original	Use private reside	nce 838 = =
Check One	Check One or	More Present	Use nnivato nocido	nce 850 = =
☐ Excellent 863 = =	Altered	858 = = Dates: F	Use private reside BeginningC+1920	844 = =
☐ Good 863 = =	☐ Unaltered	858 = = Culture/F	Phase American	040 = =
X Fair 863 = =	Original Site		20th Century	845 = =
Deteriorated 863 = =	Restored () (Dat			
	☐ Moved () (Date:			
ND Obsestination (916 = =
NR Classification (alegory: <u>buri</u>	arng		
Threats to Site:				
	one or More			V 1979
Zoning ()(on()	
Development()(
Deterioration ()() 878 = ≈) 878 = =
☐ Borrowing ()()()878 = =		
Other (See Remarks Be		878 = =		

Significance:

This house contributes in scale and character to the Fifth Avenue neighborhood which has been evolving since the mid-nineteenth century. This house has been in the owner's family since 1905. It is a Queen Anne house with three large brick columns on the partially enclosed veranda which may have been added to update the style when bungalows were in vogue. The front door has applied carving and marginal flashed glass. This house is one of only a few in the neighborhood that represent the Queen Anne style. The first Sanborn map to show this location is the 1909 edition. This house is shown in a simpler form. The 1913 map shows that the front porch was enlarged and a second story bay and porch were added, as well as a rear porch. The grocery story in the corner of the yard from 1909 to 1922 does not appear on the 1928 Sanborn map.

911 = =

STATE OF FLORIDA DEPARTMENT OF STATE

FLORIDA MASTER SITE FILE

Division of Archives, His and Records Managem		ite Invent	ory Form	FDAHRM	802 =	
DS-HSP3AAA	Rev 3:79		Sito	No	1009 =	
Site NameMe++	el Perkins No	16 6	830 = = S	urvey Date 8007	820 = =	
Address of Site:	730 NW 2 S	t. Gaines	ville, Fla.	32601	905 = =	
Instruction for locati						
Instruction for locati	<u> </u>		(Tax No]	4347)	813 = =	
Location: Brush Ac	ddition		24		868 = =	
subd	livision name	b	lock no.	lot no.	808 = =	
County: Alachua	11				000 = -	
Owner of Site: Nam	ne: Hunter, I	erneese				
Address: 730 N		2222			902 = =	
	sville, Fla.	32601 848 = =	December De	-	832 = =	
Type of Ownership	_private	040 = =	Hecoraing Da	ite	002 = =	
Recorder:	Ann DoDoos D	mno Icon	cultant)			
Name & Title: _		yrne. (con	O W Poschto	00 5+		
Address:	Suite 16 DE	aroup su	C- 30308	66 31.	818 = =	
Condition of Site:	Integrity of Site	ALLanta	Original Use	eprivate reside	nce 838 = =	
Condition of Site.	THE GITTY OF STA	J.	Original 55	o printed realiza		
Check One	Check One or !	Aore .	Present Use	private reside	nce 850 = =	← 71905-
Excellent 863 = =	Altered	858 = =	Dates: Beg	inning C+	044 = =	
☐ Good 863 = =	Unaltered	858 = =	Culture/Pha	se <u>American</u>	840 = =	Lagas
Fair 863 = =	Original Site	858 = =	Period	20th Century	845 = =	SOL
Deteriorated 863 = =	Restored () (Date	e:)() 858 = =				
	☐ Moved () (Date:) 858 = =				
NR Classification Ca					916 = =	
Threats to Site:	ategorybull.	-1113				
Check On	a nr More					
		V \878==	☐ Transportation (ЖК) 878 = =	
Zoning ()(_		K)878 = =	
Development ()						
Deterioration ()) 878 = =	_ Diedget A			
Borrowing ()(Y 1010	070			
Other (See Remarks Belo	ow):		878 = =		040	
Areas of Significan	ce: _architec	ture, loca	1 history		910 = =	


Significance:

This house contributes in scale and character to the Fifth Avenue neighborhood which has been evolving since the mid-nineteenth century. This house has been in the owner's family since 1905. It is a Queen Anne house with three large brick columns on the partially enclosed veranda which may have been added to update the style when bungalows were in vogue. The front door has applied carving and marginal flashed glass. This house is one of only a few in the neighborhood that represent the Queen Anne style. The first Sanborn map to show this location is the 1909 edition. This house is shown in a simpler form. The 1913 map shows that the front porch was enlarged and a second story bay and porch were added, as well as a rear porch. The grocery story in the corner of the yard from 1909 to 1922 does not appear on the 1928 Sanborn map.

911 = =

1909

Solitoria de la companya del companya de la companya del companya de la companya	B74 = =
STYLE AND/OR PERIODOueen Anne	
	964 = =
PLAN TYPE irregular: irregular	966 ==
PLAN TYPE irregular: irregular EXTERIOR FABRIC(S) ood: novelty siding with cornerboards	354 = =
STRUCTURAL SYSTEM(S) wood frame: balloon	356 = =
PORCHES E/ 1 story veranda wraps around bay, large brick colum	ns,
	942 = =
FOUNDATION: continuous: brick # piers: brick	942 = =
ROOF TYPE: cross gable)42 = =
SECONDARY ROOF STRUCTURE(S): porch: shed	942 = =
SECONDARY ROOF STRUCTURE(S): porch: shed CHIMNEY LOCATION: W: wall # offset 9	942 = =
WINDOW TYPE: DHS, 2/2, wood # awning, metal	942 = =
CHIMNEY: brick 8	382 = =
ROOF SURFACING: composition 8	382 = =
ORNAMENT EXTERIOR: 8	382 = =
NO. OF CHIMNEYS $\frac{2}{}$ 952 = NO. OF STORIES $\frac{2}{}$ 9)50 = =
NO. OF DORMERS	954 = =
Map Reference (incl. scale & date)	
8	309 = =
Latitude and Longitude:	
	300 = =
Site Size (Approx. Acreage of Property): LT 1	33 = =



Township	Range	Section	
108	20E	05	812==

UTM Coordinates:


Zone Easting Northing


5 B12 &55 B5
Photographic Records Numbers

860 = =


Contact Print












Saturday, November 07, 2020 4:12:21 PM - GACARimage3.webp (580×436)































CLASSIC BEAUTY MEETS MODERN ENGINEERING

The 5V Crimp roofing panel is the timeless look of authentic Florida in a strong, durable and energy efficient roofing system.

Its 24" panel width and exposed fastener application make 5V Crimp one of our most economical roofing options. The distinctive design featuring alternating single and double ribs provide the old Florida look, while the screw pattern provides engineering to protect your home in the strongest of storms.

ACCESSORY OPTIONS FOR THE **5V**CRIMP SYSTEM

METAL ROOF COLOR THAT LASTS!

www.EverythingElseFades.com



Long-Life Screws

Upgrade to UltiMate[©] woodgrip fasteners with a zinc alloy cap.

Reflective Foil Insulation

- Reflect up to 97% of Radiant Energy
- Energy Star Compliant
- · Save Big on Energy Bill



Snug fitting foam fills the gap to prevent insect and moisture intrusion.

Vented Ridge System

Maintain cooler attic temperatures effectively reducing energy costs.

1x4 Wood Purlins

- · Add Structural Stability
- Gain R-Value w/ Energy Efficient Air Space
- Install Directly Over Existing Roof



Color Match Pipe Boots

Seal unsightly roof penetrations.

• Ask about color selection

Weather-Armor® HT³ Underlayment

- 100% Waterproof and Nail Sealable
- UL Classified for Protection Against Fire Damage
- Maximum Flexibility and Longevity

Titebond® Metal Roof Sealant

- Exceptional Adhesion
- · Permanently Flexible

VELUX® Skylights

Replace **traditional skyl**ights with energy efficient metal roof skylights.

5VCRIMP

PROFILE SPECIFICATIONS



Colors: 40+ Colors & Mill Finish Available

Coverage: 24" Net Coverage

Material: 26 & 24 Gauge Steel, 0.032 & 0.040 Aluminum

Substrate/ AZ-50 / 35/30 Year Premium Paint Finish Warranty
Warranty: AZ-50 / 40/30 Year Standard Paint Finish Warranty
AZ-55 / 25 Year Unpainted Mill Finish Warranty

AZ-55 / 25 Year Unpainted Mill Finish Warranty 35/30 PVDF/Kynar Painted Aluminum Warranty*

Approvals: Miami-Dade NOA: 19-0807.02

FL Product Approval No. 11651.12, 11651.13, 11651.14

Min. Slope: 3:12 FOR APPLICATIONS ON LOWER SLOPES, CONTACT MANUFACTURER

Substructure: 15/32" (min.) Plywood or 1"x4" SYP Purlins on Plywood

*Warranty on paint only. Substrate not included

Gulf Coast
SUPPLY & MANUFACTURING

METAL ROOFING PRODUCTS



1.888,393.0335

www.GulfCoastSupply.com

O Conyonal Cost Lately and Marylanding ICC. At represented in Knorfold, a regional manuse of Advances. I Report William Marked Sparks, any break the defendance of the Advances of Marked Sparks, and the second sparks of the Advances of the