



Legislation Details (With Text)

**File #:** 211253.      **Version:** 1      **Name:**  
**Type:** Petition      **Status:** To Be Introduced  
**File created:** 5/17/2022      **In control:** Development Review Board  
**On agenda:** 5/31/2022      **Final action:**  
**Title:** Modification of a variance for Jiffy Lube at the Exchange Center at 3714 NW 13th Street. (B)

Petition LD22-49 VAR: Eda Consultants, Inc., agent for The Exchange Center. Requesting modification of a variance that was issued under DB-21-221 VAR for the south, side setback from 10 feet to 2.8 feet, instead of the requested 3 feet. Zoned: MU-1 (Mixed Use Low Intensity) Located at 3714 NW 13th Street.

**Sponsors:**

**Indexes:**

**Code sections:**

**Attachments:** 1. 211253\_Staff\_Report\_LD22-000049\_withAttachment\_20220631

Date	Ver.	Action By	Action	Result
5/31/2022	1	Development Review Board		

**Modification of a variance for Jiffy Lube at the Exchange Center at 3714 NW 13<sup>th</sup> Street. (B)**

**Petition LD22-49 VAR: Eda Consultants, Inc., agent for The Exchange Center.** Requesting modification of a variance that was issued under DB-21-221 VAR for the south, side setback from 10 feet to 2.8 feet, instead of the requested 3 feet. Zoned: MU-1 (Mixed Use Low Intensity) Located at 3714 NW 13<sup>th</sup> Street.

The Exchange Shopping Center, located at 3714 NW 13th Street is a fully developed tax parcel (07960-048-002), which is 10.04 +/- acres in size. The Exchange Shopping Center has been developed since 1995 and includes the primary retail building to the west and a Jiffy Lube service facility closer to NW 13<sup>th</sup>. Street. The applicant was granted a variance on March 22, 2022 to reduce the south interior side setback from 10 feet to 3 feet. The applicant later discovered that the variance needed is to reduce the setback to 2.8 feet. This applicant is a request to correct the variance request to reflect 2.8 feet, instead of the initial request for 3 feet.

None.

Review Petition LD22-00049 VAR, for compliance with the criteria for granting a variance.